



**CONSOLIDATED LABORATORY SERVICES**  
**"Continued Commitment to Quality & Service"**  
**www.conlabs.com**  
**(904) 308-5600**

**MEDICARE**

**LABORATORY**

**National Coverage Determinations &  
Local Medical Review Policies**

**Please review all policies as several  
changes have been made.**

**October 2010**

# Cross Reference for NCD/LMRP

<u>Common Name / Name on CLS Requisition</u>	<u>NCD/LMRP Name</u>
AFP (Tumor <u>NOT</u> maternal)-----	Tumor Marker
Arthritis Panel -----	Sedimentation Rate, Erythrocyte
B-Natriuretic Pep (BNP) -----	B-Type Natriuretic Peptide (BNP)
CA 125, CA27.20, CA19-9-----	Tumor Markers
Calcium-----	Total Calcium
CBC w/auto diff-----	Blood Counts
CEA -----	Carcinoembryonic Antigen (CEA)
Cholesterol -----	Lipids
Complete Blood Count-----	Blood Counts
Digoxin -----	Digoxin Therapeutic Drug Assay
Ferritin -----	Serum Iron Studies
GGT -----	Gamma Glutamyl Transferase
Glycohemoglobin -----	Glycated Hemoglobin/Glycated Protein
Glucose-----	Blood Glucose Testing
HCG Quant Serum -----	Human Chorionic Gonadotropin (HCG) Quant
Hematocrit -----	Blood Counts
Hemoglobin -----	Blood Counts
Hemogram -----	Blood Counts
Hemoglobin A1C -----	Glycated Hemoglobin/Glycated Protein
Hepatitis (Acute) Panel -----	Hepatitis Panel (Acute Hepatitis Panel)
Hepatitis B Surface AB -----	Hepatitis B Surface Antibody
Hepatitis B Surface AG -----	Hepatitis B Surface Antigen
HIV Antibody -----	Human Immunodeficiency Virus Testing
Iron -----	Serum Iron Studies
Iron Panel (Iron, Transferrin, % Saturation) ---	Serum Iron Studies
Lipid Panel w/LDL-----	Lipids
Magnesium -----	Magnesium
Occult Blood - Diagnostic-----	Fecal Occult Blood
Occult Blood - Screening-----	Colorectal Cancer Screening
Parathyroid Hormone -----	Parathormone
Phosphorus-----	Serum Phosphorus
PSA Total -----	Prostate Specific Antigen
PTH Intact w/CA -----	Parathormone (Parathyroid Hormone)
PT (Protime) w/INR -----	Prothrombin Time (PT)
PTT -----	Partial Thromboplastin Time
RPR -----	Syphilis Testing
Sed Rate, Westegren -----	Sedimentation Rate, Erythrocyte
T3 Total-----	Thyroid Testing
T3 Uptake-----	Thyroid Testing
T4 Free -----	Thyroid Testing
T4 Total-----	Thyroid Testing
Triglyceride -----	Lipids
Thyroid Panel -----	Thyroid Testing
Thyroid Panel + TSH -----	Thyroid Testing
TSH Ultrasensitive-----	Thyroid Testing
Urine C&S -----	Culture, Bacterial, Urine

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

B-TYPE NATRIURETIC PEPTIDE (BNP) .....	2
BLOOD COUNTS .....	3
BLOOD GLUCOSE TESTING .....	9
CARCINOEMBRYONIC ANTIGEN (CEA) .....	14
COLLAGEN CROSSLINKS, ANY METHOD .....	15
COLORECTAL CANCER SCREENING .....	16
CULTURE, BACTERIAL, URINE .....	17
DIGOXIN THERAPEUTIC DRUG ASSAY .....	20
FECAL OCCULT BLOOD.....	22
GAMMA GLUTAMYL TRANSFERASE.....	27
GLYCATED HEMOGLOBIN/GLYCATED PROTEIN .....	34
HEPATITIS B SURFACE ANTIBODY AND SURFACE ANTIGEN.....	35
Antibody.....	35
Antigen .....	35
HEPATITIS PANEL (Acute Hepatitis Panel) .....	37
HUMAN IMMUNODEFICIENCY VIRUS (HIV) TESTING (DIAGNOSIS).....	38
HUMAN IMMUNODEFICIENCY VIRUS (HIV) TESTING (PROGNOSIS INCLUDING MONITORING) .....	42
IONIZED CALCIUM.....	43
LIPIDS TESTING.....	44
MAGNESIUM.....	47
PAP SMEAR SCREENING .....	50
PARATHORMONE (Parathyroid Hormone) .....	51
PARTIAL THROMBOPLASTIN TIME (PTT) .....	52
PROSTATE CANCER SCREENING.....	59
PROSTATE SPECIFIC ANTIGEN.....	60
PROTHROMBIN TIME (PT) .....	61
SEDIMENTATION RATE, ERYTHROCYTE .....	70
SERUM IRON STUDIES .....	72
SERUM PHOSPHORUS .....	79
Syphilis Testing (RPR) .....	81
(86592, 86593, 86780) .....	81
THYROID TESTING .....	83
TOTAL CALCIUM.....	88
TROPONIN.....	90
TUMOR MARKERS.....	91
Alpha-fetoprotein (procedure code 82105) .....	91
Human Chorionic Gonadotropin (HCG) (procedure code 84702) Quantitative .....	92
CA 125 (procedure code 86304).....	93
CA 15-3 and CA 27.29 (procedure code 86300).....	93
CA 19-9 (procedure code 86301).....	93
VITAMIN D, 25 HYDROXY (Includes fractions if performed).....	94

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>B-TYPE NATRIURETIC PEPTIDE (BNP)</b> (83880)	
402.01	Malignant hypertensive heart disease with heart failure
402.11	Benign hypertensive heart disease with heart failure
402.91	Unspecified hypertensive heart disease with heart failure
404.01	Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease Stage I through Stage IV, or unspecified
404.03	Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease Stage V or End Stage Renal disease
404.11	Hypertensive heart and chronic kidney disease, benign, with heart failure and with chronic kidney disease Stage I through Stage IV, or unspecified
404.13	Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic kidney disease Stage V or End Stage Renal disease
404.91	Hypertensive heart and chronic kidney disease, unspecified, with heart failure and with chronic kidney disease Stage I through Stage IV, or unspecified
404.93	Hypertensive heart and chronic kidney disease, unspecified, with heart failure and chronic kidney disease Stage V or End Stage Renal disease
410.00-410.92	Acute myocardial infarction of anterolateral wall episode of care unspecified – Acute myocardial infarction of unspecified site subsequent episode of care
411.1	Intermediate coronary syndrome
428.0	Congestive heart failure unspecified
428.1	Left heart failure
428.20	Unspecified systolic heart failure
428.21	Acute systolic heart failure
428.22	Chronic systolic heart failure
428.23	Acute on chronic systolic heart failure
428.30	Unspecified diastolic heart failure
428.31	Acute diastolic heart failure
428.32	Chronic diastolic heart failure
428.33	Acute on chronic diastolic heart failure
428.40	Unspecified combined systolic and diastolic heart failure
428.41	Acute combined systolic and diastolic heart failure
428.42	Chronic combined systolic and diastolic heart failure
428.43	Acute on chronic combined systolic and diastolic heart failure
428.9	Heart failure unspecified
786.00	Respiratory abnormality unspecified
786.02	Orthopnea
786.05	Shortness of breath
786.06	Tachypnea
786.07	Wheezing
786.09	Respiratory abnormality other

## BLOOD COUNTS

(85004,85007,85008,85013,85014,85018  
85025,85027,85032,85048,85049)

Non-covered ICD-9 Codes	
078.10 – 078.19	Viral warts
210.0 – 210.9	Benign neoplasm of lip, oral cavity, and pharynx
214.0	Lipoma, skin and subcutaneous tissue of face
216.0 – 216.9	Benign neoplasm of skin
217	Benign neoplasm of breast
222.0 – 222.9	Benign neoplasm of male genital organs
224.0	Benign neoplasm of eyeball, except conjunctiva, cornea, retina, and choroids
230.0	Carcinoma in situ of lip, oral cavity and pharynx
232.0 – 232.9	Carcinoma in situ of skin
300.00 – 300.09	Neurotic disorders
301.0 – 301.9	Personality disorders
302.0 – 302.9	Sexual and gender identity disorders
307.0	Stuttering
307.20 – 307.23	Tics
307.3	Stereotypic movement disorder
307.80 – 307.89	Pain disorders related to psychological factors
312.00 – 312.9	Disturbance of conduct, not elsewhere classified
313.0 – 313.9	Disturbance of emotions specific to childhood and adolescence
314.00 – 314.9	Hyperkinetic syndrome of childhood
338.0	Central pain syndrome
338.11	Acute pain due to trauma
338.12	Acute post-thoracotomy pain
338.18	Other acute postoperative pain
338.19	Other acute pain
338.21	Chronic pain due to trauma
338.22	Chronic post-thoracotomy pain
338.28	Other chronic postoperative pain
338.29	Other chronic pain
338.4	Chronic pain syndrome
363.30 – 363.35	Chorioretinal scars
363.40 – 363.43	Choroidal degeneration
363.50 – 363.57	Hereditary choroidal dystrophies
363.70 – 363.9	Choroidal detachment
366.00 – 366.9	Cataract
367.0 – 367.9	Disorders of refraction and accommodation
371.00 – 371.9	Corneal opacity and other disorders of cornea
373.00 – 373.9	Inflammation of eyelids
375.00 – 375.9	Disorders of lacrimal system
376.21 – 376.9	Disorders of the orbit (except 376.3, Other exophthalmic conditions)
377.10 – 377.16	Optic atrophy
377.21 – 377.24	Other disorders of optic disc
384.20 – 384.25	Perforation of tympanic membrane
384.81 – 384.82	Other specified disorders of tympanic membrane
385.00 – 385.9	Other disorders of middle ear and mastoid
387.0 – 387.9	Otosclerosis
388.00 – 388.32	Degenerative and vascular disorders of ear; noise effects on inner ear;

	sudden hearing loss, unspecified; and tinnitus
388.40 – 388.45	Other abnormal auditory perception
388.5	Disorders of acoustic nerve
389.00 – 389.06, 389.08	Conductive hearing loss
389.10 – 389.18	Sensorineural hearing loss
389.20 – 389.22	Mixed hearing loss
389.7	Deaf, non-speaking, not elsewhere classified
389.8, 389.9	Hearing loss
440.0 – 440.1	Atherosclerosis of aorta and renal artery
443.81 – 443.9	Other and unspecified peripheral vascular disease
448.1	Capillary nevus, non-neoplastic
457.0	Postmastectomy lymphedema syndrome
470	Deviated nasal septum
471.0 – 471.9	Nasal polyps
478.0	Hypertrophy of nasal turbinates
478.11	Nasal mucositis (ulcerative)
478.19	Other disease of nasal cavity and sinuses
478.4	Polyp of vocal cord or larynx
520.0 – 520.9	Disorders of tooth development and eruption
521.00-521.15, 521.20-521.25, 521.30-521.35, 521.40-521.42, 521.49, 521.5-521.7, 521.81, 521.89, 521.9	Diseases of hard tissues of teeth
524.00 – 524.9	Dentofacial anomalies, including malocclusion
525.0, 525.10-525.13, 525.19, 525.20-525.26, 525.3, 525.40- 525.44, 525.50-525.54, 525.60-525.67, 525.69	Other diseases and conditions of teeth and supporting structures
525.71	Osseointegration failure of dental implant
525.72	Post-osseointegration failure of dental implant
525.73	Post-osseointegration mechanical failure of dental implant
525.8	Other specified disorders of the teeth and supporting structures
525.9	Unspecified disorder of the teeth and supporting structures
526.0 – 526.3	Diseases of the jaws
526.61	Perforation of root canal space
526.62	Endodontic overfill
526.63	Endodontic underfill
526.69	Other periradicular pathology associated with previous endodontic treatment
527.6 – 527.9	Diseases of salivary glands
575.6	Cholesterolosis of gallbladder
600.00 – 600.91	Hyperplasia of prostate
603.0	Encysted hydrocele
603.8	Other specified types of hydrocele
603.9	Hydrocele, unspecified
605	Redundant prepuce and phimosis
606.0 - 606.1	Infertility, male azoospermia and oligospermia
608.1	Spermatocele
608.20	Torsion of testis, unspecified
608.21	Extravaginal torsion of spermatic cord
608.22	Intravaginal torsion of spermatic cord
608.23	Torsion of appendix testis
608.24	Torsion of appendix epididymis
608.3	Atrophy of testis

610.0 – 610.9	Benign mammary dysplasia
611.1 – 611.6	Other disorders of breast
611.9	Unspecified breast disorder
616.2	Cyst of Bartholin's gland
618.00-618.05, 618.09,618.1-618.7, 618.81-618.83, 618.84, 618.89, 618.9	Genital prolapse
620.0 – 620.3	Noninflammatory disorders of ovary, fallopian tube, and broad ligament
621.6 – 621.7	Malposition or chronic inversion of uterus
627.2 – 627.9	Menopausal and post menopausal disorders
628.0 – 628.9	Infertility, female
676.00 – 676.94	Other disorders of breast associated with childbirth and disorders of lactation
691.0 – 691.8	Atopic dermatitis and related disorders
692.0 – 692.9	Contact dermatitis and other eczema
700	Corns and callosities
701.0 – 701.9	Other hypertrophic and atrophic conditions of skin
702.0 – 702.8	Other dermatoses
703.9	Unspecified disease of nail
706.0 – 706.9	Diseases of sebaceous glands
709.00 – 709.4	Other disorders of skin and subcutaneous tissue
715.00 – 715.98	Osteoarthritis
716.00 – 716.99	Other and unspecified arthropathies
718.00 – 718.99	Other derangement of joint
726.0 – 726.91	Peripheral enthesopathies and allied syndromes
727.00 – 727.9	Other disorders of synovium, tendon, and bursa
728.10 – 728.85	Disorders of muscle, ligament, and fascia
732.0 – 732.9	Osteochondropathies
733.00 – 733.09	Osteoporosis
734	Flat foot
735.0 – 735.9	Acquired deformities of toe
736.00 – 736.9	Other acquired deformities of limb
737.0 – 737.9	Curvature of spine
738.0 – 738.9	Other acquired deformity
739.0 – 739.9	Nonallopathic lesions, not elsewhere classified
799.81	Decreased libido
<b>830.0 – 839.19</b>	<b>Dislocations of jaw, shoulder, and elbow</b>
<b>832.2</b>	<b>Nursemaid's elbow</b>
<b>833.00 – 833.19</b>	<b>Dislocation of wrist</b>
<b>834.00 – 834.12</b>	<b>Dislocation of finger</b>
<b>835.00 – 835.13</b>	<b>Dislocation of hip</b>
<b>836.0 – 836.69</b>	<b>Dislocation of knee</b>
<b>837.0 – 837.1</b>	<b>Dislocation of ankle</b>
<b>838.00 – 838.19</b>	<b>Dislocation of foot</b>
<b>839.00 – 839.9</b>	<b>Other, multiple and ill-defined dislocations</b>
840.0 – 848.9	Sprains and strains of joints and adjacent muscles
905.0 – 909.9	Late effects of musculoskeletal and connective tissue injuries
910.0 – 919.9	Superficial injuries
930.0 – 932	Foreign body on external eye, in ear, in nose
955.0 – 957.9	Injury to peripheral nerve
V03.0 – V06.9	Need for prophylactic vaccination
<b>V11.0 – V11.3</b>	<b>Personal history of mental disorder; schizophrenia, affective disorders, neurosis, and alcoholism</b>
<b>V11.4</b>	<b>Personal history of combat and operational stress reaction</b>

<b>V11.8 – V11.9</b>	<b>Personal history of other and unspecified mental disorders</b>
V14.0 – V14.8	Personal history of allergy to medicinal agents
V16.0	Family history of malignant neoplasm, gastrointestinal tract
V16.3	Family history of malignant neoplasm, breast
V21.0 – V21.9	Constitutional states in development
<b>V25.01-V25.04, V25.09</b>	<b>Encounter for contraceptive management; general counseling and advice</b>
<b>V25.11</b>	<b>Encounter for insertion of intrauterine contraceptive device</b>
<b>V25.12</b>	<b>Encounter for removal of intrauterine contraceptive device</b>
<b>V25.13</b>	<b>Encounter for removal and reinsertion of intrauterine contraceptive device</b>
<b>V25.2-V25.3, V25.40-V25.43, V25.49, V25.5, V25.8, V25.9</b>	<b>Encounter for sterilization; menstrual extraction; surveillance of previously prescribed contraceptive methods; and insertion of implantable subdermal contraceptive; other specified and unspecified contraceptive management</b>
V26.0 – V26.39	Procreative management
V26.41	Other procreative counseling and advice using natural family planning
V26.42	Encounter for fertility preservation counseling
V26.49	Other procreative management, counseling and advice
V26.5	Sterilization status
V26.81	Encounter for assisted reproductive fertility procedure cycle
V26.82	Encounter for fertility preservation procedure
V26.89-V26.9	Other specified and unspecified procreative management
V40.0 – V40.9	Mental and behavioral problems
V41.0 – V41.9	Problems with special senses and other special functions
V43.0 – V43.1	Organ or tissue replaced by other means, eye globe or lens
V44.0 – V44.9	Artificial opening status
V45.00 – V45.02, V45.09	Other post surgical states
V45.11	Renal dialysis status
V45.12	Non-compliance with renal dialysis
V45.2-V45.4, V45.51, V45.52, V45.59, V45.61, V45.69, V45.71-V45.79, V45.81-V45.85, V45.86, V45.89	Other post surgical states
V48.0 – V48.9	Problems with head, neck, and trunk
<b>V49.0-V49.85</b>	<b>Other conditions influencing health status</b>
<b>V49.86</b>	<b>Do not resuscitate status</b>
<b>V49.89 – V49.9</b>	<b>Other specified and unspecified conditions influencing health status</b>
V51.0	Encounter for breast reconstruction following mastectomy
V51.8	Other aftercare involving the use of plastic surgery
V52.0 – V52.9	Fitting and adjustment of prosthetic device and implant
V53.01 – V53.09	Fitting and adjustment of devices related to nervous system and special senses
V53.1	Fitting and adjustment of spectacles and contact lenses
V53.31 – V53.39	Fitting and adjustment of cardiac device
V53.4	Fitting and adjustment of orthodontic device and implant
V53.50	Fitting and adjustment of intestinal appliance and device
V53.51	Fitting and adjustment of gastric lap band
V53.59	Fitting and adjustment of other gastrointestinal appliance and device
V53.6	Fitting and adjustment of urinary devices
V53.7	Fitting and adjustment of orthopedic devices
V53.8	Fitting and adjustment of wheelchair
V53.90 – V53.99	Fitting and adjustment of other and unspecified device
V54.01 – V54.9	Other orthopedic aftercare
V55.0 – V55.9	Attention to artificial openings

V57.0 – V57.2	Care involving use of rehabilitation procedures
V57.3	Care involving speech-language therapy
V57.4-V57.9	Orthoptic training, other specified, and unspecified rehabilitation procedures
V58.5	Orthodontics
V59.01 – V59.9	Donors
V61.01	Family disruption due to family member on military deployment
V61.02	Family disruption due to return of family member from military deployment
V61.03	Family disruption due to divorce or legal separation
V61.04	Family disruption due to parent-child estrangement
V61.05	Family disruption due to child in welfare custody
V61.06	Family disruption due to child in foster care or in care of non-parental family member
V61.07	Family disruption due to death of family member
V61.08	Family disruption due to other extended absence of family member
V61.09	Other family disruption
V61.10	Counseling for marital and partner problems, unspecified
V61.11	Counseling for victim of spousal and partner abuse
V61.12	Counseling for perpetrator of spousal and partner abuse
V61.20	Counseling for parent/child problem
V61.21	Counseling for victim of child abuse
V61.22	Counseling for perpetrator of parental child abuse
V61.23	Counseling for parent-biological child problem
V61.24	Counseling for parent-adopted child problem
V61.25	Counseling for parent (guardian)-foster child problem
V61.29	Other parent-child problems
V61.3	Problems with aged parents or in-laws
V61.41	Alcoholism in family
V61.42	Substance abused in family
V61.49, V61.5-V61.9	Other specified and unspecified family problems
V62.21	Personal current military deployment
V62.22	Personal history of return from military deployment
V62.29	Other occupational circumstances or maladjustment
<b>V62.3 - V62.84</b>	<b>Education circumstances; other psychological or physical stress, not elsewhere classified; suicidal ideation</b>
<b>V62.85</b>	<b>Homicidal ideation</b>
<b>V62.89 – V62.9</b>	<b>Other psychological or physical stress, not elsewhere classified; and unspecified psychosocial circumstances</b>
V65.2	Person feigning illness
V65.3	Dietary surveillance and counseling
V65.40 – V65.49	Other counseling, not elsewhere classified
V65.5	Person with feared complaint in whom no diagnosis was made
V65.8	Other reasons for seeking consultation
V65.9	Unspecified reason for consultation
V66.0 – V66.9	Convalescence and palliative care
V67.3	Follow-up examination following psychotherapy
V67.4	Follow-up examination following treatment of healed fracture
V69.3	Problems related to lifestyle, gambling, and betting
V71.01 – V71.09	Observation and evaluation for suspected conditions not found, mental
V72.0	Examination of eyes and vision
V72.11-V72.12, V72.19	Encounter for hearing conservation and treatment; other examination of ears and hearing
V72.0	Dental examination
V72.40, V72.41, V72.42	Pregnancy examination or test; pregnancy unconfirmed; negative result;

	positive result.
V72.5	Radiological examination not elsewhere classified
V72.60	Laboratory examination, unspecified
V72.61	Antibody response examination
V72.62	Laboratory examination ordered as part of a routine general medical examination
V72.63	Pre-procedural laboratory examination
V72.69	Other laboratory examination
V72.7	Diagnostic skin and sensitization tests
V72.9	Special investigation, unspecified
V76.10 – V76.19	Special screening for malignant neoplasms, breast
V76.2	Special screening for malignant neoplasms, cervix
V76.44	Special screening for malignant neoplasms, other sites, prostate
V76.51	Special screening for malignant neoplasms, intestine, colon
V77.1	Special screening for diabetes mellitus
V81.0 – V81.2	Special screening for cardiovascular diseases

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>BLOOD GLUCOSE TESTING</b> (82947,82948,82962)	
011.00 – 011.96	Tuberculosis
038.0, 038.10 – 038.19, 038.2, 038.3, 038.40 – 038.49, 038.8, 038.9	Septicemia
112.1	Recurrent vaginal candidiasis
112.3	Interdigital candidiasis
118	Opportunistic mycoses
157.4	Malignant neoplasm of islets of Langerhans
158.0	Malignant neoplasm of retroperitoneum
211.7	Benign neoplasm of islets of Langerhans
242.00 – 242.91	Thyrotoxicosis
249.00 – 249.01	Secondary diabetes mellitus without mention of complication
249.10 – 249.11	Secondary diabetes mellitus with keotacidosis
249.20 – 249.21	Secondary diabetes mellitus with hyperosmolarity
249.30 – 249.31	Secondary diabetes mellitus with other coma
249.40 – 249.41	Secondary diabetes mellitus with renal manifestations
249.50 – 249.51	Secondary diabetes mellitus with ophthalmic manifestations
249.60 – 249.61	Secondary diabetes mellitus with neurological manifestations
249.70 – 249.71	Secondary diabetes mellitus with peripheral circulatory disorders
249.80 – 249.81	Secondary diabetes mellitus with other specified manifestations
249.90 – 249.91	Secondary diabetes mellitus with unspecified complication
250.00 – 250.93	Diabetes mellitus
251.0 – 251.9	Disorders of pancreatic internal secretion
253.0 – 253.9	Disorders of the pituitary gland
255.0	Cushing's syndrome
263.0 – 263.9	Malnutrition
271.0 – 271.9	Disorders of carbohydrate transport and metabolism
272.0 – 272.4	Disorders of lipid metabolism
<b>275.01</b>	<b>Hereditary hemochromatosis</b>
<b>275.02</b>	<b>Hemochromatosis due to repeated red blood cell transfusions</b>
<b>275.03</b>	<b>Other hemochromatosis</b>
<b>275.09</b>	<b>Other disorders of iron metabolism</b>
<b>276.0</b>	<b>Hyperosmolality and/or hypernatremia</b>
<b>276.1</b>	<b>Hyposmolality and/or hyponatremia</b>
<b>276.2</b>	<b>Acidosis</b>
<b>276.3</b>	<b>Alkalosis</b>
<b>276.4</b>	<b>Mixed-acid-base balance disorder</b>
<b>276.50 – 276.52</b>	<b>Volume depletion</b>
<b>276.61</b>	<b>Transfusion associated circulatory overload</b>
<b>276.69</b>	<b>Other fluid overload</b>
<b>276.7</b>	<b>Hyperpotassemia</b>
<b>276.8</b>	<b>Hypopotassemia</b>
<b>276.9</b>	<b>Electrolyte and fluid disorders not elsewhere classified</b>
278.3	Hypercarotinemias
293.0	Delirium due to conditions classified elsewhere
294.9	Unspecified persistent mental disorders due to conditions classified elsewhere
298.9	Unspecified psychosis

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

300.9	Unspecified nonpsychotic mental disorder
310.1	Personality change due to conditions classified elsewhere
331.83	Mild cognitive impairment, so stated
337.9	Autonomic nervous system neuropathy
345.10 – 345.11	Generalized convulsive epilepsy
348.31	Metabolic encephalopathy
355.9	Neuropathy, not otherwise specified
356.9	Unspecified hereditary and idiopathic peripheral neuropathy
357.9	Unspecified inflammatory and toxic neuropathy
362.10	Background retinopathy
362.18	Retinal vasculitis
362.29	Nondiabetic proliferative retinopathy
362.50 – 362.57	Degeneration of macular posterior pole
362.60 – 362.66	Peripheral retinal degeneration
362.81 – 362.89	Other retinal disorders
362.9	Unspecified retinal disorders
365.04	Borderline glaucoma, ocular hypertension
365.32	Corticosteroid-induced glaucoma residual
366.00 – 366.09	Presenile cataract
366.10 – 366.19	Senile cataract
367.1	Acute myopia
368.8	Other specified visual disturbance
373.00	Blepharitis
377.24	Pseudopapilledema
377.9	Unspecified disorder of optic nerve and visual pathways
378.50 – 378.55	Paralytic strabismus
379.45	Argyll-Robertson pupils
410.00 – 410.92	Acute myocardial infarctions
414.00 – 414.06	Coronary atherosclerosis, of unspecified type of vessel, native or graft and of native coronary artery of transplanted heart
414.07	Coronary atherosclerosis, of bypass graft (artery) (vein) of transplanted heart
<b>414.10 – 414.12</b>	<b>Coronary atherosclerosis, aneurysm of heart (wall), aneurysm of coronary vessels, and dissection of coronary artery</b>
414.19	Coronary atherosclerosis, other aneurysm of heart
414.3	Coronary atherosclerosis due to lipid rich plaque
425.9	Secondary cardiomyopathy, unspecified
440.23	Arteriosclerosis of extremities with ulceration
440.24	Arteriosclerosis of extremities with gangrene
440.9	Arteriosclerosis, not otherwise specified
458.0	Postural hypotension
462	Acute pharyngitis
466.0	Acute bronchitis
<b>480.0 – 480.3, 480.8, 480.9</b>	<b>Viral pneumonia</b>
<b>481</b>	<b>Pneumococcal pneumonia</b>
<b>482.0 – 482.2, 482.30 – 482.32, 482.39, 482.40 – 482.42, 482.49, 482.81 – 482.84, 482.89, 482.9</b>	<b>Other bacterial pneumonia</b>
<b>483.0 – 483.1, 483.8</b>	<b>Pneumonia due to other specified organism</b>
<b>484.1, 484.3, 484.5 – 484.8</b>	<b>Pneumonia in infectious diseases classified elsewhere</b>
<b>485</b>	<b>Bronchopneumonia, organism unspecified</b>
<b>486</b>	<b>Pneumonia, organism unspecified</b>
490	Recurrent bronchitis, not specified as acute or chronic

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

491.0 – 491.9	Chronic bronchitis
527.7	Disturbance of salivary secretion (drymouth)
528.00	Stomatitis and mucositis, unspecified
528.09	Other stomatitis and mucositis (ulcerative)
535.50 – 535.51	Gastritis
536.8	Dyspepsia
571.8	Other chronic nonalcoholic liver disease
572.0	Abscess of liver
572.1	Portal pyemia
572.2	Hepatic encephalopathy
572.3	Portal hypertension
572.4	Hepatorenal syndrome
572.8	Other sequelae of chronic liver disease
574.50 – 574.51	Cholelithiasis
575.0 – 575.12	Cholecystitis
576.1	Cholangitis
577.0	Acute pancreatitis
577.1	Chronic pancreatitis
577.8	Pancreatic multiple calculi
590.00 – 590.9	Infections of the kidney
595.9	Recurrent cystitis
596.4	Bladder atony
596.53	Bladder paresis
599.0	Urinary tract infection, recurrent
607.84	Impotence of organic origin
608.89	Other disorders male genital organs
616.10	Vulvovaginitis
626.0	Amenorrhea
626.4	Irregular menses
628.9	Infertility – female
648.00	Diabetes mellitus complicating pregnancy, Childbirth or the puerperium, unspecified as to episode of care or not applicable
648.03	Diabetes mellitus complicating pregnancy, Childbirth or the puerperium, antipartum condition or complication
648.04	Diabetes mellitus complicating pregnancy, Childbirth or the puerperium, postpartum condition or complication
648.80	Abnormal glucose tolerance complicating pregnancy, childbirth or the puerperium, unspecified as to episode of care or not applicable
648.83	Abnormal glucose tolerance complicating pregnancy, childbirth or the puerperium, antepartum condition or complication
648.84	Abnormal glucose tolerance complicating pregnancy, childbirth or the puerperium, postpartum condition or complication
649.20	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care or not applicable
649.21	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition
649.22	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication
649.23	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, antepartum condition or complication
649.24	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication
656.60 – 656.63	Fetal problems affecting management of mother – large for-date of fetus
657.00 – 657.03	Polyhydramnios

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

680.0 – 680.9	Carbuncle and furuncle
686.00 – 686.9	Infections of skin and subcutaneous tissue
698.0	Pruritus ani
698.1	Pruritus of genital organs
704.1	Hirsutism
705.0	Anhidrosis
707.00 – 707.25, 707.8, 707.9	Chronic ulcer of skin
709.3	Degenerative skin disorders
729.1	Myalgia
730.07	Acute osteomyelitis of ankle and foot
730.17	Chronic osteomyelitis of ankle and foot
730.27	Unspecified osteomyelitis of ankle and foot
780.01	Coma
780.02	Transient alteration of awareness
780.09	Alteration of consciousness, other
780.2	Syncope and collapse
780.31	Febrile convulsions (simple), unspecified
780.32	Complex febrile convulsions
<b>780.33</b>	<b>Post traumatic seizures</b>
780.39	Seizures, not otherwise specified
780.4	Dizziness and giddiness
780.71	Malaise and fatigue
780.72	Functional quadriplegia
780.79	Other malaise and fatigue
780.8	Generalized hyperhidrosis
781.0	Abnormal involuntary movements
782.0	Loss of vibratory sensation
783.1	Abnormal weight gain
783.21	Abnormal loss of weight
783.5	Polydipsia
783.6	Polyphagia
785.0	Tachycardia
785.4	Gangrene
786.01	Hyperventilation
786.09	Dyspnea
786.50	Chest pain, unspecified
<b>787.60</b>	<b>Full incontinence of feces</b>
<b>787.61</b>	<b>Incomplete defecation</b>
<b>787.62</b>	<b>Fecal smearing</b>
<b>787.63</b>	<b>Fecal urgency</b>
787.91	Diarrhea
788.41 – 788.43	Frequency of urination and polyuria
789.1	Hepatomegaly
790.21 – 790.29	Abnormal glucose tolerance test
790.6	Other abnormal blood chemistry (hyperglycemia)
791.0	Proteinuria
791.5	Glycosuria
796.1	Abnormal reflex
799.4	Cachexia
<b>V23.0 – V23.3, V23.41 – V23.49, V23.5, V23.7, V23.81 – V23.85, V23.86, V23.89</b>	Supervision of high risk pregnancy
V58.63 – V58.65	Long-term (current) drug use
V58.67	Long-term (current) use of insulin

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

V58.69	Long-term current use of other medication
V67.2	Follow-up examination, following chemotherapy
V67.51	Follow-up examination with high-risk medication not elsewhere classified
V77.1 : Covered for procedure code 82947 only	Special screening for endocrine, nutrition, metabolic, and immunity disorders

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>CARCINOEMBRYONIC ANTIGEN (CEA)</b> (82378)	
150.0 – 150.9	Malignant neoplasm of the esophagus
151.0 – 151.9	Malignant neoplasm of stomach
152.0 – 154.8	Malignant neoplasm of small intestine, including duodenum, rectum, rectosigmoid junction and anus
157.0 – 157.9	Primary malignancy of pancreas
159.0	Malignant neoplasm of intestinal tract, part unspecified
162.0 – 162.9	Malignant neoplasm of trachea, bronchus, lung
174.0 – 174.9	Malignant neoplasm of female breast
175.0 – 175.9	Malignant neoplasm of male breast
183.0	Malignant neoplasm of ovary
197.0	Secondary malignant neoplasm of lung
197.4	Secondary malignant neoplasm of small intestine
197.5	Secondary malignant neoplasm of large intestine and rectum
209.00 – 209.03	Malignant carcinoid tumors of the small intestine
209.10 – 209.17	Malignant carcinoid tumors of the appendix, large intestine and rectum
209.20 – 209.27, 209.29	Malignant carcinoid tumors of other and unspecified sites
209.70	Secondary neuroendocrine tumor, unspecified site
209.71	Secondary neuroendocrine tumor of distant lymph nodes
209.72	Secondary neuroendocrine tumor of liver
209.73	Secondary neuroendocrine tumor of bone
209.74	Secondary neuroendocrine tumor of peritoneum
209.75	Secondary Merkel cell carcinoma
209.79	Secondary neuroendocrine tumor
230.3	Carcinoma in situ of colon
230.4	Carcinoma in situ of rectum
230.7	Carcinoma in situ of other/unspecified parts of intestine
230.9	Carcinoma in situ of other and unspecified digestive organs
235.2	Neoplasm of uncertain behavior of stomach, intestines, and rectum
338.3	Neoplasm related pain (acute) (chronic)
790.99	Other nonspecific findings on examination of blood
795.81	Elevated carcinoembryonic antigen [CEA]
795.89	Other abnormal tumor markers
V10.00	Personal history of malignant neoplasm of gastro-intestinal tract, unspecified
V10.05	Personal history of malignant neoplasm, large intestine
V10.06	Personal history of malignant neoplasm, rectum, rectosigmoid junction, and anus
V10.11	Personal history of malignant neoplasm, bronchus, and lung
V10.3	Personal history of malignant neoplasm, breast
V10.43	Personal history of malignant neoplasm, ovary
V67.2	Follow-up examination following chemotherapy

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>COLLAGEN CROSSLINKS, ANY METHOD</b>	
(82523)	
242.00 – 242.91	Thyrotoxicosis
245.2	Chronic lymphocytic thyroiditis (only if thyrotoxic)
246.9	Unspecified disorder of thyroid
252.00 – 252.02, 252.08	Hyperparathyroidism
256.2	Postablative ovarian failure
256.31 – 256.39	Other ovarian failure
256.8	Other ovarian dysfunction
256.9	Unspecified ovarian dysfunction
268.9	Unspecified vitamin D deficiency
269.3	Mineral deficiency, not elsewhere classified
627.0	Premenopausal menorrhagia
627.1	Postmenopausal bleeding
627.2	Symptomatic menopausal or female climacteric state
627.4	Symptomatic states associated with artificial menopause
627.8	Other specified menopausal and postmenopausal disorders
627.9	Unspecified menopausal and postmenopausal disorder
731.0	Osteitis deformans without mention of bone tumor (Paget's disease of bone)
733.00 – 733.09	Osteoporosis
733.10 – 733.19	Pathological fracture
733.90	Disorder of bone and cartilage, unspecified
805.8	Fracture of vertebral column without mention of spinal cord injury, unspecified, closed
V58.65	Long-term (current) use of steroids
V58.69	Long-term (current) use of other medications

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patient's actual medical condition as noted in their medical record.

## **COLORECTAL CANCER SCREENING**

(82270)

Screening fecal-occult blood tests (82270) are covered at a frequency of once every 12 months for beneficiaries who have attained age 50. Screening fecal-occult blood test (FOBT) means a guaiac-based test for peroxidase activity, in which the beneficiary completes it by taking samples from two different sites of three consecutive stools. This screening requires a written order from the beneficiary's attending physician.

See Fecal Occult Blood Test for non-screening code coverage

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>CULTURE, BACTERIAL, URINE</b> (87086,87088,87184,87186)	
003.1	Salmonella septicemia
<b>038.0, 038.10 – 038.11, 038.12, 038.19, 038.2, 038.3, 038.40 – 038.44, 038.49, 038.8, 038.9</b>	<b>Septicemia</b>
276.2	Acidosis
276.4	Metabolic acidosis/alkalosis
286.6	Defibrination syndrome/disseminated intravascular coagulation
288.00	Neutropenia, unspecified
288.01	Congenital neutropenia
288.02	Cyclic neutropenia
288.03	Drug induced neutropenia
288.04	Neutropenia due to infection
288.09	Other neutropenia
288.8	Other specified disease of white blood cells including leukemoid reaction/leukocytosis
306.53	Psychogenic dysuria
306.59	Other psychogenic genitourinary malfunction
518.82	Other pulmonary insufficiency, not elsewhere classified
570	Acute and subacute necrosis of liver
580.0 - 580.9	Acute glomerulonephritis
583.0 - 583.9	Nephritis and nephropathy, not specified as acute or chronic
585.6	End Stage Renal Disease
590.00 - 590.9	Infections of kidney/pyelonephritis acute or chronic
592.0 - 592.9	Calculus of kidney and ureter
593.0 - 593.9	Other disorders of kidney and ureter (cyst, stricture, obstruction, reflux, etc.)
594.0 - 594.9	Calculus of lower urinary tract
595.0 - 595.9	Cystitis
597.0	Urethritis, not sexually transmitted and urethral syndrome
597.80 - 597.89	Other urethritis
598.00 - 598.01	Urethral stricture due to unspecified infection
599.0	Urinary tract infection, site not specified
599.70	Hematuria, unspecified
599.71	Gross hematuria
599.72	Microscopic hematuria
600.00 - 600.91	Hyperplasia of prostate
601.0 - 601.9	Inflammatory diseases of prostate
602.0 - 602.9	Other disorders of prostate (calculus, congestion, atrophy, etc.)
604.0 - 604.99	Orchitis and epididymitis
608.0 - 608.1, 608.20 - 608.24, 608.3 – 608.9	Other disorders of male genital organs (seminal vesiculitis, spermatocele, etc.)
614.0 - 614.9	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum
615.0 - 615.9	Inflammatory disease of uterus, except cervix
616.0	Cervicitis and endocervicitis
616.10 - 616.11	Vaginitis and vulvovaginitis
616.2 - 616.4, 616.50, 616.51,	Other inflammatory conditions of cervix, vagina and vulva

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

616.81, 616.89, 616.9	
619.0 - 619.9	Fistula involving female genital tract
625.6	Stress incontinence, female
639.0	Genital tract and pelvic infection following abortion, ectopic or molar pregnancies
639.5	Shock complicating abortion, ectopic or molar pregnancies
646.60 - 646.64	Infections of genitourinary tract in pregnancy
670.00	Major puerperal infection, unspecified, unspecified as to episode of care or not applicable
670.02	Major puerperal infection, unspecified, delivered, with mention of postpartum complication
670.04	Major puerperal infection, unspecified, postpartum condition or complication
670.10	Puerperal endometriosis, unspecified, unspecified as to episode of care or not applicable
670.12	Puerperal endometriosis, unspecified, delivered, with mention of postpartum complication
670.14	Puerperal endometriosis, postpartum condition or complication
670.20	Puerperal sepsis, unspecified as to episode of care or not applicable
670.22	Puerperal sepsis, delivered, with mention of postpartum complication
670.24	Puerperal sepsis, postpartum condition of complication
670.30	Puerperal septic thrombophlebitis, unspecified as to episode of care or not applicable.
670.32	Puerperal septic thrombophlebitis, delivered, with mention of postpartum complication.
670.34	Puerperal septic thrombophlebitis, postpartum condition or complication.
670.80	Other major puerperal infection, unspecified as to episode of care of not applicable.
670.82	Other major puerperal infection, delivered, with mention of postpartum complication.
670.84	Other major puerperal infection, postpartum condition or complication.
672.00 - 672.04	Pyrexia of unknown origin during the puerperium
724.5	Backache, unspecified
771.81	Septicemia [sepsis] of newborn
771.82	Urinary tract infection of newborn
771.83	Bacteremia of newborn
780.02	General symptoms, transient alteration of awareness
780.60	Fever, unspecified
780.61	Fever presenting with conditions classified elsewhere
780.62	Postprocedural fever
780.63	Postvaccination fever
780.64	Chills (without fever)
780.65	Hypothermia not associated with low environmental temperature
<b>780.66</b>	<b>Febrile nonhemolytic transfusion reaction</b>
780.79	Other malaise and fatigue
780.93	Memory loss
780.94	Early satiety
780.96	Generalized pain
780.97	Altered mental status
780.99	Other general symptoms
785.0	Tachycardia, unspecified
785.50 - 785.59	Shock without mention of trauma
788.0 – 788.63, 788.64, 788.65, 788.69, 788.7 – 788.8	Symptoms involving urinary system (renal colic, dysuria, retention of urine, incontinence of urine, frequency, polyuria, nocturia, oliguria, anuria, other

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

	abnormality of urination, urethral discharge, extravasation of urine, other symptoms of urinary system)
788.91	Functional urinary incontinence
788.99	Other symptoms involving urinary system
789.00 - 789.09	Abdominal pain
789.60 - 789.69	Abdominal tenderness unspecified site
789.7	Colic
790.7	Bacteremia
791.0 – 791.9	Nonspecific findings on examination of urine (proteinuria, chyluria, hemoglobinuria, myoglobinuria, biliuria, glycosuria, m acetonuria, other cells and casts in urine, other nonspecific findings on examination of urine)
799.3	Debility, unspecified (only for declining functional status)
939.0	Foreign body in genitourinary tract, bladder and urethra
939.3	Foreign body in genitourinary tract, penis
V44.50 - V44.6	Artificial cystostomy or other artificial opening of urinary tract status
V55.5 - V55.6	Attention to cystostomy or other artificial opening or urinary tract
V58.69	Long-term (current) use of other medications

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>DIGOXIN THERAPEUTIC DRUG ASSAY</b>	
(80162)	
242.00 – 242.91	Thyrotoxicosis with or without goiter
243	Congenital hypothyroidism
244.0 – 244.9	Acquired hypothyroidism
245.0 – 245.9	Thyroiditis
275.2	Disorders of magnesium metabolism
275.40 – 275.49	Disorders of calcium metabolism
275.5	Hungry bone syndrome
276.0	Hyperosmolality
276.1	Hyposmolality
276.2	Acidosis
276.3	Alkalosis
276.4	Mixed acid-base balance disorder
276.50 – 276.52	Volume depletion
<b>276.61</b>	<b>Transfusion associated circulatory overload</b>
<b>276.69</b>	<b>Other fluid overload</b>
276.7	Hyperpotassemia
276.8	Hypopotassemia
276.9	Electrolyte and fluid disorder (not elsewhere classified)
293.0	Delirium due to conditions classified elsewhere
293.1	Subacute delirium
307.47	Other dysfunctions of sleep stages or arousal from sleep
339.3	Drug induced headache, not elsewhere classified
368.16	Psychophysical visual disturbances
368.8	Other specified visual disturbances
368.9	Unspecified visual disturbances
397.9	Rheumatic diseases of endocardium
398.0	Rheumatic myocarditis
398.91	Rheumatic heart failure
402.01	Hypertensive heart disease, malignant with heart failure
402.11	Hypertensive heart disease, benign with heart failure
402.91	Hypertensive heart disease, unspecified with heart failure
403.00 – 403.91	Hypertensive kidney disease
404.00 – 404.93	Hypertensive heart and kidney disease
410.00 – 410.92	Acute myocardial infarction
411.0 – 411.89	Other acute & subacute forms of ischemic heart disease
413.0 – 413.9	Angina pectoris
422.0 – 422.99	Acute myocarditis
425.0 – 425.9	Cardiomyopathy
426.0 – 426.9	Conduction disorders
427.0 – 427.9	Cardiac dysrhythmias
428.0 – 428.9	Heart failure
429.2	Cardiovascular disease, unspecified
429.4	Heart disturbances postcardiac surgery
429.5	Rupture of chordae tendineae
429.6	Rupture of papillary muscle
429.71	Acquired cardiac septal defect
514	Pulmonary congestion and hypostasis
579.9	Unspecified intestinal malabsorption

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

584.5	Acute renal failure with lesion of tubular necrosis
584.6	Acute renal failure with lesion of renal cortical necrosis
584.7	Acute renal failure with lesion of renal medullary (papillary) necrosis
584.8	Acute renal failure with other specified pathological lesion in kidney
584.9	Acute renal failure, unspecified
585.1 – 585.9	Chronic kidney disease
586	Renal failure, unspecified
587	Renal sclerosis, unspecified
588.0	Renal osteodystrophy
588.1	Nephrogenic diabetes insipidus
588.81	Secondary hyperparathyroidism (of renal origin)
588.89	Other specified disorders resulting from impaired renal function
588.9	Unspecified disorder resulting from impaired renal function
780.01	Coma
780.02	Transient alteration of awareness
780.09	Other ill-defined general symptoms (drowsiness, semicoma, somnolence, stupor, unconsciousness)
780.1	Hallucinations
780.2	Syncope and collapse
780.4	Dizziness and giddiness
780.71	Malaise & fatigue
780.72	Functional quadriplegia
780.79	Other malaise and fatigue
783.0	Anorexia
784.0	Headache
787.01 – 787.03	Nausea & vomiting
787.04	Bilious emesis
787.91	Diarrhea
794.31	Abnormal electrocardiogram
799.21	Nervousness
799.22	Irritability
799.23	Impulsiveness
799.24	Emotional lability
799.25	Demoralization and apathy
479.29	Other signs and symptoms involving emotional state
972.0	Poisoning by cardiac rhythm regulators
972.1	Poisoning by cardiotonic glycosides and drugs of similar action
995.20	Unspecified adverse effect of unspecified drug, medicinal and biological substance
995.21	Arthus phenomenon
995.24	Failed moderate sedation during procedure
995.27	Other drug allergy
995.29	Unspecified adverse effect of other drug, medicinal and biological substance
*E942.1	Adverse effect of cardiotonic glycosides and drugs of similar action
V58.69	Long-term (current) use of other medications
<b>* Code may not be reported as a stand-alone or first-listed code on the claim.</b>	

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>FECAL OCCULT BLOOD</b> (82272)	
003.0	Salmonella gastroenteritis
003.1	Salmonella septicemia
004.0-004.9	Shigella dysenteriae
005.0-005.4, 005.81, 005.89, 005.9	Other food poisoning (bacterial)
006.0-006.9	Acute amebic dysentery without abscess
007.0-007.9	Balantidiasis
008.41-008.49	Intestinal infection due to staphylococcus
009.0-009.3	Infectious colitis enteritis and gastroenteritis
014.00-014.86	Tuberculous peritonitis unspecified examination
040.2	Whipple's disease
095.2	Syphilitic peritonitis
095.3	Syphilis of liver
098.0	Gonococcal infection (acute) of lower genitourinary tract
098.7	Gonococcal infection of anus and rectum
098.84	Gonococcal endocarditis
123.0-123.9	Taenia solium infection intestinal form
124	Trichinosis
127.0-127.9	Ascariasis
139.8	Late effects of other and unspecified infectious and parasitic diseases
150.0-157.9	Malignant neoplasm of cervical esophagus
159.0-159.9	Malignant neoplasm of intestinal tract part unspecified
176.3	Kaposi's sarcoma gastrointestinal sites
197.4-197.5	Secondary malignant neoplasm of small intestine including duodenum
197.8	Secondary malignant neoplasm of other digestive organs and spleen
199.0	Disseminated malignant neoplasm
204.00 – 204.01	Acute lymphoid leukemia, without mention of having achieved remission and in remission
204.02	Acute lymphoid leukemia, in relapse
204.10 – 204.11	Chronic lymphoid leukemia, without mention of having achieved remission and in remission
204.12	Chronic lymphoid leukemia, in relapse
204.20 – 204.21	Subacute lymphoid leukemia, without mention of having achieved remission and in remission
204.22	Subacute lymphoid leukemia, in relapse
204.80 – 204.81	Other lymphoid leukemia, without mention of having achieved remission and in remission
204.82	Other lymphoid leukemia, in relapse
204.90 – 204.91	Unspecified lymphoid leukemia, without mention of having achieved remission and in remission
204.92	Unspecified lymphoid leukemia, in relapse
205.00 – 205.01	Acute myeloid leukemia, without mention of having achieved remission and in remission
205.02	Acute myeloid leukemia, in relapse
205.10 – 205.11	Chronic myeloid leukemia, without mention of having achieved remission and in remission
205.12	Chronic myeloid leukemia, in relapse
205.20 – 205.21	Subacute myeloid leukemia, without mention of having achieved remission and in remission

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

205.22	Subacute myeloid leukemia, in relapse
205.30 – 205.31	Myeloid sarcoma, without mention of having achieved remission and in remission
205.32	Myeloid sarcoma, in relapse
205.80 – 205.81	Unspecified myeloid leukemia, without mention of having achieved remission and in remission
205.82	Unspecified myeloid leukemia, in relapse
205.90 – 205.91	Unspecified myeloid leukemia, without mention of having achieved remission and in remission
205.92	Unspecified myeloid leukemia, in relapse
206.00 – 206.01	Acute monocytic leukemia, without mention of having achieved remission and in remission
206.02	Acute monocytic leukemia, in relapse
206.10 – 206.11	Chronic monocytic leukemia, without mention of having achieved remission and in remission
206.12	Chronic monocytic leukemia, in relapse
206.20 – 206.21	Subacute monocytic leukemia, without mention of having achieved remission and in remission
206.22	Subacute monocytic leukemia, in relapse
206.80 – 206.81	Other monocytic leukemia, without mention of having achieved remission and in remission
206.82	Other monocytic leukemia, in relapse
206.90 – 206.91	Unspecified monocytic leukemia, without mention of having achieved remission and in remission
206.92	Unspecified monocytic leukemia, in relapse
207.00 – 207.01	Acute erythremia and erythroleukemia, without mention of having achieved remission and in remission
207.02	Acute erythremia and erythroleukemia, in relapse
207.10 – 207.11	Chronic erythremia, without mention of having achieved remission and in remission
207.12	Chronic erythremia, in relapse
207.20 – 207.21	Megakaryocytic leukemia, without mention of having achieved remission and in remission
207.22	Megakaryocytic leukemia, in relapse
207.80 – 207.81	Other specified leukemia, without mention of having achieved remission and in remission
207.82	Other specified leukemia, in relapse
208.00 – 208.01	Acute leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.02	Acute leukemia of unspecified cell type, in relapse
208.10 – 208.11	Chronic leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.12	Chronic leukemia of unspecified cell type, in relapse
208.20 – 208.21	Subacute leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.22	Subacute leukemia of unspecified cell type, in relapse
208.80 – 208.81	Other leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.82	Other leukemia of unspecified cell type, in relapse
208.90 – 208.91	Unspecified leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.92	Unspecified leukemia of unspecified cell type, in relapse
209.00 – 209.03	Malignant carcinoid tumors of small intestine
209.10 – 209.17	Malignant carcinoid tumors of the appendix, large intestine & rectum

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

209.40 – 209.43	Benign carcinoid tumors of the small intestine
209.50 – 209.57	Benign carcinoid tumors of the appendix, large intestine and rectum
209.70	Secondary neuroendocrine tumor, unspecified site
209.71	Secondary neuroendocrine tumor of distant lymph nodes
209.72	Secondary neuroendocrine tumor of liver
209.73	Secondary neuroendocrine tumor of bone
209.74	Secondary neuroendocrine tumor of peritoneum
209.75	Secondary Merkel cell carcinoma
209.79	Secondary neuroendocrine tumor of other sites
211.0-211.9	Benign neoplasm of esophagus
228.04	Hemangioma of intra-abdominal structures
230.2-230.9	Carcinoma in situ of stomach
235.2	Neoplasm of uncertain behavior of stomach, intestines, and rectum
235.5	Neoplasm of uncertain behavior of other and unspecified digestive organs
239.0	Neoplasm of unspecified nature of digestive system
280.0-280.9	Iron deficiency anemia secondary to blood loss (chronic)
284.2	Myelophthisis
285.0-285.29	Sideroblastic anemia and anemia of other chronic disease
285.3	Antineoplastic chemotherapy induced anemia
285.8 – 285.9	Other and unspecified anemias
286.0-286.9	<b>Coagulation defects</b>
<b>287.0-287.39</b>	<b>Allergic purpura; qualitative platelet defects; other non-thrombocytopenic purpuras; primary thrombocytopenia</b>
<b>287.41</b>	<b>Posttransfusion purpura</b>
<b>287.49</b>	<b>Other secondary thrombocytopenia</b>
338.3	Neoplasm related pain (acute) (chronic)
448.0	Hereditary hemorrhagic telangiectasia
455.0-455.8	Internal hemorrhoids without complication
456.0-456.21	Esophageal varices with bleeding
530.10 – 530.21, 530.3 – 530.7, 530.81 – 530.89, 530.9	Diseases of the esophagus
531.00 – 535.61	Gastric ulcer; duodenal ulcer; peptic ulcer; site unspecified; gastrojejunal ulcer; and gastritis and duodenitis
535.70	Eosinophilic gastritis, without mention of obstruction
535.71	Eosinophilic gastritis, with obstruction
536.2	Persistent vomiting
536.8-536.9	Dyspepsia and other specified disorders of function of stomach
537.0-537.4	Acquired hypertrophic pyloric stenosis
537.82-537.83	Angiodysplasia of stomach and duodenum (without hemorrhage)
537.84	Dieulafoy lesion (hemorrhagic) of stomach and duodenum
537.89	Other specified disorders of stomach and duodenum
555.0-558.3	Non-infectious enteritis and colitis
558.41	Eosinophilic gastroenteritis
558.42	Eosinophilic colitis
558.9	Other and unspecified non-infectious gastroenteritis and colitis
<b>560.0-560.2</b>	<b>Intestinal obstruction: intussusceptions, paralytic ileus, volvulus</b>
<b>560.30</b>	<b>Impaction of intestine, unspecified</b>
<b>560.31</b>	<b>Gallstone ileus</b>
<b>560.32</b>	<b>Fecal impaction</b>
<b>560.39</b>	<b>Other impaction of intestine</b>
562.10-562.13	Diverticulosis of colon (without hemorrhage)
564.00-564.9	Functional digestive disorders, not elsewhere classified
565.0-565.1	Anal fissure
569.0	Anal and rectal polyp

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

569.1	Rectal prolapse
569.3	Hemorrhage of rectum and anus
569.41-569.44, 569.49	Other specified disorders of anus and rectum
569.82-569.83	Ulceration of intestine
569.84-569.85	Angiodysplasia of intestine with or without mention of hemorrhage
569.86	Dieulafoy lesion (hemorrhagic) of intestine
569.87	Vomiting of fecal matter
571.0-571.9	Alcoholic fatty liver
577.0-577.9	Acute pancreatitis
578.0-578.9	Hematemesis
579.0	Celiac disease
579.8	Other specified intestinal malabsorption
596.1	Intestino-vesical fistula
617.5	Endometriosis of intestine
780.71	Chronic fatigue syndrome
780.72	Functional quadriplegia
780.79	Other malaise and fatigue
783.0	Anorexia
783.21	Loss of weight
787.01-787.03	Nausea with vomiting
787.04	Bilious emesis
787.1	Heartburn
787.20	Dysphagia, unspecified
787.21	Dysphagia, oral phase
787.22	Dysphagia, oropharyngeal phase
787.23	Dysphagia, pharyngeal phase
787.24	Dysphagia, pharyngo-esophageal phase
787.29	Other dysphagia
787.7	Abnormal feces
787.91	Diarrhea
787.99	Other symptoms involving digestive system
789.00-789.09	Abdominal pain unspecified site
789.30-789.39	Abdominal or pelvic swelling mass or lump unspecified site
789.40-789.49	Abdominal rigidity unspecified site
789.51	Malignant ascites
789.59	Other ascites
789.60-789.69	Abdominal tenderness unspecified site
789.7	Colic
790.92	Abnormal coagulation profile
792.1	Nonspecific abnormal findings in stool contents
793.6	Nonspecific abnormal findings on radiological and other examination of abdominal area, including retroperitoneum
794.8	Nonspecific abnormal results of function study of liver
<b>863.0-863.90, 863.91 – 863.95, 863.99</b>	Injury to gastrointestinal tract
864.00-864.09	Unspecified injury to liver without open wound into cavity
864.11-864.19	Hematoma and contusion of liver with open wound into cavity
866.00-866.03	Unspecified injury to kidney without open wound into cavity
866.10-866.13	Unspecified injury to kidney with open wound into cavity
902.0-902.9	Injury to abdominal aorta
926.11-926.19	Crushing injury of back
926.8	Crushing injury of multiple sites of trunk
926.9	Crushing injury of unspecified site of trunk
964.2	Poisoning by anticoagulants

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>995.20</b>	<b>Unspecified adverse effect of unspecified drug, medicinal and biological substance</b>
<b>995.24</b>	<b>Failed moderate sedation during procedure</b>
V10.00-V10.09	Personal history of malignant neoplasm of unspecified site in gastrointestinal tract
V12.00	Personal history of unspecified infectious and parasitic disease
V12.72	Personal history of colonic polyps
V58.61	Long-term (current) use of anticoagulants
<b>V58.63 – V58.65</b>	<b>Long-term (current) drug use</b>
V58.66	Long-term (current) use of aspirin
V58.69	Long-term (current) use of other medications
V67.51	Follow-up examination following completed treatment with high-risk medications, not elsewhere classified

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>GAMMA GLUTAMYL TRANSFERASE</b>	
(82977)	
003.1	Salmonella septicemia
006.0 – 006.9	Amebiasis
014.00 – 014.86	Tuberculosis of intestines, peritoneum, and mesenteric glands
017.90 – 017.96	Tuberculosis of other specified organs
018.90 – 018.96	Miliary tuberculosis, unspecified
020.0 – 020.9	Plague
022.3	Anthrax septicemia
027.0	Listeriosis
027.1	Erysipelothrix infection
030.1	Tubercloid leprosy (type T)
032.83	Diphtheritic peritonitis
036.1	Meningococcal encephalitis
036.2	Meningococcemia
038.0, 038.10 – 038.19, 038.2, 038.3, 038.40 – 038.49, 038.8, 038.9	Septicemia
038.12	Methicillin resistant Staphylococcus aureus septicemia
039.2	Actinomycotic infections, abdominal
040.0	Gas gangrene
042	Human immunodeficiency virus (HIV) disease
054.0	Eczema herpeticum
054.5	Herpetic septicemia
060.0 – 060.1	Yellow fever
070.0 – 070.9	Viral hepatitis
072.71	Mumps hepatitis
073.0	Ornithosis, with pneumonia
074.8	Other specified diseases due to Coxsackie virus
075	Infectious mononucleosis
078.5	Cytomegaloviral disease
079.99	Unspecified viral infection
082.0 – 082.9	Tick-borne rickettsioses, stet
084.9	Other pernicious complications of malaria
086.1	Chagas' disease with organ involvement other than heart
088.81	Lyme disease
091.62	Secondary syphilitic hepatitis
095.3	Syphilis of liver
100.0	Leptospirosis icterohemorrhagica
112.5	Candidiasis, disseminated
115.00	Infection by Histoplasma capsulatum without mention of manifestation
120.9	Schistosomiasis, unspecified
121.1	Clonorchiasis
121.3	Fascioliasis
122.0	Echinococcus granulosus infection of liver
122.5	Echinococcus multilocularis infection of liver
122.8	Echinococcosis, unspecified, of liver
122.9	Echinococcus, other and unspecified
130.5	Hepatitis due to toxoplasmosis
135	Sarcoidosis

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

150.0 – 159.9	Malignant neoplasm of digestive organs and peritoneum
160.0 – 165.9	Malignant neoplasm of respiratory and intrathoracic organs
170.0 – 176.9	Malignant neoplasm, of bone, connective tissue, skin, and breast
179 – 189.9	Malignant neoplasm of genitourinary organs
200.00 – 200.28	Lymphosarcoma and reticulosarcoma; Burkitt's tumor or lymphoma
200.30 – 200.38	Marginal zone lymphoma
200.40 – 200.48	Mantle cell lymphoma
200.50 – 200.58	Primary central nervous system lymphoma
200.60 – 200.68	Anaplastic large cell lymphoma
200.70 – 200.78	Large cell lymphoma
200.80 – 200.88	Malignant tumors of lymphatic tissue; other named variants
<b>201.00 – 201.98</b>	<b>Hodgkin's disease</b>
202.00 – 202.68	Other malignant neoplasms of lymphoid and histiocytic tissue
202.70 – 202.78	Peripheral T-cell lymphoma
202.80 – 202.98	Other lymphomas; other and unspecified malignant neoplasms of lymphoid and histiocytic tissue
203.00 – 203.01	Multiple myeloma, without mention of having achieved remission and in remission
203.02	Multiple myeloma, in relapse
203.10 – 203.11	Plasma cell leukemia, without mention of having achieved remission and in remission
203.12	Plasma cell leukemia, in relapse
203.80 – 203.81	Other immunoproliferative neoplasms, without mention of having achieved remission and in remission
203.82	Other immunoproliferative neoplasms, in relapse
204.00 – 204.01	Acute lymphoid leukemia, without mention of having achieved remission and in remission
204.02	Acute lymphoid leukemia, in relapse
204.10 – 204.11	Chronic lymphoid leukemia, without mention of having achieved remission and in remission
204.12	Chronic lymphoid leukemia, in relapse
204.20 – 204.21	Subacute lymphoid leukemia, without mention of having achieved remission and in remission
204.22	Subacute lymphoid leukemia, in relapse
204.80 – 204.81	Other lymphoid leukemia, without mention of having achieved remission and in remission
204.82	Other lymphoid leukemia, in relapse
204.90 – 204.91	Unspecified lymphoid leukemia, without mention of having achieved remission and in remission
204.92	Unspecified lymphoid leukemia, in relapse
205.00 – 205.01	Acute myeloid leukemia, without mention of having achieved remission and in remission
205.02	Acute myeloid leukemia, in relapse
205.10 – 205.11	Chronic myeloid leukemia, without mention of having achieved remission and in remission
205.12	Chronic myeloid leukemia, in relapse
205.20 – 205.21	Subacute myeloid leukemia, without mention of having achieved remission and in remission
205.22	Subacute myeloid leukemia, in relapse
205.30 – 205.31	Myeloid sarcoma, without mention of having achieved remission and in remission
205.32	Myeloid sarcoma, in relapse
205.80 – 205.81	Unspecified myeloid leukemia, without mention of having achieved remission and in remission

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

205.82	Unspecified myeloid leukemia, in relapse
205.90 – 205.91	Unspecified myloid leukemia, without mention of having achieved remission and in remission
205.92	Unspecified myloid leukemia, in relapse
206.00 – 206.01	Acute monocytic leukemia, without mention of having achieved remission and in remission
206.02	Acute monocytic leukemia, in relapse
206.10 – 206.11	Chronic monocytic leukemia, without mention of having achieved remission and in remission
206.12	Chronic monocytic leukemia, in relapse
206.20 – 206.21	Subacute monocytic leukemia, without mention of having achieved remission and in remission
206.22	Subacute monocytic leukemia, in relapse
206.80 – 206.81	Other monocytic leukemia, without mention of having achieved remission and in remission
206.82	Other monocytic leukemia, in relapse
206.90 – 206.91	Unspecified monocytic leukemia, without mention of having achieved remission and in remission
206.92	Unspecified monocytic leukemia, in relapse
207.00 – 207.01	Acute erythremia and erythroleukemia, without mention of having achieved remission and in remission
207.02	Acute erythremia and erythroleukemia, in relapse
207.10 – 207.11	Chronic erythremia, without mention of having achieved remission and in remission
207.12	Chronic erythremia, in relapse
207.20 – 207.21	Megakaryocytic leukemia, without mention of having achieved remission and in remission
207.22	Megakaryocytic leukemia, in relapse
207.80 – 207.81	Other specified leukemia, without mention of having achieved remission and in remission
207.82	Other specified leukemia, in relapse
208.00 – 208.01	Acute leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.02	Acute leukemia of unspecified cell type, in relapse
208.10 – 208.11	Chronic leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.12	Chronic leukemia of unspecified cell type, in relapse
208.20 – 208.21	Subacute leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.22	Subacute leukemia of unspecified cell type, in relapse
208.80 – 208.81	Other leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.82	Other leukemia of unspecified cell type, in relapse
208.90 – 208.91	Unspecified leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.92	Unspecified leukemia of unspecified cell type, in relapse
209.20 – 209.27, 209.29	Malignant carcinoid tumors of other and unspecified sites
209.70	Secondary neurendocrine tumor, unspecified site
209.71	Secondary neurendocrine tumor of distant lymph nodes
209.72	Secondary neurendocrine tumor of liver
209.73	Secondary neurendocrine tumor of bone
209.74	Secondary neurendocrine tumor of peritoneum
209.75	Secondary Merkel cell carcinoma
209.79	Secondary neurendocrine tumor of other sites

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

211.5	Benign neoplasm of liver and biliary passages
211.6	Benign neoplasm of pancreas, except islets of Langerhans
211.7	Benign neoplasm of islets of Langerhans
228.04	Hemangioma of intra-abdominal structures
230.7	Carcinoma in situ of other and unspecified parts of intestine
230.8	Carcinoma in situ of liver and biliary system
230.9	Carcinoma in situ of other and unspecified digestive organs
<b>235.0 – 235.9</b>	<b>Neoplasms of uncertain behavior of digestive and respiratory systems</b>
<b>236.0 – 236.99</b>	<b>Neoplasms of uncertain behavior of genitourinary organs</b>
<b>237.0 – 237.72</b>	<b>Neoplasms of uncertain behavior of endocrine glands and nervous system</b>
<b>237.73</b>	<b>Schwannomatosis</b>
<b>237.79</b>	<b>Other neurofibromatosis</b>
<b>237.9</b>	<b>Other and uncertain parts of the nervous system</b>
<b>238.0 – 238.6</b>	<b>Neoplasms of uncertain behavior of other and unspecified sites and tissues</b>
<b>238.71 – 238.76</b>	<b>Neoplasms of other lymphatic and hematopoietic tissues</b>
238.77	Post-transplant lymphoproliferative disorder (PTLD)
238.79	Other lymphatic and hematopoietic tissues
238.8	Other specific sites
238.9	Site unspecified
239.0	Neoplasm of unspecified nature of digestive system
250.00 – 250.93	Diabetes mellitus
252.00 – 252.02, 252.08	Hyperparathyroidism
263.1	Malnutrition of mild degree
263.9	Unspecified protein-calorie malnutrition
268.0	Rickets, active
268.2	Osteomalacia, unspecified
269.0	Deficiency of vitamin K
270.2	Other disturbances of aromatic amino-acid metabolism
270.9	Unspecified disorder of amino-acid metabolism
271.0	Glycogenosis
272.0	Pure hypercholesterolemia
272.1	Pure hyperglyceridemia
272.2	Mixed hyperlipidemia
272.4	Other and unspecified hyperlipidemia
272.7	Lipidoses
272.9	Unspecified disorder of lipid metabolism
273.4	Alpha-1 antitrypsin deficiency
<b>275.01</b>	<b>Hereditary hemochromatosis</b>
<b>275.02</b>	<b>Hemochromatosis due to repeated red blood cell transfusions</b>
<b>275.03</b>	<b>Other hemochromatosis</b>
<b>275.09</b>	<b>Other disorders of iron metabolism</b>
<b>275.1</b>	<b>Disorders of copper metabolism</b>
275.2	Disorders of magnesium metabolism
275.3	Disorders of phosphorus metabolism
275.40 – 275.49	Disorders of calcium metabolism
275.5	Hungry bone syndrome
277.1	Disorders of porphyrin metabolism
277.30	Amyloidosis, unspecified
277.31	Familial Mediterranean fever
277.39	Other amyloidosis
277.4	Disorders of bilirubin excretion

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

277.6	Other deficiencies of circulating enzymes
282.60 – 282.69	Sickle cell disease
286.6	Defibrination syndrome
286.7	Acquired coagulation factor deficiency
289.4	Hypersplenism
289.52	Splenic sequestration
291.0 – 291.9	Alcoholic psychoses
303.00 – 303.03	Acute alcoholic intoxication
303.90 – 303.93	Other and unspecified alcohol dependence
304.00 – 304.93	Drug dependence
305.00 – 305.93	Non-dependent abuse of drugs
357.5	Alcoholic polyneuropathy
359.21	Myotonic muscular dystrophy
359.22	Myotonic congenital
359.23	Myotonic chondrodystrophy
359.24	Drug induced myotonia
359.29	Other specified myotonic disorder
452	Portal vein thrombosis
453.0	Budd-Chiari syndrome
453.1	Thrombophlebitis migrans
453.2	Embolism and thrombosis of inferior vena cava
453.3	Embolism and thrombosis of renal vein
453.40	Acute venous embolism and thrombosis of unspecified deep vessels of lower extremity
453.41	Acute venous embolism and thrombosis of deep vessels of proximal lower extremity
453.42	Acute venous embolism and thrombosis of deep vessels of distal lower extremity
453.6	Venous embolism and thrombosis of superficial vessels of lower upper extremity
453.71	Chronic venous embolism and thrombosis of superficial veins of upper extremity
453.72	Chronic venous embolism and thrombosis of deep veins of upper extremity
453.73	Chronic venous embolism and thrombosis of upper extremity, unspecified
453.74	Chronic venous embolism and thrombosis of axillary veins
453.75	Chronic venous embolism and thrombosis of subclavian veins
453.76	Chronic venous embolism and thrombosis of internal jugular veins
453.77	Chronic venous embolism and thrombosis of other thoracic veins
453.79	Chronic venous embolism and thrombosis of other specified veins
453.81	Acute venous embolism and thrombosis of superficial veins of upper extremity
453.82	Acute venous embolism and thrombosis of deep veins of upper extremity
453.83	Acute venous embolism and thrombosis of upper extremity, unspecified
453.84	Acute venous embolism and thrombosis of axillary veins
453.85	Acute venous embolism and thrombosis of subclavian veins
453.86	Acute venous embolism and thrombosis of internal jugular veins
453.87	Acute venous embolism and thrombosis of other thoracic veins
453.89	Acute venous embolism and thrombosis of other specified veins
453.9	Other venous embolism and thrombosis of unspecified site
456.0 – 456.21	Esophageal varices
555.0 – 555.9	Regional enteritis
556.0 – 556.9	Ulcerative colitis
557.0	Acute vascular insufficiency of intestine

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

558.1 – 558.3, 558.41 – 558.49, 558.9	Other and unspecified noninfectious gastroenteritis and colitis
<b>560.0 – 560.2</b>	<b>Intestinal obstruction; intussusceptions, paralytic ileus, volvulus</b>
<b>560.30</b>	<b>Impaction of intestine, unspecified</b>
<b>560.31</b>	<b>Gallstone ileus</b>
<b>560.32</b>	<b>Fecal impaction</b>
<b>560.39</b>	<b>Other impaction of intestine</b>
<b>560.81 – 560.89, 560.9</b>	<b>Other and unspecified intestinal obstruction</b>
562.01	Diverticulitis of small intestine (without mention of hemorrhage)
562.03	Diverticulitis of small intestine with hemorrhage
562.11	Diverticulitis of colon (without mention of hemorrhage)
562.13	Diverticulitis of colon with hemorrhage
567.0 – 567.29, 567.38 – 567.9	Peritonitis
569.83	Perforation of intestine
569.87	Vomiting of fecal matter
570	Acute and subacute necrosis of liver
571.0 – 571.9	Chronic liver disease and cirrhosis
572.0	Abscess of liver
572.1	Portal pyemia
572.2	Hepatic encephalopathy
572.3	Portal hypertension
572.4	Hepatorenal syndrome
572.8	Other sequelae of chronic liver disease
573.0 – 573.9	Other disorders of liver
574.00 – 574.91	Cholelithiasis
575.0 – 575.9	Other disorders of gallbladder
576.0 – 576.9	Other disorders of biliary tract
581.0 – 581.9	Nephrotic syndrome
582.0 – 582.9	Chronic glomerulonephritis
583.0 – 583.9	Nephritis and nephropathy not specified as acute or chronic
584.5	Acute kidney failure with lesion of tubular necrosis
584.6	Acute kidney failure with lesion of renal cortical necrosis
584.7	Acute kidney failure with lesion of renal medullary (papillary) necrosis
584.8	Acute kidney failure with other specified pathological lesion in kidney
584.9	Acute kidney failure, unspecified
585.6	End Stage Renal Disease
586	Renal failure, unspecified
587	Renal sclerosis, unspecified
588.0 – 588.9	Disorders resulting from impaired renal function
590.00 – 590.9	Infections of kidney
642.50 – 642.54	Severe pre-eclampsia
646.70, 646.71, 646.73	Liver disorders in pregnancy
782.4	Jaundice, unspecified, not of newborn
789.1	Hepatomegaly
790.4	Nonspecific elevation of levels of transaminase or lactic acid dehydrogenase (LDH)
790.5	Other nonspecific abnormal serum enzyme levels
<b>960.0 – 960.9</b>	<b>Poisoning by antibiotics</b>
<b>961.0 – 961.9</b>	<b>Poisoning by other anti-infectives</b>
<b>962.0 – 962.9</b>	<b>Poisoning by hormones and synthetic substitutes</b>
<b>963.0 – 963.5, 963.8, 963.9</b>	<b>Poisoning by primary systemic agents</b>
<b>964.0 – 964.9</b>	<b>Poisoning by agents primarily affecting blood constituents</b>
<b>965.00 – 965.02, 965.09,</b>	<b>Poisoning by analgesics, antipyretics, and antirheumatics</b>

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>965.1, 965.4 – 965.5, 965.61, 965.69, 965.7 – 965.9</b>	
<b>966.0 – 966.4</b>	<b>Poisoning by anticonvulsants and anti-parkinsonism drugs</b>
<b>967.0 – 967.6, 967.8, 967.9</b>	<b>Poisoning by sedatives and hypnotics</b>
<b>968.0 – 968.7, 968.9</b>	<b>Poisoning by other CNS depressants and anesthetics</b>
969.00	Poisoning by antidepressant, unspecified
969.01	Poisoning by monoamine oxidase inhibitors
969.02	Poisoning by selective serotonin and norepinephrine reuptake inhibitors
969.03	Poisoning by selective serotonin reuptake inhibitors
969.04	Poisoning by tetracyclic antidepressants
969.05	Poisoning by tricyclic antidepressants
969.09	Poisoning by other antidepressants
<b>969.1 – 969.5, 969.6</b>	<b>Poisoning by tranquilizers and psychodysleptics (hallucinogens)</b>
969.70	Poisoning by psychostimulant, unspecified
969.71	Poisoning by caffeine
969.72	Poisoning by amphetamines
969.73	Poisoning by methylphenidate
969.79	Poisoning by other psychostimulants
<b>969.8, 969.9</b>	<b>Poisoning by other specified and unspecified psychotropic agents</b>
<b>970.0 – 970.0</b>	<b>Poisoning by analeptics and opiate antagonists</b>
<b>970.81</b>	<b>Poisoning by cocaine</b>
<b>970.89</b>	<b>Poisoning by other central nervous system stimulants</b>
<b>970.9</b>	<b>Poisoning by unspecified central nervous system stimulants</b>
<b>971.0 – 971.3, 971.9</b>	<b>Poisoning by drugs primarily affecting the autonomic nervous system</b>
<b>972.0 – 972.9</b>	<b>Poisoning by drugs primarily affecting the cardiovascular system</b>
<b>973.0 – 973.6, 973.8, 973.9</b>	<b>Poisoning by agents primarily affecting the GI system</b>
<b>974.0 – 974.7</b>	<b>Poisoning by water, mineral, and uric acid metabolism drugs</b>
<b>975.0 – 975.8</b>	<b>Poisoning by agents primarily acting on the smooth and skeletal muscles and respiratory system</b>
<b>976.0 – 976.9</b>	<b>Poisoning by agents primarily affecting skin and mucous membrane, ophthalmological, otolaryngological, and dental drugs</b>
<b>977.0 – 977.4, 977.8, 977.9</b>	<b>Poisoning by other and unspecified drugs, and medicinal substances</b>
<b>978.0 – 978.6, 978.8, 978.9</b>	<b>Poisoning by bacterial vaccines</b>
<b>979.0 – 979.7</b>	<b>Poisoning by other vaccines and biological substances</b>
<b>979.9</b>	<b>Poisoning by drugs, medicinal, and biological substances</b>
980.0 – 989.89	Toxic effects of substances chiefly nonmedicinal as to source
V42.7	Organ replaced by transplant, liver
V58.61 – V58.64, V58.69	Long-term (current) drug use
V67.1	Follow-up examination following radiotherapy
V67.2	Follow-up examination following chemotherapy
V67.51	Follow-up examination after completed treatment with high-risk medications, not elsewhere classified

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>GLYCATED HEMOGLOBIN/GLYCATED PROTEIN</b>	
(82985,83036)	
211.7	Benign neoplasm of islets of Langerhans
249.00 – 249.01	Secondary diabetes mellitus without mention of complication
249.10 – 249.11	Secondary diabetes mellitus with keotacidosis
249.20 – 249.21	Secondary diabetes mellitus with hyperosmolarity
249.30 – 249.31	Secondary diabetes mellitus with other coma
249.40 – 249.41	Secondary diabetes mellitus with renal manifestations
249.50 – 249.51	Secondary diabetes mellitus with ophthalmic manifestations
249.60 – 249.61	Secondary diabetes mellitus with neurological manifestations
249.70 – 249.71	Secondary diabetes mellitus with peripheral circulatory disorders
249.80 – 249.81	Secondary diabetes mellitus with other specified manifestations
249.90 – 249.91	Secondary diabetes mellitus with unspecified complication
250.00 – 250.93	Diabetes mellitus & various related codes
251.0	Hypoglycemic coma
251.1	Other specified hypoglycemia
251.2	Hypoglycemia unspecified
251.3	Post-surgical hypoinsulinemia
251.4	Abnormality of secretion of glucagon
251.8	Other specified disorders of pancreatic internal secretion
251.9	Unspecified disorder of pancreatic internal secretion
258.0 – 258.9	Polyglandular dysfunction and related disorders
271.4	Renal glycosuria
<b>275.01</b>	<b>Hereditary hemochromatosis</b>
<b>275.02</b>	<b>Hemochromatosis due to repeated red blood cell transfusions</b>
<b>275.03</b>	<b>Other hemochromatosis</b>
<b>275.9</b>	<b>Other disorders of iron metabolism</b>
577.1	Chronic pancreatitis
579.3	Other and unspecified postsurgical nonabsorption
648.00	Diabetes mellitus complicating pregnancy, Childbirth or the puerperium, unspecified as to episode of care or not applicable
648.03	Diabetes mellitus complicating pregnancy, Childbirth or the puerperium, antepartum condition or complication
648.04	Diabetes mellitus complicating pregnancy, Childbirth or the puerperium, postpartum condition or complication
648.80	Abnormal glucose tolerance complicating pregnancy, Childbirth or the puerperium, unspecified as to episode of care or not applicable
648.83	Abnormal glucose tolerance complicating pregnancy, Childbirth or the puerperium, antepartum condition or complication
648.84	Abnormal glucose tolerance complicating pregnancy, Childbirth or the puerperium, postpartum condition or complication
790.21 – 790.29	Abnormal glucose tolerance test
790.6	Other abnormal blood chemistry (hyperglycemia)
962.3	Poisoning by insulin and antidiabetic agents
V12.2	Personal history of endocrine, metabolic, and immunity disorders
V58.67	Long-term (current) use of insulin
V58.69	Long-term use of other medication

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>HEPATITIS B SURFACE ANTIBODY AND SURFACE ANTIGEN</b> (86706,87340)	
<b>Antibody</b>	
070.20-070.23	Viral Hepatitis B with hepatic coma acute or unspecified without Hepatitis Delta-chronic viral Hepatitis B with hepatic coma with Hepatitis delta
070.30-070.33	Viral Hepatitis B without hepatic coma acute of unspecified without Hepatitis Delta – chronic viral Hepatitis B without hepatic coma with Hepatitis Delta
403.01	Hypertensive chronic kidney disease, malignant, with chronic kidney disease Stage V or End Stage Renal disease
403.11	Hypertensive chronic kidney disease, benign, with chronic kidney disease Stage V or End Stage Renal disease
404.02	Hypertensive heart and chronic kidney disease, malignant, without heart failure and with chronic kidney disease Stage V or End Stage Renal disease
404.03	Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease Stage V or End Stage Renal disease
404.12	Hypertensive heart and chronic kidney disease, benign, without heart failure and with chronic kidney disease Stage V or End Stage Renal disease
404.13	Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic kidney disease Stage V or End Stage Renal disease
585.4	Chronic kidney disease, Stage IV (severe)
585.5	Chronic kidney disease, Stage V
585.6	End Stage Renal disease
V01.71-V01.79	Contact or exposure to varicella – contact or exposure to other viral diseases
V05.3	Need for prophylactic vaccination and inoculation against viral Hepatitis
V45.11*	Renal dialysis status
V67.59	Other follow-up examination
<b>Antigen</b>	
070.20-070.23	Viral Hepatitis B with hepatic coma acute or unspecified without Hepatitis Delta-chronic viral Hepatitis B with hepatic coma with Hepatitis Delta
070.30-070.33	Viral Hepatitis B without hepatic coma acute or unspecified without Hepatitis Delta – chronic viral Hepatitis B without hepatic coma with Hepatitis Delta
070.6	Unspecified viral Hepatitis with hepatic coma
070.9	Unspecified viral Hepatitis without hepatic coma
403.01	Hypertensive chronic kidney disease, malignant, with chronic kidney disease Stage V or End Stage Renal disease
403.11	Hypertensive chronic kidney disease, benign, with chronic kidney disease Stage V or End Stage Renal disease
404.02	Hypertensive heart and chronic kidney disease, malignant, without heart failure and with chronic kidney disease Stage V or End Stage Renal disease
404.03	Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease Stage V or End Stage Renal disease
404.12	Hypertensive heart and chronic kidney disease, benign, without heart failure and with chronic kidney disease Stage V or End Stage Renal disease
404.13	Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic kidney disease Stage V or End Stage Renal disease
446.0	Polyarteritis nodosa
570	Acute and subacute necrosis of liver
573.1	Hepatitis in viral diseases classified elsewhere
573.2	Hepatitis in other infectious diseases classified elsewhere
573.3	Hepatitis unspecified

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

585.4	Chronic kidney disease, Stage IV (severe)
585.5	Chronic kidney disease, Stage V
585.6	End stage renal disease
719.40 – 719.49	Pain in joint site unspecified – pain in joint involving multiple sites
729.1	Myalgia and myositis unspecified
774.4	Perinatal jaundice due to hepatocellular damage
780.60	Fever, unspecified
780.61	Fever presenting with conditions classified elsewhere
780.63	Postvaccination fever
<b>780.66</b>	<b>Febrile non-hemolytic transfusion reaction</b>
780.79	Other malaise and fatigue
782.1	Rash and other nonspecific skin eruption
782.4	Jaundice unspecified not of newborn
783.0	Anorexia
787.02	Nausea alone
789.1	Hepatomegaly
790.4	Nonspecific elevation of levels of transaminase or lactic acid dehydrogenase [LDH]
791.9	Other nonspecific findings on examination of urine
792.1	Nonspecific abnormal findings in stool contents
V01.71 - V01.79	Contact or exposure to varicella – contact or exposure to other viral diseases
V02.61	Carrier or suspected carrier of Hepatitis B
V45.11*	Renal dialysis status

Note: Billing for Hepatitis B Surface Antigen for ESRD beneficiaries requires dual diagnoses. Please submit codes 403.01, 403.11, 404.02, 404.03, 404.12, 404.13, or 585.4 - 585.6 and V45.11\* to report the approved indication.

\* According to the ICD-9 CM book, Diagnosis code V45.11 is a secondary diagnosis code and should not be billed as the primary diagnosis.

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>HEPATITIS PANEL (Acute Hepatitis Panel)</b> (80074)	
070.0 – 070.9	Viral hepatitis
456.0 – 456.21	Esophageal varices with or without mention of bleeding
570	Acute and subacute necrosis of liver
571.5	Cirrhosis of liver without mention of alcohol
572.0	Abscess of liver
572.1	Portal pyemia
572.2	Hepatic encephalopathy
572.3	Portal hypertension
572.4	Hepatorenal syndrome
572.8	Other sequelae of chronic liver disease
573.3	Hepatitis, unspecified
780.31	Febrile convulsions
780.71	Chronic fatigue syndrome
780.72	Functional quadriplegia
780.79	Other malaise and fatigue
782.4	Jaundice, unspecified not of newborn
783.0 – 783.6	Symptoms concerning nutrition, metabolism, and development
787.01 – 787.03	Nausea and vomiting
787.04	Bilious emesis
789.00 – 789.09	Abdominal pain
789.1	Hepatomegaly
789.61	Localized abdominal tenderness (RUQ)
789.7	Colic
790.4	Nonspecific elevation of levels of transaminase or lactic acid dehydrogenase (LDH)
794.8	Nonspecific abnormal results of function studies, liver
996.82	Complications of transplanted organ, liver
V72.85	Liver transplant recipient evaluation

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>HUMAN IMMUNODEFICIENCY VIRUS (HIV) TESTING (DIAGNOSIS)</b>	
(86689,86701,86702,86703,87390,87391,87534,87535,87537,87538)	
003.1	Salmonella septicemia
007.2	Coccidiosis (Isoporiasis)
007.4	Cryptosporidiosis
007.8	Other specified protozoal intestinal diseases
010.00 – 010.96	Primary tuberculous infection
011.00 – 011.96	Pulmonary tuberculosis
012.00 – 012.86	Other respiratory tuberculosis
013.00 – 013.96	Tuberculosis of meninges --+ and central nervous system
014.00 – 014.86	Tuberculosis of intestines, peritoneum and mesenteric glands
015.00 – 015.96	Tuberculosis of bones and joints
016.00 – 016.96	Tuberculosis of genitourinary system
017.00 – 017.96	Tuberculosis of other organs
018.00 – 018.96	Miliary tuberculosis
027.0	Listeriosis
031.0 – 031.9	Diseases due to other mycobacteria
038.2	Pneumococcal septicemia
038.43	Septicemia (Pseudomonas)
039.0 – 039.9	Actinomycotic infections (includes Nocardia)
041.7	Pseudomonas infection
042	HIV disease (Acute retroviral syndrome, AIDS – related complex)
046.3	Progressive multifocal leukoencephalopathy
049.0 – 049.9	Other non-arthropod-borne viral diseases of central nervous system
052.0 - 052.1,052.2, 052.7 - 052.8	Chickenpox (with complication)
053.0,053.10 – 053.13, 053.14, 053.19 – 053.22, 053.29, 053.71, 053.79, 053.8, 053.9	Herpes zoster
054.0, 054.10 – 054.13, 054.19, 054.2, 054.3, 054.40 – 054.44, 054.49, 054.5, 054.6, 054.7 – 054.73, 054.74, 054.79, 054.8, 054.9	Herpes simplex
055.0 – 055.8	Measles (with complication)
070.20 – 070.23	Viral hepatitis B with hepatic coma
070.30 – 070.33	Viral hepatitis B without mention of hepatic coma
070.41	Acute hepatitis C with hepatic coma
070.42	Hepatitis delta without mention of active hepatitis B disease with hepatic coma
070.44	Chronic hepatitis C with hepatic coma
070.49	Other specified viral hepatitis with hepatic coma
070.51	Acute hepatitis C without mention of hepatic coma
070.52	Hepatic delta without mention of active hepatitis B disease without hepatic coma
070.54	Chronic hepatitis C without hepatic coma
070.59	Other specified viral hepatitis without hepatic coma
070.6	Unspecified viral hepatitis with hepatic coma
070.70	Unspecified viral hepatitis C without hepatic coma
070.71	Unspecified viral hepatitis C with hepatic coma

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

070.9	Unspecified viral hepatitis without hepatic coma
078.0	Molluscum contagiosum
078.10 – 078.19	Viral warts
078.3	Cat-scratch disease
078.5	Cytomegaloviral disease
078.88	Other specified diseases due to Chlamydiae
079.50	Retrovirus unspecified
079.51	HTLV-I
079.52	HTLV-II
079.53	Human immunodeficiency virus, type 2
079.59	Other specified Retrovirus
079.83	Parvovirus B19
079.88	Other specified Chlamydial infection
079.98	Unspecified Chlamydial infection
085.0 – 085.9	Leishmaniasis
088.0	Bartonellosis
090.0 – 090.9	Congenital syphilis
091.0 – 091.9	Early syphilis symptomatic
092.0 – 092.9	Early syphilis, latent
093.0 – 093.9	Cardiovascular syphilis
094.0 – 094.9	Neurosyphilis
095.0 – 095.9	Other forms of late syphilis, with symptoms
096	Late syphilis, latent
097.0 - 097.9	Other and unspecified syphilis
098.0 – 098.89	Gonococcal infections
099.0	Chancroid
099.1	Lymphogranuloma venereum
099.2	Granuloma inguinale
099.3	Reiter's disease
099.40 – 099.49	Other nongonococcal urethritis
099.50 – 099.59	Other venereal diseases due to Chlamydia trachomatis
099.8	Other specified venereal diseases
099.9	Venereal disease, unspecified
110.1	Dermatophytosis of nail
111.0	Ityriasis versicolor
112.0 – 112.9	Candidiasis
114.0 – 114.9	Coccidioidomycosis
115.00 – 115.99	Histoplasmosis
116.0 – 116.2	Blastomycotic infection
117.3	Aspergillosis
117.5	Cryptococcosis
118	Opportunistic mycoses
127.2	Strongyloidiasis
130.0 – 130.9	Toxoplasmosis
131.01	Trichomonal vulvovaginitis
132.2	Phthirus pubis
133.0	Scabies
136.21	Specific infection due to acanthamoeba
136.29	Other specific infections by free-living amebae
136.3	Pneumocystosis
136.8	Other specified infectious and parasitic disease (for example, microsporidiosis)
176.0 – 176.9	Kaposi's sarcoma
180.0 – 180.9	Malignant neoplasm of cervix uteri

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

200.20 – 200.28	Burkitt's tumor of lymphoma
200.80 – 200.88	Lymphosarcoma, other named variants
201.00 – 201.98	Hodgkin's disease
263.0	Malnutrition of moderate degree
263.1	Malnutrition of mild degree
263.9	Unspecified protein-calorie malnutrition
280.0 – 280.9	Iron deficiency anemias
285.9	Anemia, unspecified
287.30 – 287.39	Primary thrombocytopenia
288.00	Neutropenia, unspecified
288.01	Congenital neutropenia
288.02	Cyclic neutropenia
288.03	Drug induced neutropenia
288.04	Neutropenia due to infection
288.09	Other neutropenia
288.4	Hemophagocytic syndromes
288.50	Leukocytopenia, unspecified
288.51	Lymphocytopenia
288.59	Other decreased white blood cell count
288.60	Leukocytosis, unspecified
288.61	Lymphocytosis (symptomatic)
288.62	Leukemoid reaction
288.63	Monocytosis (symptomatic)
288.64	Plasmacytosis
288.65	Basophilia
288.66	Bandemia
288.69	Other elevated white blood cell count
288.8	Other specified disease of white blood cells
289.53	Neutropenic splenomegaly
294.8	Other persistent mental disorders due to conditions classified elsewhere
310.1	Personality change due to conditions classified elsewhere
322.2	Chronic meningitis
331.19	Other frontotemporal dementia
331.83	Mild cognitive impairment, so stated
336.9	Unspecified disease of spinal cord
348.30	Encephalopathy unspecified
348.39	Other encephalopathy
354.0 – 354.9	Mononeuritis of upper limbs and mononeuritis multiplex
356.8	Other specified idiopathic peripheral neuropathy
363.20	Chorioretinitis, unspecified
425.4	Other primary cardiomyopathies
473.0 – 473.9	Chronic sinusitis
481 – 482.41	Pneumococcal pneumonia and other bacterial pneumonia
482.42	Methicillin resistant pneumonia due to Staphylococcus aureus
482.49 – 482.9	Other pneumonia due to Staphylococcus, specified and unspecified
484.1	Pneumonia in cytomegalic inclusion disease
486	Pneumonia, organism unspecified
512.8	Other spontaneous pneumothorax
516.8	Other specified alveolar and parietoalveolar pneumonopathies
528.2	Oral aphthae
528.6	Leukoplakia of oral mucosa
530.20 – 530.21	Ulcer of esophagus
530.85	Barrett's esophagus

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

583.9	Nephropathy with unspecified pathological lesion in kidney
588.81	Secondary hyperparathyroidism (of renal origin)
588.89	Other specified disorders resulting from impaired renal function
647.60 – 647.64	Other viral diseases complicating pregnancy (use for HIV I and II)
682.0 – 682.9	Other cellulitis and abscess
690.10 – 690.18	Seborrheic dermatitis
696.1	Other psoriasis
698.3	Lichenification and lichen simplex chronicus
704.8	Other specified diseases of hair and hair follicles
706.0 – 706.9	Diseases of sebaceous glands
780.60	Fever, unspecified
780.61	Fever presenting with conditions classified elsewhere
780.62	Postprocedural fever
780.63	Postvaccination fever
780.64	Chills (without fever)
780.65	Hypothermia not associated with low environmental temperature
<b>780.66</b>	<b>Febrile nonhemolytic transfusion reaction</b>
780.79	Other malaise and fatigue
783.21	Abnormal loss of weight
783.40	Lack of expected normal physiological development
785.6	Enlargement of lymph nodes
786.00	Respiratory abnormality, unspecified
786.05	Shortness of breath
786.2	Cough
<b>786.30</b>	<b>Hemoptysis, unspecified</b>
<b>786.31</b>	<b>Acute idiopathic pulmonary hemorrhage in infants (AIPHI)</b>
<b>786.39</b>	<b>Other hemoptysis</b>
786.4	Abnormal sputum
787.91	Diarrhea
795.71	Nonspecific serologic evidence of human immunodeficiency virus
799.4	Wasting disease
V01.71	Contact or exposure to varicella
V01.79	Contact or exposure to other viral diseases
V71.5	Rape

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

**HUMAN IMMUNODEFICIENCY VIRUS (HIV) TESTING  
(PROGNOSIS INCLUDING MONITORING)**

(87536,87539)

042	Human immunodeficiency virus (HIV) disease
079.53	Human immunodeficiency virus, type 2 [HIV-2]
647.60 – 647.64	Other viral diseases complicating pregnancy (including HIV-I and II)
795.71	Nonspecific serologic evidence of human immunodeficiency virus [HIV]
V08	Asymptomatic human immunodeficiency virus [HIV] infection status

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>IONIZED CALCIUM</b> (82330)	
038.0 - 038.9	Streptococcal septicemia – unspecified septicemia
252.00 – 252.08	Hyperparathyroidism, unspecified – other hyperparathyroidism
252.1	Hypoparathyroidism
259.3	Ectopic hormone secretion not elsewhere classified
275.2	Disorders of magnesium metabolism
275.41	Hypocalcemia
275.42	Hypercalcemia
275.49	Other disorders of calcium metabolism
278.4	Hypervitaminosis D
293.83	Mood disorder in conditions classified elsewhere
298.9	Unspecified psychosis
458.9	Hypotension unspecified
577.0	Acute pancreatitis
577.1	Chronic pancreatitis
585.1 – 585.9	Chronic kidney disease, Stage I – chronic kidney disease, unspecified
586	Renal failure unspecified
588.81 – 588.89	Secondary hyperparathyroidism (of renal origin) – other specified disorders resulting from impaired renal function
733.90	Disorder of bone and cartilage unspecified
780.60	Fever, unspecified
780.61	Fever presenting with conditions classified elsewhere
780.62	Postprocedural fever
780.63	Postvaccination fever
<b>780.66</b>	<b>Febrile non-hemolytic transfusion reaction</b>
780.79	Other malaise and fatigue
781.0	Abnormal involuntary movements
781.7	Tetany
782.4	Jaundice unspecified not of newborn
785.0	Tachycardia unspecified
786.06	Tachypnea
787.01 – 787.04	Nausea with vomiting – bilious emesis
787.20 – 787.29	Dysphagia, unspecified – other dysphagia
788.42	Polyuria
789.06	Abdominal pain epigastric
996.81	Complications of transplanted kidney
V42.0*	Kidney replaced by transplant
V45.11*	Renal dialysis status
V56.0	Aftercare involving extracorporeal dialysis
* According to the ICD-9 CM book, diagnosis codes V42.0 and V45.11 are secondary diagnosis codes and should not be billed as the primary diagnosis.	

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>LIPIDS TESTING</b>	
(80061,82465,83700,83701, 83704,83718,83721,84478)	
242.00 – 245.9	Disorders of the thyroid gland with hormonal dysfunction
249.00 – 249.01	Secondary diabetes mellitus without mention of complication
249.10 – 249.11	Secondary diabetes mellitus with keotacidosis
249.20 – 249.21	Secondary diabetes mellitus with hyperosmolarity
249.30 – 249.31	Secondary diabetes mellitus with other coma
249.40 – 249.41	Secondary diabetes mellitus with renal manifestations
249.50 – 249.51	Secondary diabetes mellitus with ophthalmic manifestations
249.60 – 249.61	Secondary diabetes mellitus with neurological manifestations
249.70 – 249.71	Secondary diabetes mellitus with peripheral circulatory disorders
249.80 – 249.81	Secondary diabetes mellitus with other specified manifestations
249.90 – 249.91	Secondary diabetes mellitus with unspecified complication
250.00 – 250.93	Diabetes mellitus
255.0	Cushing's syndrome
260	Kwashiorkor
261	Nutritional marasmus
262	Other severe, protein-calorie malnutrition
263.0	Malnutrition of moderate degree
263.1	Malnutrition of mild degree
263.8	Other protein-calorie malnutrition
263.9	Unspecified protein-calorie malnutrition
270.0	Disturbances of amino-acid transport
271.1	Galactosemia
272.0	Pure hypercholesterolemia
272.1	Hyperglyceridemia
272.2	Mixed hyperlipidemia (tuberous xanthoma)
272.3	Hyperchylomicronemia
272.4	Other and unspecified hyperlipidemia (unspecified xanthoma)
272.5	Lipoprotein deficiencies
272.6	Lipodystrophy
272.7	Lipidoses
272.8	Other disorders of lipoid metabolism
272.9	Unspecified disorders of lipoid metabolism
277.30	Amyloidosis, unspecified
277.31	Familial Mediterranean fever
277.39	Other amyloidosis
278.00	Obesity
278.01	Morbid obesity
278.02	Overweight
<b>278.03</b>	<b>Obesity hypoventilation syndrome</b>
303.90 – 303.92	Alcoholism
362.10 – 362.16	Other background retinopathy and retinal vascular change
362.30 – 362.34	Retinal vascular occlusion
362.82	Retinal exudates and deposits
371.41	Senile corneal changes
374.51	Xanthelasma
379.22	Crystalline deposits in vitreous
388.00	Degenerative & vascular disorder of ear, unspecified

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

388.02	Transient ischemic deafness
401.0, 401.1, 401.9	Essential hypertension
402.00 – 402.91	Hypertensive heart disease
403.00 – 403.91	Hypertensive kidney disease
404.00 – 404.93	Hypertensive heart and kidney disease
405.01 – 405.99	Secondary hypertension
410.00 – 410.92	Acute myocardial infarction
411.0 – 411.1	Other acute & subacute forms of ischemic heart disease
411.81	Coronary occlusion without myocardial infarction
411.89	Other acute and subacute ischemic heart disease
412	Old myocardial infarction
413.0 – 413.1	Angina pectoris
413.9	Other and unspecified angina pectoris
414.00 – 414.03	Coronary atherosclerosis
414.04	Coronary atherosclerosis of artery bypass graft
414.05	Coronary atherosclerosis – unspecified graft
414.06	Coronary atherosclerosis of coronary artery of transplanted heart
414.07	Coronary atherosclerosis, of bypass graft (artery) (vein) of transplanted heart
414.10	Aneurysm of heart (wall)
414.11	Coronary vessel aneurysm
414.12	Dissection of coronary artery
414.19	Other aneurysm of heart
414.3	Coronary atherosclerosis due to lipid rich plaque
414.8	Other specified forms of chronic ischemic heart disease
414.9	Chronic ischemic heart disease, unspecified
428.0 – 428.9	Heart failure
429.2	Heart disease, unspecified
429.9	Heart disease NOS
431	Intracerebral hemorrhage
433.00 – 433.91	Occlusion & stenosis of precerebral arteries
434.00 – 434.91	Occlusion of cerebral arteries
435.0 – 435.9	Transient cerebral ischemia
437.0	Cerebral atherosclerosis
437.1	Other generalized ischemic cerebrovascular disease
437.5	Moyamoya disease
<b>438.0, 438.10 - 438.14, 438.19, 438.20 – 438.22, 438.30 – 438.32, 438.40 – 438.42, 438.50 – 438.53, 438.6, 438.7, 438.81 – 438.85, 438.89, 438.9</b>	<b>Late effects of cerebrovascular disease</b>
<b>440.0 – 440.32</b>	<b>Atherosclerosis of aorta; of other arteries; of bypass grafts</b>
<b>440.4</b>	<b>Chronic total occlusion of the artery of the extremities</b>
<b>440.8 – 440.9</b>	<b>Arteriosclerosis of other specified arteries; generalized and unspecified atherosclerosis</b>
441.00 – 441.9	Aortic aneurysms
442.0	Upper extremity aneurysm
442.1	Renal artery aneurysm
442.2	Iliac artery aneurysm
444.0 – 444.9	Arterial embolism & thrombosis
557.1	Chronic vascular insufficiency of intestine
571.8	Other chronic nonalcoholic liver disease
571.9	Unspecified chronic liver disease without mention of alcohol

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

573.8	Other specified disorders of liver
573.9	Unspecified disorders of liver
577.0 – 577.9	Pancreatic disease
579.3	Other & unspecified postsurgical nonabsorption
579.8	Other specified intestinal malabsorption
581.0 – 581.9	Nephrotic syndrome
584.5	Acute renal failure with lesion of tubular necrosis
585.4 – 585.9	Chronic kidney disease
588.0	Renal osteodystrophy
588.1	Nephrogenic diabetes insipidus
588.81	Secondary hyperparathyroidism (of renal origin)
588.89	Other specified disorders resulting from impaired renal function
588.9	Unspecified disorder resulting from impaired renal function
607.84	Impotence of organic origin, penis disorder
646.70 – 646.71	Liver disorders in pregnancy
646.73	Liver disorder antepartum
648.10 – 648.14	Thyroid dysfunction in pregnancy and the puerperium
696.0	Psoriatic arthropathy
696.1	Other psoriasis
751.61	Biliary atresia
764.10 – 764.19	“Light for dates” with signs of fetal malnutrition
786.50	Chest pain unspecified
786.51	Precordial pain
786.59	Chest pain, other
789.1	Hepatomegaly
790.4	Abnormal transaminase
790.5	Abnormal alkaline phosphatase
790.6	Other abnormal blood chemistry
793.4	Abnormal imaging study
987.9	Toxic effect of unspecified gas or vapor
996.81	Complication of transplanted organ, kidney
V42.0	Transplanted organ, kidney
V42.7	Organ replacement by transplant, liver
V58.63 – V58.64	Long-term (current) drug use
V58.69	Long-term (current) use of other medications
V81.0 – V81.2 Covered for procedure codes 80061, 82465, 83718 and 84478 only	Special screening for cardiovascular, respiratory, and genitourinary diseases

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>MAGNESIUM</b> (83735)	
242.00-242.91	Toxic diffuse goiter without thyrotoxic crisis or storm – thyrotoxicosis without goiter or other cause with thyrotoxic crisis or storm
250.10-250.13	Diabetes with ketoacidosis, Type II or unspecified type, not stated as uncontrolled – diabetes with ketoacidosis, Type I [Juvenile Type], uncontrolled
250.20-250.23	Diabetes with hyperosmolarity, Type II or unspecified type, not stated as uncontrolled – diabetes with hyperosmolarity, Type I [Juvenile Type], uncontrolled
250.30-250.33	Diabetes with other coma, Type II or unspecified type, not stated as uncontrolled – diabetes with other coma Type I [Juvenile Type], uncontrolled
250.40-250.43	Diabetes with renal manifestations, Type II or unspecified type, not stated as uncontrolled – diabetes with renal manifestations, Type I [Juvenile Type], uncontrolled
250.50-250.53	Diabetes with ophthalmic manifestations, Type II or unspecified type, not stated as uncontrolled – diabetes with ophthalmic manifestations, Type I [Juvenile Type], uncontrolled
250.60-250.63	Diabetes with neurological manifestations, Type II or unspecified type, not stated as uncontrolled – diabetes with neurological manifestations, Type I [Juvenile Type], uncontrolled
250.70-250.73	Diabetes with peripheral circulatory disorders, Type II or unspecified type, not stated as uncontrolled – diabetes with peripheral circulatory disorders, Type I [Juvenile Type], uncontrolled
250.80-250.83	Diabetes with other specified manifestations, Type II or unspecified type, not stated as uncontrolled – diabetes with other specified manifestations, Type I [Juvenile Type], uncontrolled
252.00 – 252.08	Hyperparathyroidism, unspecified – other
252.1	Hypoparathyroidism
252.8	Other specified disorders of parathyroid gland
253.6	Other disorders in neurohypophysis
255.10 – 255.14	Hyperaldosteronism, unspecified – other secondary aldosteronism
255.41	Glucocorticoid deficiency
255.42	Mineralocorticoid deficiency
259.3	Ectopic hormone secretion not elsewhere classified
260	Kwashiorkor
261	Nutritional marasmus
262	Other severe protein-calorie malnutrition
263.0	Malnutrition of moderate degree
263.8	Other protein-calorie malnutrition
275.2	Disorders of magnesium metabolism
275.40-275.49	Unspecified disorder of calcium metabolism – other disorders of calcium metabolism
276.2	Acidosis
276.4	Mixed acid-base balance disorder
276.50 – 276.52	Volume depletion, unspecified – hypovolemia
276.7	Hyperpotassemia
276.8	Hypopotassemia
293.0	Delirium due to conditions classified elsewhere
293.1	Subacute delirium

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

303.90-303.93	Other and unspecified alcohol dependence unspecified drinking behavior – other and unspecified alcohol dependence in remission
305.00 – 305.03	Nondependent alcohol abuse unspecified drinking behavior – nondependent alcohol abuse in remission
307.1	Anorexia nervosa
307.51	Bulimia nervosa
307.52	Pica
333.2	Myoclonus
333.3	Tics of organic origin
410.00 - 410.92	Acute myocardial infarction or anterolateral wall episode of care unspecified – acute myocardial infarction of unspecified site subsequent episode of care
424.0	Mitral valve disorders
427.0 - 427.89	Paroxysmal supraventricular tachycardia – other specified cardiac dysrhythmias
428.0	Congestive heart failure unspecified
458.0 - 458.8	Orthostatic hypotension – other specified hypotension
536.2	Persistent vomiting
<b>569.87</b>	<b>Vomiting of fecal matter</b>
577.0 - 577.9	Acute pancreatitis – unspecified disease of pancreas
579.3	Other and unspecified postsurgical nonabsorption
579.8	Other specified intestinal malabsorption
584.5 - 584.9	Acute renal failure with lesion of tubular necrosis – acute renal failure unspecified
585.1 – 585.9	Chronic kidney disease, Stage I – chronic kidney disease, unspecified
588.81 – 588.89	Secondary hyperparathyroidism (or renal origin) – other specified disorders resulting from impaired renal function
593.81	Vascular disorders of kidney
643.00 - 643.83	Mild hyperemesis gravidarum unspecified as to episode of care – other vomiting complicating pregnancy antepartum
646.80 – 646.84	Other specified complications of pregnancy unspecified as to episode of care – other specified postpartum complications
728.87	Muscle weakness (generalized)
728.88	Rhabdomyolysis
728.89	Other disorders of muscle ligament and fascia
763.81 - 763.89	Abnormality in fetal heart rate of rhythm before the onset of labor – other specified complications of labor and delivery affecting fetus or newborn
780.01	Coma
780.02	Transient alteration of awareness
780.09	Alteration of consciousness other
780.2	Syncope and collapse
780.31 - 780.39	Febrile convulsions – other convulsions
781.0	Abnormal involuntary movements
781.7	Tetany
783.0	Anorexia
785.0	Tachycardia unspecified
785.50 - 785.59	Shock unspecified – other shock without trauma
787.01 - 787.04	Nausea with vomiting – bilious emesis
787.91	Diarrhea
790.6	Other abnormal blood chemistry
794.31	Nonspecific abnormal electrocardiogram (ECG) (EKG)
794.4	Nonspecific abnormal results of function study of kidney
796.1	Abnormal reflex

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

799.4	Cachexia
940.0 – 949.5	Chemical burn of eyelids and periorcular are – deep necrosis of underlying tissues due to burn (deep third degree unspecified site with loss of a body part)
958.4	Traumatic shock
995.29	Unspecified adverse effect of other drug, medicinal and biological substance
997.1	Cardiac complications not elsewhere classified
998.0	Postoperative shock not elsewhere classified
V42.0*	Kidney replaced by transplant
V42.7*	Liver replaced by transplant
V56.0	Aftercare involving extracorporeal dialysis
V56.8	Aftercare involving other dialysis
V58.11	Encounter for antineoplastic chemotherapy
V58.69*	Long-term (current) use of other medications
* According to the ICD-9-CM book, diagnosis codes V42.0 V42.7 and V58.69 are secondary diagnosis codes and should not be billed as the primary diagnosis.	

## PAP SMEAR SCREENING

P3000,G0123

Screening Pap Smears are covered when ordered and collected by a doctor of medicine or osteopathy, or other authorized practitioners (e.g., a certified nurse midwife, physician assistant, clinical nurse specialist or nurse practitioner) under one of the following conditions:

- No prior test for the preceding 2 years (use ICD-9 code V76.2); or
- There is evidence (on the basis of her medical history or other findings) that she is of childbearing age and has had an examination that indicated the presence of cervical or vaginal cancer or other abnormalities during any of the preceding 2 years, and at least 11 months have passed following the month that the last covered Pap smear was performed (use ICD-9 code V15.89, V76.47, or V76.49); or
- There is evidence (on the basis of her medical history or other findings) that she is at high risk of developing cervical or vaginal cancer, and at least 11 months have passed following the month that the last covered Pap smear was performed (use ICD-9 code V15.89, V76.47, or V76.49).

The high risk factors for cervical cancer include:

- Early onset of sexual activity (under 16 years of age)
- Multiple sexual partners (five or more in a lifetime)
- History of a sexually transmitted disease (including HIV infection)
- Fewer than 3 negative or any Pap smears within the previous 7 years

The high risk factors for vaginal cancer include:

- DES (diethylstilbestrol) – exposed daughters of women who took DES during pregnancy

SCREENING ICD-9 CODES	
V15.89	Other specified personal history presenting hazards to health
<b>V72.31*</b>	Routine gynecological examination
V76.2	Special screening for malignant neoplasms, cervix
V76.47	Special screening for malignant neoplasms, vagina
V76.49	Special screening for malignant neoplasms, other sites

**\* NOTE: THIS DIAGNOSIS SHOULD ONLY BE USED WHEN THE PROVIDER PERFORMS A FULL GYNECOLOGICAL EXAMINATION.**

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>PARATHORMONE (Parathyroid Hormone)</b> (83970)	
227.1	Benign neoplasm of parathyroid gland
252.00 – 252.08	Hyperparathyroidism, unspecified – other hyperparathyroidism
252.1	Hypoparathyroidism
259.3	Ectopic hormone secretion not elsewhere classified
275.2	Disorders of magnesium metabolism
275.3	Disorders of phosphorus metabolism
275.41	Hypocalcemia
275.42	Hypercalcemia
275.49	Other disorders of calcium metabolism
278.4	Hypervitaminosis D
293.0	Delirium due to conditions classified elsewhere
293.83	Mood disorder in conditions classified elsewhere
585.1 – 585.9	Chronic kidney disease, Stage I – chronic kidney disease, unspecified
586	Renal failure unspecified
588.81 – 588.89	Secondary hyperparathyroidism (of renal origin) – other specified disorders resulting from impaired renal function
728.85	Spasm of muscle
733.00	Osteoporosis unspecified
733.01	Senile osteoporosis
733.02	Idiopathic osteoporosis
733.90	Disorder of bone and cartilage unspecified
780.79	Other malaise and fatigue
781.0	Abnormal involuntary movements
781.7	Tetany
787.01 - 787.04	Nausea with vomiting – bilious emesis
787.20 – 787.29	Dysphagia, unspecified – other dysphagia
788.42	Polyuria
V42.0*	Kidney replaced by transplant
V67.00	Follow-up examination following unspecified surgery
V67.09	Follow-up examination following other surgery
* According to the ICD-9-CM book, diagnosis code V42.0 is a secondary diagnosis code and should not be billed as the primary diagnosis.	

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>PARTIAL THROMBOPLASTIN TIME (PTT)</b>	
(85730)	
002.0 – 002.9	Typhoid and paratyphoid
003.0 – 003.9	Other Salmonella infections
038.9	Unspecified septicemia
042	Human immunodeficiency virus (HIV) disease
060.0 – 060.9	Yellow fever
065.0 – 065.9	Arthropod borne hemorrhagic fever
070.0 – 070.9	Viral hepatitis
075	Infectious mononucleosis
078.6	Hemorrhagic nephrosonephritis
078.7	Arenaviral hemorrhagic fever
120.0	Schistosomiasis haematobium
121.1	Clonorchiasis
121.3	Fascioliasis
124	Trichinosis
135	Sarcoidosis
155.0 – 155.2	Malignant neoplasm of liver and intrahepatic bile ducts
197.7	Malignant neoplasm of liver, specified as secondary
238.4	Polycythemia vera
238.71	Essential thrombocythemia
238.72	Low grade myelodysplastic syndrome lesions
238.73	High grade myelodysplastic syndrome lesions
238.74	Myelodysplastic syndrome with 5q deletion
238.75	Myelodysplastic syndrome, unspecified
238.76	Myelofibrosis with myeloid metaplasia
238.77	Post – transplant lymphoproliferative disorder (PTLD)
238.79	Other lymphatic and hematopoietic tissues
239.9	Neoplasm of unspecified nature, site unspecified
246.3	Hemorrhage and infarction of thyroid
249.40	Secondary diabetes mellitus with renal manifestations, not stated as uncontrolled
249.41	Secondary diabetes mellitus with renal manifestations, uncontrolled
250.40 – 250.43	Diabetic with renal manifestations
269.0	Deficiency of Vitamin K
273.0 – 273.3, 273.8 – 273.9	Disorders of plasma protein metabolism
<b>275.01</b>	<b>Hereditary hemochromatosis</b>
<b>275.02</b>	<b>Hemochromatosis due to repeated red blood cell transfusions</b>
<b>275.03</b>	<b>Other hemochromatosis</b>
<b>275.09</b>	<b>Other disorders of iron metabolism</b>
<b>275.1</b>	<b>Disorders of copper metabolism</b>
<b>275.2</b>	<b>Disorders of magnesium metabolism</b>
<b>275.3</b>	<b>Disorders of phosphorus metabolism</b>
<b>275.40 - 275.49</b>	<b>Disorders of calcium metabolism</b>
275.5	Hungry bone syndrome
275.8-275.9	Other specified disorders of metabolism, and unspecified disorder of mineral metabolism
277.1	Disorders of porphyrin metabolism
277.30	Amyloidosis, unspecified
277.31	Familial Mediterranean fever

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

277.39	Other amyloidosis
285.1	Acute posthemorrhagic anemia
286.0	Congenital factor VIII disorder – Hemophilia A
286.1	Congenital factor IX disorder – Hemophilia B
286.2 – 286.3	Other congenital factor deficiencies
286.4	Von Willebrand’s disease
286.5	Hemorrhagic disorder due to intrinsic circulating anticoagulants
286.6	Defibrination syndrome
286.7	Acquired coagulation factor deficiency
286.9	Other and unspecified coagulation defects
<b>287.0 – 287.39</b>	<b>Allergic purpura; qualitative platelet defects; other non-thrombocytopenic purpuras; primary thrombocytopenia</b>
<b>287.41</b>	<b>Post transfusion purpura</b>
<b>287.49</b>	<b>Other secondary thrombocytopenia</b>
<b>287.5 – 287.9</b>	<b>Thrombocytopenia, unspecified; other specified and unspecified hemorrhagic conditions</b>
289.0	Polycythemia, secondary
289.81	Primary hypercoagulable state
325	Phlebitis and thrombophlebitis of intracranial venous sinuses
360.43	Hemophthalmos, except current injury
362.30 – 362.37	Retinal vascular occlusion
362.43	Hemorrhagic detach of retinal pigment epithelium
362.81	Retinal hemorrhage
363.61 – 363.63	Choroidal hemorrhage
363.72	Choroidal detachment
368.9	Unspecified visual disturbances
372.72	Conjunctive hemorrhage
374.81	Hemorrhage of eyelid
376.32	Orbital hemorrhage
377.42	Hemorrhage in optic nerve sheaths
379.23	Vitreous hemorrhage
380.31	Hematoma of auricle or pinna
403.01, 403.11, 403.91	Hypertensive chronic kidney disease, with chronic kidney disease stage V or end stage renal disease
404.02, 404.12, 404.92	Hypertensive heart and chronic kidney disease, without heart failure and with chronic kidney disease stage V or end stage renal failure
410.00 – 410.92	Acute myocardial infarction
423.0	Hemopericardium
427.31	Atrial fibrillation
427.9	Cardiac dysrhythmias, unspecified
428.0	Congestive heart failure, unspecified
429.79	Mural thrombus
430 – 432.9	Cerebral hemorrhage
433.00 – 433.91	Occlusion and stenosis of precerebral arteries
434.00 – 434.91	Occlusion of cerebral arteries
435.9	Focal neurologic deficit
444.0 – 444.9	Arterial embolism and thrombosis
446.6	Thrombotic microangiopathy
447.2	Rupture of artery
448.0	Hereditary hemorrhagic telangiectasia
451.0 – 451.9	Phlebitis and thrombophlebitis
453.0	Budd-Chiari syndrome
453.1	Thrombophlebitis migrans
453.2	Embolism and thrombosis of inferior vena cava

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

453.3	Embolism and thrombosis or renal vein
453.40	Acute venous embolism and thrombosis of unspecified deep vessels of lower extremity
453.41	Acute venous embolism and thrombosis of deep vessels of proximal lower extremity
453.42	Acute venous embolism and thrombosis of deep vessels of distal lower extremity
453.50	Chronic venous embolism and thrombosis of unspecified deep vessels of lower extremity
453.51	Chronic venous embolism and thrombosis of deep vessels of proximal lower extremity
453.52	Chronic venous embolism and thrombosis of deep vessels of distal lower extremity
453.6	Venous embolism and thrombosis of superficial vessels of lower upper extremity
453.71	Chronic venous embolism and thrombosis of superficial veins of upper extremity
453.72	Chronic venous embolism and thrombosis of deep veins of upper extremity
453.73	Chronic venous embolism and thrombosis of upper extremity, unspecified
453.74	Chronic venous embolism and thrombosis of axillary veins
453.75	Chronic venous embolism and thrombosis of subclavian veins
453.76	Chronic venous embolism and thrombosis of internal jugular veins
453.77	Chronic venous embolism and thrombosis of other thoracic veins
453.79	Chronic venous embolism and thrombosis of other specified veins
453.81	Acute venous embolism and thrombosis of superficial veins of upper extremity
453.82	Acute venous embolism and thrombosis of deep veins of upper extremity
453.83	Acute venous embolism and thrombosis of upper extremity, unspecified
453.84	Acute venous embolism and thrombosis of axillary veins
453.85	Acute venous embolism and thrombosis of subclavian veins
453.86	Acute venous embolism and thrombosis of internal jugular veins
453.87	Acute venous embolism and thrombosis of other thoracic veins
453.89	Acute venous embolism and thrombosis of other specified veins
453.9	Other venous embolism and thrombosis of unspecified site
456.0	Esophageal varices with bleeding
456.1	Esophageal varices without bleeding
456.8	Varices of other sites
459.89	Ecchymosis
530.7	Gastroesophageal laceration-hemorrhage syndrome
530.82	Esophageal hemorrhage
531.00 – 535.61	Gastric-Duodenal ulcer disease
535.70	Eosinophilic gastritis, without mention of obstruction
535.71	Eosinophilic gastritis, with obstruction
537.83	Angiodysplasia of stomach and duodenum with hemorrhage
537.84	Dieulafoy lesion (hemorrhagic) of stomach and duodenum
556.0 – 557.9	Hemorrhagic bowel disease
562.02 – 562.03	Diverticulosis of small intestine with hemorrhage
562.12	Diverticulosis of colon with hemorrhage
562.13	Diverticulitis of colon with hemorrhage
568.81	Hemoperitoneum (nontraumatic)
569.3	Hemorrhage of rectum and anus
570	Acute and subacute necrosis of liver
571.0-571.9	Chronic liver disease and cirrhosis

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

572.0	Abscess of liver
572.1	Portal pyemia
572.2	Hepatic encephalopathy
572.3	Portal hypertension
572.4	Hepatorenal syndrome
572.8	Other sequelae of chronic liver disease
573.0-573.9	Other disorders of liver
576.0 – 576.9	Biliary tract disorders
577.0	Acute pancreatitis
578.0 – 578.9	Gastrointestinal hemorrhage
579.0 – 579.9	Malabsorption
581.0 – 581.9	Nephritic syndrome
583.9	Nephritis, with unspecified pathological lesion in kidney
584.5	Acute kidney failure with lesion of tubular necrosis
584.6	Acute kidney failure with lesion of renal cortical necrosis
584.7	Acute kidney failure with lesion of renal medullary necrosis
584.8	Acute kidney failure with other specified pathological lesion in kidney
584.9	Acute kidney failure, unspecified
585.4 – 585.9	Chronic kidney disease
586	Renal failure
593.81 – 593.89	Other disorders of kidney and ureter, with hemorrhage
596.7	Hemorrhage into bladder wall
596.8	Other disorders of bladder, with hemorrhage
599.70	Hematuria, unspecified
599.71	Gross hematuria
599.72	Microscopic hematuria
607.82	Penile hemorrhage
608.83	Vascular disorders of male genital organs
611.89	Other specified disorders of breast including hematoma
620.7	Hemorrhage of broad ligament
621.4	Hematometra
622.8	Other specified disorders of cervix, with hemorrhage
623.6	Vaginal hematoma
623.8	Other specified diseases of the vagina, with hemorrhage
624.5	Hematoma of vulva
626.6	Metrorrhagia
626.7	Postcoital bleeding
627.0	Premenopausal bleeding
627.1	Postmenopausal bleeding
629.0	Hematocele female not elsewhere classified
632	Missed abortion
634.00 – 634.92	Spontaneous abortion
635.10 – 635.12	Legally induced abortion, complicated by delayed or excessive hemorrhage
636.10 – 636.12	Illegally induced abortion, complicated by delayed or excessive hemorrhage
637.10 – 637.12	Abortion unspecified, complicated by delayed or excessive hemorrhage
638.1	Failed attempt abortion, complicated by delayed or excessive hemorrhage
639.1	Delayed or excessive hemorrhage following abortion and ectopic and molar pregnancies
639.6	Complications following abortion and ectopic and molar pregnancies, embolism
640.00 – 640.93	Hemorrhage in early pregnancy
641.00 – 641.93	Antepartum hemorrhage

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

642.00 – 642.94	Hypertension complicating pregnancy, childbirth, and the puerperium
646.70 – 646.73	Liver disorders in pregnancy
649.30	Coagulation defects complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care or not applicable
649.31	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum
649.32	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered with mention of postpartum complication
649.33	Coagulation defects complicating pregnancy, childbirth, or the puerperium, antepartum condition or complication
649.34	Coagulation defects complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication
649.50	Spotting complicating pregnancy, unspecified as to episode of care or not applicable
649.51	Spotting complicating pregnancy, delivered with or without mention of antepartum condition
649.53	Spotting complicating pregnancy, antepartum condition or complication
656.00 – 656.03	Fetal maternal hemorrhage
658.40 – 658.43	Infection of amniotic cavity
666.00 – 666.34	Postpartum hemorrhage
671.20 – 671.54	Phlebitis in pregnancy
673.00 – 673.84	Obstetrical pulmonary embolus
674.30 – 674.34	Other complications of surgical wounds, with hemorrhage
710.0	Systemic lupus erythematosus
713.2	Arthropathy associated with hematologic disorders (note: may not be used without indicating associated condition first)
713.6	Arthropathy associated with Henoch Schonlein (note: may not be used without indicating associated condition first)
719.10 – 719.19	Hemarthrosis
729.5	Leg pain/calf pain
729.81	Swelling of limb
733.10 – 733.19	Pathologic fracture associated with fat embolism
762.1	Other forms of placental separation with hemorrhage
764.90 – 764.99	Fetal intrauterine growth retardation
767.0 – 767.11	Subdural and cerebral hemorrhage
767.8	Other specified birth trauma, with hemorrhage
770.3	Fetal and newborn pulmonary hemorrhage
772.0	Fetal blood loss affecting newborn
<b>772.10 – 772.14</b>	<b>Fetal and neonatal intravenous hemorrhage</b>
772.2	Fetal and neonatal subarachnoid hemorrhage
772.3	Fetal and neonatal umbilical hemorrhage after birth
772.4	Fetal and neonatal gastrointestinal hemorrhage
772.5	Fetal and neonatal adrenal hemorrhage
772.6	Fetal and neonatal cutaneous hemorrhage
772.8	Fetal and neonatal other specified hemorrhage of fetus or newborn
772.9	Fetal and neonatal unspecified hemorrhage of newborn
774.0 – 774.7	Other perinatal jaundice
776.0	Hemorrhagic disease of the newborn
776.1	Transient neonatal thrombocytopenia
776.2	Disseminated intravascular coagulation in newborn
776.3	Other transient neonatal disorders of coagulation
776.4	Polycythemia neonatorum
776.5	Congenital anemia
776.6	Anemia of prematurity

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

776.7	Transient neonatal neutropenia
776.8	Other specified transient hematological disorders
776.9	Unspecified hematological disorder specific to newborn
780.2	Syncope
782.4	Jaundice, unspecified, not of newborn
782.7	Spontaneous ecchymoses Petechiae
784.7	Epistaxis
784.8	Hemorrhage from throat
785.4	Gangrene
785.50	Shock
786.05	Shortness of breath
<b>786.30</b>	<b>Hemoptysis, unspecified</b>
<b>786.31</b>	<b>Acute idiopathic pulmonary hemorrhage in infants (AIPHI)</b>
<b>786.39</b>	<b>Other hemoptysis</b>
786.50	Chest pain, unspecified
786.59	Chest pain
789.00 – 789.09	Abdominal pain
789.7	Colic
790.92	Abnormal coagulation profile
800.00 – 800.99	Fracture of vault of skull
801.00 – 801.99	Fracture of base of skull
802.20 – 802.9	Fracture of face bones
803.00 – 803.99	Other fracture, skull
804.00 – 804.99	Multiple fractures, skull
805.00 – 806.9	Fracture, vertebral column
807.00 – 807.09	Fractures of rib(s), closed
807.10 – 807.19	Fracture of rib(s), open
808.8 – 808.9	Fracture of pelvis
809.0 – 809.1	Fracture of trunk
810.00 – 810.13	Fracture of clavicle
811.00 – 811.19	Fracture of scapula
812.00 – 812.59	Fracture of humerus
813.10 – 813.18	Fracture of radius and ulna, upper end, open
813.30 – 813.33	Fracture of radius and ulna, shaft, open
813.50 – 813.54	Fracture of radius and ulna, lower end, open
813.90 – 813.93	Fracture of radius and ulna, unspecified part, open
819.0 – 819.1	Multiple fractures
820.00 – 821.39	Femur
823.00 – 823.92	Tibia and fibula
827.0 – 829.1	Other multiple lower limb
852.00 – 853.19	Subarachnoid subdural, and extradural hemorrhage, following injury, Other and specified intracranial hemorrhage following injury
860.0 – 860.5	Traumatic pneumothorax and hemothorax
861.00 – 861.32	Injury to heart and lung
862.0 – 862.9	Injury to other and unspecified intrathoracic organs
863.0 – 863.99	Injury to gastrointestinal tract
864.00 – 864.19	Injury to liver
865.00 – 865.19	Injury to spleen
866.00 – 866.13	Injury to kidney
867.0 – 867.9	Injury to pelvic organs
868.00 – 868.19	Injury to other intra-abdominal organs
869.0 – 869.1	Internal injury to unspecified or ill defined organs
900.00 – 900.9	Injury to blood vessels of head and neck
901.0 – 901.9	Injury to blood vessels of the thorax

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

902.0 – 902.9	Injury to blood vessels of the abdomen and pelvis
903.00 – 903.9	Injury to blood vessels of upper extremity
904.0 – 904.9	Injury to blood vessels of lower extremity and unspecified sites
920 – 924.9	Contusion with intact skin surface
925.1 – 929.9	Crushing injury
958.2	Secondary and recurrent hemorrhage
959.9	Injury, unspecified site
964.2	Poisoning by anticoagulants
964.5	Poisoning by anticoagulant antagonists
964.7	Poisoning by natural blood and blood products
980.0	Toxic effects of alcohol
989.5	Snake venom
995.20	Unspecified adverse effect of unspecified drug, medicinal and biological substance
995.21	Arthus phenomenon
995.24	Failed moderate sedation during procedure
995.27	Other drug allergy
995.29	Unspecified adverse effect of other drug, medicinal and biological substance
996.70 – 996.79	Other complications of internal prosthetic device
997.02	Iatrogenic cerebrovascular infarction or hemorrhage
998.11	Hemorrhage or hematoma complicating a procedure
998.12	Hematoma complicating a procedure
999.2	Other vascular complications of medical care
V12.3	Personal history of diseases of blood and blood forming organs
V58.2	Admission for transfusion of blood products
V58.61	Long term (current use) of anticoagulants
V58.83	Encounter for therapeutic drug monitoring

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

## **PROSTATE CANCER SCREENING**

(G0103)

Screening prostate specific antigen (PSA) tests are covered at a frequency of once every 12 months for men who have attained age 50, (at least 11 months have passed following the month in which the last Medicare-covered screening prostate specific antigen test was performed). Screening prostate specific antigen tests (PSA) means a test to detect the marker for adenocarcinoma of prostate. PSA is a reliable immunocytochemical marker for primary and metastatic adenocarcinoma of prostate. This screening must be ordered by the beneficiary's physician or by the beneficiary's physician assistant, nurse practitioner, clinical nurse specialist, or certified nurse midwife who is fully knowledgeable about the beneficiary's medical condition, and who would be responsible for using the results of any examination (test) performed in the overall management of the beneficiary's specific medical problem.

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>PROSTATE SPECIFIC ANTIGEN</b> (84153)	
185	Malignant neoplasm of prostate
188.5	Malignant neoplasm of bladder neck
196.5	Secondary malignant neoplasm, lymph nodes inguinal region and lower limb
196.6	Secondary malignant neoplasm, intrapelvic lymph nodes
196.8	Secondary malignant neoplasm, lymph nodes of multiple sites
198.5	Secondary malignant neoplasm, bone and bone marrow
198.82	Secondary malignant neoplasm, genital organs
233.4	Carcinoma in situ, prostate
236.5	Neoplasm of uncertain behavior of prostate
239.5	Neoplasm of unspecified nature, other genitourinary organs
596.0	Bladder neck obstruction
599.60, 599.69	Urinary obstruction, unspecified
599.70	Hematuria, unspecified
599.71	Gross hematuria
599.72	Microscopic hematuria
600.00	Hypertrophy (benign) of prostate without urinary obstruction and other lower urinary tract (LUTS)
600.01	Benign prostate hypertrophy with urinary obstruction
600.10	Nodular prostate without urinary obstruction
600.11	Nodular prostate with urinary obstruction
600.21	Benign localized hyperplasia or prostate with urinary obstruction and other lower urinary tract symptoms (LUTS)
601.9	Unspecified prostatitis
602.9	Unspecified disorder of prostate
788.20	Retention of urine, unspecified
788.21	Incomplete bladder emptying
788.30	Urinary incontinence, unspecified
788.41	Urinary frequency
788.43	Nocturia
788.62	Slowing of urinary stream
788.63	Urgency of urination
788.64	Urinary hesitancy
788.65	Straining on urination
790.93	Elevated prostate specific antigen (PSA)
793.6	<b>Non-specific (abnormal) findings on radiological and other examination of abdominal area, including retroperitoneum</b>
793.7	<b>Non-specific (abnormal) findings on radiological and other examination of musculoskeletal system</b>
794.9	Bone scan evidence of malignancy
V10.46	Personal history of malignant neoplasm; prostate

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>PROTHROMBIN TIME (PT)</b> (85610)	
002.0 – 002.9	Typhoid and paratyphoid
003.0 – 003.9	Other salmonella infections
038.9	Unspecified septicemia
042	Human immunodeficiency virus(HIV) disease
060.0 – 060.9	Yellow fever
065.0 – 065.9	Arthropod-borne hemorrhagic fever
070.0 – 070.9	Viral hepatitis
075	Infectious mononucleosis
078.6	Hemorrhagic nephrosonephritis
078.7	Arenaviral hemorrhagic fever
084.8	Blackwater fever
120.0	Schistosomiasis
121.1	Clonorchiasis
121.3	Fascioliasis
124	Trichinosis
134.2	Hirudiniasis
135	Sarcoidosis
152.0 – 152.9	Malignant neoplasm of small intestine, including duodenum
155.0 – 155.2	Malignant neoplasm of liver and intrahepatic bile ducts
156.0-156.9	Malignant neoplasm of gallbladder and extrahepatic bile ducts
157.0 – 157.9	Malignant neoplasm of pancreas
188.0 – 189.9	Malignant neoplasm of bladder, kidney, and other and unspecified urinary organs
197.7	Secondary malignant neoplasm, liver
198.0	Secondary malignant neoplasm, kidney
198.1	Secondary malignant neoplasm, other urinary organs
200.00 – 200.28	Lymphosarcoma and reticulosarcoma; Burkitt's tumor or lymphoma
200.30 - 200.38	Marginal zone lymphoma
200.40 – 200.48	Mantle cell lymphoma
200.50 – 200.58	Primary central nervous system lymphoma
200.60 – 200.68	Anaplastic large cell lymphoma
200.70 – 200.78	Large cell lymphoma
200.80 – 200.88	Malignant tumors of lymphatic tissue; other named variants
202.00 – 202.68	Other malignant neoplasms of lymphoid and histiocytic tissue
202.70 – 202.78	Peripheral T-cell lymphoma
202.80 – 202.98	Other lymphomas' other unspecified malignant neoplasms of lymphoid and histiocytic tissue
209.20 – 209.27, 209.29	Malignant carcinoid tumors of other and unspecified sites
<b>209.70</b>	<b>Secondary neuroendocrine tumor, unspecified sites</b>
<b>209.71</b>	<b>Secondary neuroendocrine tumor of distant lymph nodes</b>
<b>209.72</b>	<b>Secondary neuroendocrine tumor of liver</b>
<b>209.73</b>	<b>Secondary neuroendocrine tumor of bone</b>
<b>209.74</b>	<b>Secondary neuroendocrine tumor of peritoneum</b>
<b>209.75</b>	<b>Secondary Merkel cell carcinoma</b>
<b>209.79</b>	<b>Secondary neuroendocrine tumor of other sites</b>
223.0 – 223.9	Benign neoplasm of kidney and other urinary organs
238.4	Polycythemia vera
238.5	Histiocytic and mast cells – neoplasm of uncertain behavior

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

238.6	Plasma cells – neoplasm of uncertain behavior
238.71	Essential thrombocythemia
238.72	Low grade myelodysplastic syndrome lesions
238.73	High grade myelodysplastic syndrome lesions
238.74	Myelodysplastic syndrome with 5q deletion
238.75	Myelodysplastic syndrome, unspecified
238.76	Myelofibrosis with myeloid metaplasia
238.77	Post – transplant lymphoproliferative disorder (PTLD)
238.79	Other lymphatic and hematopoietic tissues
239.4	Neoplasm of unspecified nature, bladder
239.5	Neoplasm of unspecified nature, other genitourinary organs
239.9	Neoplasm of unspecified nature, site unspecified
246.3	Hemorrhage and infarction of thyroid
<b>249.40</b>	<b>Secondary diabetes mellitus with renal manifestations, not stated as uncontrolled</b>
<b>249.41</b>	<b>Secondary diabetes mellitus with renal manifestations, uncontrolled</b>
250.40 – 250.43	Diabetic with renal manifestations
263.0 – 263.9	Other and unspecified protein/calorie malnutrition
269.0	Deficiency of Vitamin K
269.2	Unspecified vitamin deficiency
273.0 – 273.3, 273.8 – 273.9	Disorders of plasma protein metabolism
275.01	Hereditary hemochromatosis
275.02	Hemochromatosis due to repeated red blood cell transfusions
275.03	Other hemochromatosis
275.09	Other disorders of iron metabolism
277.1	Disorders of porphyrin metabolism
277.30	Amyloidosis, unspecified
277.31	Familial Mediterranean fever
277.39	Other amyloidosis
280.0	Iron deficiency anemia, secondary to blood loss – chronic
280.9	Iron deficiency anemia, unspecified
281.0	Pernicious anemia
281.1	Other Vitamin B12 deficiency anemia, NEC
281.9	Unspecified deficiency anemia, NOS
285.0	Sideroblastic anemia
285.1	Acute posthemorrhagic anemia
286.0 – 286.9	Coagulation defects
<b>287.0 – 287.39</b>	<b>Allergic purpura; qualitative platelet defects; other non-thrombocytopenic purpuras; primary thrombocytopenia</b>
<b>287.41</b>	<b>Posttransfusion purpura</b>
<b>287.49</b>	<b>Other secondary thrombocytopenia</b>
<b>287.5 – 287.9</b>	<b>Thrombocytopenia, unspecified; other specified and unspecified hemorrhagic conditions</b>
289.81	Primary hypercoagulable state
290.40 – 290.43	Vascular dementia
325	Phlebitis and thrombophlebitis of intracranial venous sinuses
342.90 – 342.92	Hemiplegia NOS
360.43	Hemophthalmos, except current injury
362.18	Retinal vasculitis
362.30 – 362.37	Retinal vascular occlusion
362.43	Hemorrhagic detachment of retinal pigment epithelium
362.81	Retinal hemorrhage
363.61 – 363.72	Choroidal hemorrhage and rupture, detachment
368.9	Unspecified visual disturbances

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

372.72	Conjunctival hemorrhage
374.81	Hemorrhage of eyelid
376.32	Orbital hemorrhage
377.42	Hemorrhage in optic nerve sheaths
377.53	Disorders of optic chiasm associated with vascular disorders
377.62	Disorders of visual pathways associated with vascular disorders
377.72	Disorders of visual cortex associated with vascular disorders
379.23	Vitreous hemorrhage
380.31	Hematoma of auricle or pinna
386.2	Vertigo of central origin
386.50	Labyrinthine dysfunction, unspecified
394.0 – 394.9	Diseases of the mitral valve
395.0	Rheumatic aortic stenosis
395.2	Rheumatic aortic stenosis with insufficiency
396.0 – 396.9	Diseases of mitral and aortic valves
397.0 – 397.9	Diseases of other endocardial structures
398.0 – 398.99	Other rheumatic heart disease
403.01, 403.11, 403.91	Hypertensive chronic kidney disease malignant, with chronic kidney disease stage V or end stage renal disease
404.02, 404.12, 404.92	Hypertensive heart and chronic kidney disease malignant, without heart failure and with chronic kidney disease stage V or end stage renal disease
410.00 – 410.92	Acute myocardial infarction
411.1	Intermediate coronary syndrome
411.81	Coronary occlusion without myocardial infarction
411.89	Other acute and subacute forms of ischemic heart disease
413.0 – 413.9	Angina pectoris
414.00 – 414.07	Coronary atherosclerosis
414.3	Coronary atherosclerosis due to lipid rich plaque
414.8	Other specified forms of chronic ischemic heart disease
414.9	Chronic ischemic heart disease, unspecified
415.0 – 415.19	Acute pulmonary heart disease
416.9	Chronic pulmonary heart disease, unspecified
423.0	Hemopericardium
424.0	Mitral valve disorders
424.1	Aortic valve disorder
424.90	Endocarditis, valve unspecified, unspecified cause
425.0 – 425.9	Cardiomyopathy
427.0 – 427.9	Cardiac dysrhythmias
428.0 – 428.9	Heart failure
429.0 – 429.4	Ill-defined descriptions and complications of heart disease
429.79	Other certain sequelae of myocardial infarction, not elsewhere classified
430	Subarachnoid hemorrhage
431	Intracerebral hemorrhage
432.0 – 432.9	Other and unspecified intracranial hemorrhage
433.00 – 433.91	Occlusion and stenosis of precerebral arteries
434.00 – 434.91	Occlusion of cerebral arteries
435.0 – 435.9	Transient cerebral ischemia
436	Acute, but ill-defined cerebrovascular disease
437.0	Cerebral atherosclerosis
437.1	Other generalized ischemic cerebrovascular disease
437.6	Nonpyogenic thrombosis of intracranial venous sinus
440.0 – 440.32	Atherosclerosis of aorta; of other arteries; of bypass grafts
440.4	Chronic total occlusion of artery of the extremities
440.8 – 440.9	Atherosclerosis of other specified arteries; generalized and unspecified

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

	atherosclerosis
441.0 – 441.9	Aortic aneurysm and dissection
443.0 – 443.9	Other peripheral vascular disease
444.0 – 444.9	Arterial embolism and thrombosis
447.1	Stricture of artery
447.2	Rupture of artery
447.6	Arteritis, unspecified
448.0	Hereditary hemorrhagic telangiectasia
448.9	Other and unspecified capillary diseases
451.0 – 451.9	Phlebitis and thrombophlebitis
452	Portal vein thrombosis
453.0	Budd-Chiari syndrome
453.1	Thrombophlebitis migrans
453.2	Embolism and thrombosis of inferior vena cava
453.3	Embolism and thrombosis of renal vein
453.40	Acute venous embolism and thrombosis of unspecified deep vessels
453.41	Acute venous embolism and thrombosis of deep vessels of proximal lower extremity
453.42	Acute venous embolism and thrombosis of deep vessels of distal lower extremity
453.50	Chronic venous embolism and thrombosis of unspecified deep vessels of lower extremity
453.51	Chronic venous embolism and thrombosis of deep vessels of proximal lower extremity
453.52	Chronic venous embolism and thrombosis of deep vessels of distal lower extremity
453.6	Venous embolism and thrombosis of superficial vessels of lower extremity
453.71	Chronic venous embolism and thrombosis of superficial veins of upper extremity
453.72	Chronic venous embolism and thrombosis of deep veins of upper extremity
453.73	Chronic venous embolism and thrombosis of upper extremity, unspecified
453.74	Chronic venous embolism and thrombosis of axillary veins
453.75	Chronic venous embolism and thrombosis of subclavian veins
453.76	Chronic venous embolism and thrombosis of internal jugular veins
453.77	Chronic venous embolism and thrombosis of other thoracic veins
453.79	Chronic venous embolism and thrombosis of other specified veins
453.81	Acute venous embolism and thrombosis of superficial veins of upper extremity
453.82	Acute venous embolism and thrombosis of deep veins of upper extremity
453.83	Acute venous embolism and thrombosis of upper extremity, unspecified
453.84	Acute venous embolism and thrombosis of axillary veins
453.85	Acute venous embolism and thrombosis of subclavian veins
453.86	Acute venous embolism and thrombosis of internal jugular veins
453.87	Acute venous embolism and thrombosis of other thoracic veins
453.89	Acute venous embolism and thrombosis of other specified veins
453.9	Other venous embolism and thrombosis of unspecified site
455.2	Internal hemorrhoids with other complication
455.5	External hemorrhoids with other complication
455.8	Unspecified hemorrhoids with other complication
456.0 – 456.1	Esophageal varices
456.8	Varices of other sites
459.0	Hemorrhage, unspecified
459.10 – 459.19	Postphlebotic syndrome

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

459.2	Compression of vein
459.81	Venous (peripheral) insufficiency, unspecified
459.89	Other specified disorders of circulatory system
511.81	Malignant pleural effusion
511.89	Other specified forms of effusion, except tuberculosis
514	Pulmonary congestion and hypostasis
530.7	Gastroesophageal laceration-hemorrhage syndrome
530.82	Esophageal hemorrhage
530.86	Infection of esophagostomy
530.87	Mechanical complication of esophagostomy
531.00 – 535.61	Gastric ulcer, duodenal ulcer, peptic ulcer, gastrojejunal ulcer, gastritis and duodenitis
535.70	Eosinophilic gastritis, without mention of obstruction
535.71	Eosinophilic gastritis, with obstruction
555.0 – 555.9	Regional enteritis
556.0 – 556.9	Ulcerative colitis
557.0 – 557.9	Vascular insufficiency of intestine
562.02 – 562.03	Diverticulosis of small intestine with hemorrhage
562.10	Diverticulosis of colon (without hemorrhage)
562.11	Diverticulitis of colon (without hemorrhage)
562.12	Diverticulosis of colon with hemorrhage
562.13	Diverticulitis of colon with hemorrhage
568.81	Hemoperitoneum (nontraumatic)
569.3	Hemorrhage of rectum and anus
<b>571.0 – 571.9</b>	<b>Chronic liver disease</b>
572.0	Abscess of liver
572.1	Portal pyemia
572.2	Hepatic encephalopathy
572.3	Portal hypertension
572.4	Hepatorenal syndrome
572.8	Other sequelae of chronic liver disease
573.1 – 573.9	Hepatitis in viral diseases, other and unspecified disorder of liver
576.0 – 576.9	Other disorders of biliary tract
577.0	Acute pancreatitis
578.0 – 578.9	Gastrointestinal hemorrhage
579.0 – 579.9	Intestinal malabsorption
581.0 – 581.9	Nephrotic syndrome
583.9	Nephritis, with unspecified pathological lesion in kidney
584.5	Acute kidney failure with lesion of tubular necrosis
585.6	Acute kidney failure with lesion of renal cortical necrosis
584.7	Acute kidney failure with lesion of renal medullary (papillary) necrosis
584.8	Acute kidney failure with other specified pathological lesion in kidney
584.9	Acute kidney failure, unspecified
585.4 – 585.9	Chronic kidney disease
586	Renal failure, unspecified
593.81 – 593.89	Other specified disorders of kidney and ureter
596.7	Hemorrhage into bladder wall
596.8	Other specified disorders of bladder
599.70	Hematuria, unspecified
599.71	Gross hematuria
599.72	Microscopic hematuria
607.82	Vascular disorders of penis
608.83	Vascular disorders of male genital organs
611.89	Other specified disorders of breast including hematoma

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

620.7	Hematoma of broad ligament
621.4	Hematometra
622.8	Other specified noninflammatory disorders of cervix
623.6	Vaginal hematoma
623.8	Other specified noninflammatory disorders of the vagina
624.5	Hematoma of vulva
626.2 – 626.9	Abnormal bleeding from female genital tract
627.0	Premenopausal menorrhagia
627.1	Postmenopausal bleeding
629.0	Hematocele female, not classified elsewhere
632	Missed abortion
634.10 – 634.12	Spontaneous abortion, complicated by excessive hemorrhage
635.10 – 635.12	Legally induced abortion, complicated by delayed or excessive hemorrhage
636.10 – 636.12	Illegally induced abortion, complicated by delayed or excessive hemorrhage
637.10 – 637.12	Abortion unspecified, complicated by delayed or excessive hemorrhage
638.1	Failed attempted abortion, complicated by delayed or excessive hemorrhage
639.1	Delayed or excessive hemorrhage following abortion and ectopic and molar pregnancies
639.6	Complications following abortion and ectopic and molar pregnancies with embolism
640.00 – 640.93	Hemorrhage in early pregnancy
641.00 – 641.93	Antepartum hemorrhage, abruption placentae, and placenta previa
642.00 – 642.94	Hypertension complicating pregnancy, childbirth, and the puerperium
646.70 – 646.73	Liver disorders in pregnancy
649.30	Coagulation defects complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care or not applicable
649.31	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition
649.32	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of postpartum complication
649.33	Coagulation defects complicating pregnancy, childbirth, or the puerperium, antepartum condition or complication
649.34	Coagulation defects complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication
649.50	Spotting complicating pregnancy, unspecified as to episode of care or not applicable
649.51	Spotting complicating pregnancy, delivered, with or without mention of antepartum condition
649.53	Spotting complicating pregnancy, antepartum condition or complication
656.00 – 656.03	Fetal maternal hemorrhage
658.40 – 658.43	Infection of amniotic cavity
666.00 – 666.34	Postpartum hemorrhage
671.20 – 671.94	Venous complications in pregnancy and the puerperium except legs, vulva and perineum
673.00 – 673.84	Obstetrical pulmonary embolism
674.30 – 674.34	Other complications of obstetrical surgical wounds
713.2	Arthropathy associated with hematological disorders
713.6	Arthropathy associated with hypersensitivity reaction
719.15	Hemarthrosis pelvic region and thigh
719.16	Lower leg
719.19	Multiple sites

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

729.5	Pain in limb
729.81	Swelling of limb
733.10	Pathologic fracture, unspecified site
746.00 – 746.9	Other congenital anomalies of heart
762.1	Other forms of placental separation and hemorrhage
767.0 , 767.11	Birth trauma, subdural and cerebral hemorrhage and injury to scalp
767.8	Other specified birth trauma
770.3	Pulmonary hemorrhage
772.0	Fetal blood loss affecting newborn
772.1	Fetal and neonatal intraventricular hemorrhage
772.2	Fetal and neonatal subarachnoid hemorrhage
772.3	Fetal and neonatal umbilical hemorrhage after birth
772.4	Fetal and neonatal gastrointestinal hemorrhage
772.5	Fetal and neonatal adrenal hemorrhage
772.6	Fetal and neonatal cutaneous hemorrhage
772.8	Fetal and neonatal other specified hemorrhage of fetus or newborn
772.9	Fetal and neonatal unspecified hemorrhage of newborn
774.6	Unspecified fetal and neonatal jaundice
776.0	Hemorrhagic disease of the newborn
776.1	Transient neonatal thrombocytopenia
776.2	Disseminated intravascular coagulation of newborn
776.3	Other transient neonatal disorders of coagulation
776.4	Polycythemia neonatorium
776.5	Congenital anemia
776.6	Anemia of prematurity
776.7	Transient neonatal neutropenia
776.8	Other specified transient hematological disorders
776.9	Unspecified hematological disorder specific to newborn
780.2	Syncope and collapse
782.3	Edema
782.4	Jaundice, unspecified, not of newborn
782.7	Spontaneous ecchymosis
784.7	Epistaxis
784.8	Hemorrhage from throat
785.4	Gangrene
785.50	Shock without mention of trauma
786.05	Shortness of breath
<b>786.30</b>	<b>Hemoptysis, unspecified</b>
<b>786.31</b>	<b>Acute idiopathic pulmonary hemorrhage in infants (AIPHI)</b>
<b>786.39</b>	<b>Other hemoptysis</b>
786.59	Chest pain, other
789.00 – 789.09	Abdominal pain
789.1	Hepatomegaly
789.51	Malignant ascites
789.59	Other ascites
789.7	Colic
790.92	Abnormal coagulation profile
790.94	Euthyroid sick syndrome
791.2	Hemoglobinuria
794.8	Abnormal liver function study
800.00 – 800.99	Fracture of vault of skull
801.00 – 801.99	Fracture of base of skull
802.20 – 802.9	Fracture of face bones

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

803.00 – 803.99	Other and unqualified skull fractures
804.00 – 804.99	Multiple fractures involving skull or face with other bones
805.00 – 806.9	Fracture, vertebral column
807.00 – 807.09	Fracture of rib(s), closed
807.10 – 807.19	Fracture of rib(s), open
808.8 – 808.9	Unspecified fracture of pelvis
809.0 – 809.1	Ill-defined fractures of bones and trunk
810.00 – 810.13	Fracture of clavicle
811.00 – 811.19	Fracture of scapula
812.00 – 812.59	Fracture of humerus
813.10 – 813.18	Fracture of radius and ulna, upper end, open
813.30 – 813.33	Shaft, open
813.50 – 813.54	Lower end, open
813.90 – 813.93	Fracture unspecified part, open
819.0 – 819.1	Multiple fractures involving both upper limbs, closed and open
820.00 – 821.39	Fracture of neck of femur
823.00 – 823.92	Fracture of tibia and fibula
827.0 – 829.1	Other multiple lower limb
852.00 – 853.19	Subarachnoid subdural, and extradural hemorrhage, following injury, Other and specified intracranial hemorrhage following injury
860.0 – 860.5	Traumatic pneumothorax and hemothorax
861.00 – 861.32	Injury to heart and lung
862.0 – 862.9	Injury to other and unspecified intrathoracic organs
863.0 – 863.90	Injury to gastrointestinal tract
863.91 – 863.95, 863.99	Adding to injury to gastrointestinal tract
864.00 – 864.19	Injury to liver
865.00 – 865.19	Injury to spleen
866.00 – 866.13	Injury to kidney
867.0 – 867.9	Injury to pelvic organs
868.00 – 868.19	Injury to other intra-abdominal organs
869.0 – 869.1	Internal injury to unspecified or ill defined organs
900.00 – 900.9	Injury to blood vessels of head and neck
901.0 – 901.9	Injury to blood vessels of the thorax
902.0 – 902.9	Injury to blood vessels of the abdomen and pelvis
903.00 – 903.9	Injury to blood vessels of upper extremity
904.0 – 904.9	Injury to blood vessels of lower extremity and unspecified sites
920 – 924.9	Contusion with intact skin surface
925.1 – 929.9	Crushing injury
958.2	Secondary and recurrent hemorrhage
959.9	Injury, unspecified site
964.0 – 964.9	Poisoning by agents primarily affecting blood constituents
980.0 – 980.9	Toxic effect of alcohol
981	Toxic effect of petroleum products
982.0 – 982.8	Toxic effects of solvents other than petroleum-based
987.0 – 987.9	Toxic effect of other gases, fumes or vapors
989.0 – 989.9	Toxic effect of other substances chiefly non-medicinal as to source
995.20	Unspecified adverse effect of unspecified drug, medicinal and biological substance
995.21	Arthus phenomenon
995.24	Failed moderate sedation during procedure
995.27	Other drug allergy
995.29	Unspecified adverse effect of other drug, medicinal and biological substance
996.82	Complication of transplanted liver

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

997.02	iatrogenic cerebrovascular infarction or hemorrhage
997.4	Digestive system complications
998.11 – 998.12	Hemorrhage or hematoma complicating a procedure
999.2	Other vascular complications
<b>999.80</b>	<b>Transfusion reaction, unspecified</b>
<b>999.83</b>	<b>Hemolytic transfusion reaction, incompatibility unspecified</b>
<b>999.84</b>	<b>Acute hemolytic transfusion reaction, incompatibility unspecified</b>
<b>999.85</b>	<b>Delayed hemolytic transfusion reaction, incompatibility unspecified</b>
999.89	Other transfusion reaction
V08	Asymptomatic HIV infection
V12.1	History of nutritional deficiency
V12.3	Personal history of diseases of blood and blood-forming organs
V12.50 – V12.54, V12.59	Personal history of transient ischemic attack, and cerebral infarction without residual deficits
V15.1	Personal history of surgery to heart and great vessels
V15.21	Personal history of undergoing in utero procedure during pregnancy
V15.22	Personal history of undergoing in utero procedure while fetus
V15.29	Surgery to other organs
V42.0	Kidney replaced by transplant
V42.1	Heart replaced by transplant
V42.2	Heart valve replaced by transplant
V42.6	Lung replaced by transplant
V42.7	Liver replaced by transplant
V42.81 – V42.89	Other specified organ or tissue replaced by transplant
V43.21 – V43.22	Heart replaced by other means
V43.3	Heart valve replaced by other means
V43.4	Blood vessel replaced by other means
V58.2	Transfusion of blood products
V58.61	Long-term (current) use of anticoagulants
V58.83	Encounter for therapeutic drug monitoring

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>SEDIMENTATION RATE, ERYTHROCYTE</b> (85651,85652)	
200.20 – 200.28	Burkitt's tumor or lymphoma unspecified site – Burkitt's tumor or lymphoma involving lymph nodes of multiple sites
201.00 – 201.98	Hodgkin's paragranuloma unspecified site – Hodgkin's disease unspecified type involving lymph nodes of multiple sites
202.00 – 202.08	Nodular lymphoma unspecified site – Nodular lymphoma involving lymph nodes of multiple sites
202.80 – 202.88	Other malignant lymphomas unspecified site – Other malignant lymphomas involving lymph nodes of multiple sites
240.0 - 240.9	Goiter specified as simple – Goiter unspecified
241.0 - 241.9	Nontoxic uninodular goiter – Unspecified nontoxic nodular goiter
242.00 - 242.91	Toxic diffuse goiter without thyrotoxic crisis or storm – Thyrotoxicosis without goiter or other cause with thyrotoxic crisis or storm
245.0 - 245.9	Acute thyroiditis – Thyroiditis unspecified
246.8	Other specified disorders of thyroid
<b>279.41 – 279.49</b>	<b>Autoimmune lymphoproliferative syndrome - autoimmune disease, not elsewhere classified</b>
362.34	Transient retinal arterial occlusion
379.91	Pain in or around eye
391.0	Acute rheumatic pericarditis
391.1	Acute rheumatic endocarditis
391.2	Acute rheumatic myocarditis
391.8	Other acute rheumatic heart disease
410.00 - 410.92	Acute myocardial infarction of anterolateral wall episode of care unspecified – Acute myocardial infarction of unspecified site subsequent episode of care
446.0	Polyarteritis nodosa
446.5	Giant cell arteritis
447.6	Arteritis unspecified
556.0 - 556.9	Ulcerative (chronic) enterocolitis – Ulcerative colitis unspecified
696.0	Psoriatic arthropathy
710.0	Systemic lupus erythematosus
710.1	Systemic sclerosis
710.2	Sicca syndrome
710.4	Polymyositis
710.9	Unspecified diffuse connective tissue disease
714.0	Rheumatoid arthritis
714.1	Felty's syndrome
714.2	Other rheumatoid arthritis with visceral or systemic involvement
714.30	Chronic or unspecified polyarticular juvenile rheumatoid arthritis
714.81	Rheumatoid lung
714.9	Unspecified inflammatory polyarthropathy
716.59	Unspecified polyarthropathy or polyarthritits involving multiple sites
719.49	Pain in joint involving multiple sites
720.0	Ankylosing spondylitis
725	Polymyalgia rheumatica
729.1	Myalgia and myositis unspecified
733.99	Other disorders of bone and cartilage
783.21	Loss of weight

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

784.0	Headache
E933.1	Antineoplastic and immunosuppressive drugs causing adverse effects in therapeutic use
E933.8	Other systemic agents not elsewhere classified causing adverse effects in therapeutic use
E935.6	Antirheumatics (antiphlogistics) causing adverse effects in therapeutic use
E947.2	Antidotes and chelating agents not elsewhere classified causing adverse effects in therapeutic use
V10.72	Personal history of Hodgkin's disease

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>SERUM IRON STUDIES</b> (82728,83540,83550,84466)	
002.0 – 002.9	Typhoid and paratyphoid fevers
003.0 – 003.9	Other salmonella infections
006.0 – 006.9	Amebiasis
007.0 – 007.9	Other protozoal intestinal diseases
008.00	Intestinal infections due to Escherichia coli (E. coli), unspecified
008.01	Intestinal infections due to enteropathogenic E. coli
008.02	Intestinal infections due to enterotoxigenic E. coli
088.03	Intestinal infections due to enteroinvasive E. coli
088.04	Intestinal infections due to enterohemorrhagic E. coli
088.09	Intestinal infections due to other intestinal E. coli organisms
008.1	Intestinal infections due to Arizona group of paracolon bacilli
008.2	Intestinal infections due to Aerobacter aerogenes
008.3	Intestinal infections due to Proteus (mirabilis) (morganii)
008.41	Intestinal infections due to Staphylococcus
008.42	Intestinal infections due to Pseudomonas
008.43	Intestinal infections due to Campylobacter
008.44	Intestinal infections due to Yersinia enterocolitidis
008.45	Intestinal infections due to Clostridium difficile
008.46	Intestinal infections due to other anaerobes
008.47	Intestinal infections due to other gram-negative bacteria
008.49	Intestinal infections due to other bacteria
008.5	Bacterial enteritis, unspecified
008.61	Enteritis due to Rotavirus
008.62	Enteritis due to Adenovirus
008.63	Enteritis due to Norwalk virus
008.64	Enteritis due to other small round viruses (SRVs)
008.65	Enteritis due to Calicivirus
008.66	Enteritis due to Astrovirus
008.67	Enteritis due to Enterovirus, not elsewhere classified
008.69	Other viral enteritis
008.8	Intestinal infections due to other organisms, not elsewhere classified
009.0 – 009.3	Ill-defined intestinal infections
011.50 – 011.56	Tuberculous bronchiectasis
014.00 – 014.86	Tuberculosis of intestines, peritoneum, and mesenteric glands
015.00 – 015.96	Tuberculosis of bones and joints
016.00 – 016.06	Tuberculosis of kidney
016.10 – 016.16	Tuberculosis of bladder
016.20 – 016.26	Tuberculosis of ureter
016.30 – 016.36	Tuberculosis of other urinary organs
042	Human immunodeficiency virus (HIV) disease
070.0 – 070.9	Viral hepatitis
140.0 – 149.9	Malignant neoplasm of lip, oral cavity and pharynx
150.0 – 159.9	Malignant neoplasm of digestive organs and peritoneum
160.0 – 165.9	Malignant neoplasm of respiratory and intrathoracic organs
170.0 – 176.9	Malignant neoplasm of bone, connective tissue, skin and breast
179 – 189.9	Malignant neoplasm of genitourinary organs
190.0 – 199.1	Malignant neoplasm of other and unspecified sites
199.2	Malignant neoplasm associated with transplanted organ

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

200.00 – 200.28	Lymphosarcoma and reticulosarcoma; Burkitt's tumor or lymphoma
200.30 – 200.38	Marginal zone lymphoma
200.40 – 200.48	Mantle cell lymphoma
200.50 – 200.58	Primary central nervous system lymphoma
200.60 – 200.68	Anaplastic large cell lymphoma
200.70 – 200.78	Large cell lymphoma
200.80 – 200.88	Malignant tumors of lymphatic tissue; other named variants
201.00 – 201.98	Hodgkin's disease
202.00 – 202.68	Other malignant neoplasms of lymphoid and histiocytic tissue
202.70 – 202.78	Peripheral T-cell lymphoma
202.80 – 202.98	Other lymphomas; other and unspecified malignant neoplasms of lymphoid and histiocytic tissue
203.00 – 203.01	Multiple myeloma, without mention of having achieved remission and in remission
203.02	Multiple myeloma, in relapse
203.10 – 203.11	Plasma cell leukemia, without mention of having achieved remission and in remission
203.12	Plasma cell leukemia, in relapse
203.80 – 203.81	Other immunoproliferative neoplasms, without mention of having achieved remission and in remission
203.82	Other immunoproliferative neoplasms, in relapse
204.00 – 204.01	Acute lymphoid leukemia, without mention of having achieved remission and in remission
204.02	Acute lymphoid leukemia, in relapse
204.10 – 204.11	Chronic lymphoid leukemia, without mention of having achieved remission and in remission
204.12	Chronic lymphoid leukemia, in relapse
204.20 – 204.21	Subacute lymphoid leukemia, without mention of having achieved remission and in remission
204.22	Subacute lymphoid leukemia, in relapse
204.80 – 204.81	Other lymphoid leukemia, without mention of having achieved remission and in remission
204.82	Other lymphoid leukemia, in relapse
204.90 – 204.91	Unspecified lymphoid leukemia, without mention of having achieved remission and in remission
204.92	Unspecified lymphoid leukemia, in relapse
205.00 – 205.01	Acute myeloid leukemia, without mention of having achieved remission and in remission
205.02	Acute myeloid leukemia, in relapse
205.10 – 205.11	Chronic myeloid leukemia, without mention of having achieved remission and in remission
205.12	Chronic myeloid leukemia, in relapse
205.20 – 205.21	Subacute myeloid leukemia, without mention of having achieved remission and in remission
205.22	Subacute myeloid leukemia, in relapse
205.30 – 205.31	Myeloid sarcoma, without mention of having achieved remission and in remission
205.32	Myeloid sarcoma, in relapse
205.80 – 205.81	Unspecified myeloid leukemia, without mention of having achieved remission and in remission
205.82	Unspecified myeloid leukemia, in relapse
205.90 – 205.91	Unspecified myeloid leukemia, without mention of having achieved remission and in remission
205.92	Unspecified myeloid leukemia, in relapse

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

206.00 – 206.01	Acute monocytic leukemia, without mention of having achieved remission and in remission
206.02	Acute monocytic leukemia, in relapse
206.10 – 206.11	Chronic monocytic leukemia, without mention of having achieved remission and in remission
206.12	Chronic monocytic leukemia, in relapse
206.20 – 206.21	Subacute monocytic leukemia, without mention of having achieved remission and in remission
206.22	Subacute monocytic leukemia, in relapse
206.80 – 206.81	Other monocytic leukemia, without mention of having achieved remission and in remission
206.82	Other monocytic leukemia, in relapse
206.90 – 206.91	Unspecified monocytic leukemia, without mention of having achieved remission and in remission
206.92	Unspecified monocytic leukemia, in relapse
207.00 – 207.01	Acute erythremia and erythroleukemia, without mention of having achieved remission and in remission
207.02	Acute erythremia and erythroleukemia, in relapse
207.10 – 207.11	Chronic erythremia, without mention of having achieved remission and in remission
207.12	Chronic erythremia, in relapse
207.20 – 207.21	Megakaryocytic leukemia, without mention of having achieved remission and in remission
207.22	Megakaryocytic leukemia, in relapse
207.80 – 207.81	Other specified leukemia, without mention of having achieved remission and in remission
207.82	Other specified leukemia, in relapse
208.00 – 208.01	Acute leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.02	Acute leukemia of unspecified cell type, in relapse
208.10 – 208.11	Chronic leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.12	Chronic leukemia of unspecified cell type, in relapse
208.20 – 208.21	Subacute leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.22	Subacute leukemia of unspecified cell type, in relapse
208.80 – 208.81	Other leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.82	Other leukemia of unspecified cell type, in relapse
208.90 – 208.91	Unspecified leukemia of unspecified cell type, without mention of having achieved remission and in remission
208.92	Unspecified leukemia of unspecified cell type, in relapse
209.00 – 209.03	Malignant carcinoid tumors of the small intestine
209.10 – 209.17	Malignant carcinoid tumors of the appendix, large intestine and rectum
209.20 – 209.27, 209.29	Malignant carcinoid tumors of other and unspecified sites
209.30	Malignant poorly differentiated neuroendocrine tumor, any site
209.31	Merkel cell carcinoma of the face
209.32	Merkel cell carcinoma of the scalp and neck
209.33	Merkel cell carcinoma of the upper limb
209.34	Merkel cell carcinoma of the lower limb
209.35	Merkel cell carcinoma of the trunk
209.36	Merkel cell carcinoma of the sites
209.40 – 209.43	Benign carcinoid tumors of the small intestine
209.50 – 209.57	Benign carcinoid tumors of the appendix, large intestine and rectum

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

209.60 – 209.67, 209.69	Benign carcinoid tumor of other and unspecified sites
209.70	Secondary neuroendocrine tumor, unspecified site
209.71	Secondary neuroendocrine tumor of distant lymph nodes
209.72	Secondary neuroendocrine tumor of liver
209.73	Secondary neuroendocrine tumor of bone
209.74	Secondary neuroendocrine tumor of peritoneum
209.75	Secondary Merkel cell carcinoma
209.79	Secondary neuroendocrine tumor of other sites
210.0 – 229.9	Benign neoplasms
230.0 – 233.2	Carcinoma in situ (various)
233.30	Carcinoma in situ, unspecified female genital organ
233.31	Carcinoma in situ, vagina
233.32	Carcinoma in situ, vulva
233.39	Carcinoma in situ, other female genital organ
233.4 – 234.9	Carcinoma in situ (various)
<b>235.0 – 235.9</b>	<b>Neoplasms of uncertain behavior of digestive and respiratory systems</b>
<b>236.0 – 236.99</b>	<b>Neoplasms of uncertain behavior of genitourinary organs</b>
<b>237.0 – 237.72</b>	<b>Neoplasms of uncertain behavior of endocrine glands and nervous system</b>
<b>237.73</b>	<b>Schwannomatosis</b>
<b>237.79</b>	<b>Other neurofibromatosis</b>
<b>237.9</b>	<b>Other and uncertain parts of the nervous system</b>
<b>238.0 – 238.6</b>	<b>Neoplasms of uncertain behavior of other and unspecified sites and tissues</b>
<b>238.71 – 238.76</b>	<b>Neoplasms of other lymphatic and hematopoietic tissues</b>
<b>238.77</b>	<b>Post-transplant lymphoproliferative disorder (PTLD)</b>
238.79, 238.8, 238.9	Neoplasms of uncertain behavior
239.0 – 239.7	Neoplasms of unspecified nature
239.81	Neoplasms of unspecified nature, retina and choroid
239.89	Neoplasms of unspecified nature, other specified sites
<b>239.9</b>	<b>Neoplasms of unspecified nature, site unspecified</b>
249.00 – 249.01	Secondary diabetes mellitus without mention of complication
249.10 – 249.11	Secondary diabetes mellitus with ketoacidosis
249.20 – 249.21	Secondary diabetes mellitus with hyperosmolarity
249.30 – 249.31	Secondary diabetes mellitus with other coma
249.40 – 249.41	Secondary diabetes mellitus with renal manifestations
249.50 – 249.51	Secondary diabetes mellitus with ophthalmic manifestations
249.60 – 249.61	Secondary diabetes mellitus with neurological manifestations
249.70 – 249.71	Secondary diabetes mellitus with peripheral circulatory disorders
249.80 – 249.81	Secondary diabetes mellitus with other specified manifestations
249.90 – 249.91	Secondary diabetes mellitus with unspecified complications
250.00 – 250.93	Diabetes mellitus
253.2	Panhypopituitarism
253.7	Iatrogenic pituitary disorders
253.8	Other disorders of the pituitary and other syndromes of diencephalohypophysial origin
256.31 – 256.39	Other ovarian failure
257.2	Other testicular hypofunction
260	Kwashiorkor
261	Nutritional marasmus
262	Other severe protein-calorie malnutrition
263.0 – 263.9	Other and unspecified protein-calorie malnutrition

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>275.01</b>	<b>Hereditary hemochromatosis</b>
<b>275.02</b>	<b>Hemochromatosis due to repeated red blood cell transfusions</b>
<b>275.03</b>	<b>Other hemochromatosis</b>
<b>275.09</b>	<b>Other disorders of iron metabolism</b>
277.1	Disorders of porphyrin metabolism
280.0 – 280.9	Iron deficiency anemias
281.0 – 281.9	Other deficiency anemias
282.41 – 282.42, 282.49	Thalassemias
282.60 – 282.63	Sickle-cell diseases
282.64	Sickle-cell/Hb-C disease with crisis
282.68	Other sickle-cell disease without crisis
282.69	Other sickle-cell disease with crisis
285.0	Sideroblastic anemia (includes hemochromatosis with refractory anemia)
285.1	Acute post-hemorrhagic anemia
285.21	Anemia in chronic kidney disease
285.22	Anemia in neoplastic disease
285.29	Anemia of other chronic disease
285.3	Antineoplastic chemotherapy induced anemia
285.9	Anemia unspecified
286.0 – 286.9	Coagulation defects (congenital factor disorders)
<b>287.0 – 287.39</b>	<b>Allergic purpura; qualitative platelet defects; other non-thrombocytopenic purpuras; primary thrombocytopenia</b>
<b>287.41</b>	<b>Postransfusion purpura</b>
<b>287.49</b>	<b>Other secondary thrombocytopenia</b>
<b>287.5 – 287.9</b>	<b>Thrombocytopenia, unspecified; other specified and unspecified hemorrhagic conditions</b>
289.52	Splenic sequestration
306.4	Physiological malfunction arising from mental factors, gastrointestinal
307.1	Anorexia nervosa
307.50 – 307.59	Other and unspecified disorders of eating
403.01	Hypertensive kidney disease, malignant, with chronic kidney disease stage V or end stage renal
403.11	Hypertensive kidney disease, benign, with chronic kidney disease stage V or end stage renal
403.91	Hypertensive kidney disease, unspecified, with chronic kidney disease stage V or end stage renal
404.02	Hypertensive heart and kidney disease, malignant, with chronic kidney disease
404.03	Hypertensive heart and kidney disease, malignant, with heart failure and chronic kidney disease
404.12	Hypertensive heart and kidney disease, benign, with chronic kidney disease
404.13	Hypertensive heart and kidney disease, benign, with heart failure and chronic kidney disease
404.92	Hypertensive heart and kidney disease, unspecified, with chronic kidney disease
404.93	Hypertensive heart and kidney disease, unspecified, with heart failure and chronic kidney disease
425.4	Other primary cardiomyopathies
425.5	Alcoholic cardiomyopathy
425.7	Nutritional and metabolic cardiomyopathy
425.8	Cardiomyopathy in other diseases classified elsewhere
425.9	Secondary cardiomyopathy, unspecified
426.0 – 426.81, 426.89, 426.9	Conduction disorders

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

427.0 – 427.9	Cardiac dysrhythmias
428.0 – 428.9	Heart failure
530.7	Gastroesophageal laceration-hemorrhage syndrome
530.82	Esophageal hemorrhage
531.00 – 531.91	Gastric ulcer
532.00 – 532.91	Duodenal ulcer
533.00 – 533.91	Peptic ulcer, site unspecified
534.00 – 534.91	Gastrojejunal ulcer
535.00 – 535.61	Gastritis and duodenitis
535.70	Eosinophilic gastritis, without mention of obstruction
535.71	Eosinophilic gastritis, with obstruction
536.0 – 536.9	Disorders of function of stomach
537.83	Angiodysplasia of stomach and duodenum with hemorrhage
537.84	Dieulafoy lesion (hemorrhagic) of stomach and duodenum
555.0 – 555.9	Regional enteritis
556.0 – 556.9	Ulcerative colitis
557.0	Acute vascular insufficiency of intestine
557.1	Chronic vascular insufficiency of intestine
562.02	Diverticulosis of small intestine with hemorrhage
562.03	Diverticulitis of small intestine with hemorrhage
562.12	Diverticulosis of colon with hemorrhage
562.13	Diverticulitis of colon with hemorrhage
569.3	Hemorrhage of rectum and anus
569.85	Angiodysplasia of intestine with hemorrhage
569.86	Dieulafoy lesion (hemorrhagic) of intestine
569.87	Vomiting of fecal matter
570	Acute and subacute necrosis of liver
571.0 – 571.9	Chronic liver disease and cirrhosis
572.0	Abscess of liver
572.1	Portal pyemia
572.2	Hepatic encephalopathy
572.3	Portal hypertension
572.4	Hepatorenal syndrome
572.8	Other sequelae of chronic liver disease
573.0 – 573.9	Other disorders of liver
578.0 – 578.9	Gastrointestinal hemorrhage
579.0 – 579.3	Intestinal malabsorption
579.8 – 579.9	Other specified and unspecified intestinal malabsorption
581.0 – 581.9	Nephrotic syndrome
585.4 – 585.9	Chronic kidney disease
586	Renal failure, unspecified
608.3	Atrophy of testis
626.0 – 626.9	Disorders of menstruation and othr abnormal bleeding from female genital tract
627.0	Premenopausal menorrhagia
627.1	Postmenopausal bleeding
648.20 – 648.24	Other current conditions in the mother classifiable elsewhere, but complicating pregnancy, childbirth, or the puerperium: Anemia
698.0 – 698.9	Pruritus and related conditions
704.00 – 704.09	Alopecia
709.00 – 709.09	Dyschromia
713.0	Arthropathy associated with other endocrine and metabolic disorders
716.40 – 716.99	Other and unspecified arthropathies
719.40 – 719.49	Pain in joint

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

773.2	Hemolytic disease due to other and unspecified isoimmunization
773.3	Hydrops fetalis due to isoimmunization
773.4	Kernicterus due to isoimmunization
773.5	Late anemia due to isoimmunization
783.9	Other symptoms concerning nutrition, metabolism and other development
790.01 – 790.09	Abnormality of red blood cells
790.4	Nonspecific elevation of levels of transaminase or lactic acid dehydrogenase (LDH)
790.5	Other nonspecific abnormal serum enzyme levels
790.6	Other abnormal blood chemistry
799.4	Cachexia
964.0	Poisoning by agents primarily affecting blood constituents, iron compounds
984.0 – 984.9	Toxic effect of lead and its compounds (including fumes)
996.85	Complication of transplanted organ, bone marrow
<b>999.80</b>	<b>Transfusion reaction, unspecified</b>
<b>999.83</b>	<b>Hemolytic transfusion reaction, incompatibility unspecified</b>
<b>999.84</b>	<b>Acute hemolytic transfusion reaction, incompatibility unspecified</b>
<b>999.85</b>	<b>Delayed hemolytic transfusion reaction, incompatibility unspecified</b>
999.89	Other transfusion reaction
V08	Asymptomatic HIV infection
V12.1	Personal history of nutritional deficiency
V12.3	Personal history of diseases of blood and blood-forming organs
V15.1	Personal history of surgery to heart and great vessels
V15.21	Personal history of undergoing in utero procedure during pregnancy
V15.22	Personal history of undergoing in utero procedure while a fetus
V15.29	Surgery to other organs
V43.21 – V43.22	Heart replaced by other means
V43.3	Heart valve replaced by other means
V43.4	Blood vessel replaced by other means
V43.60	Unspecified joint replaced by other means
V56.0	Extracorporeal dialysis
V56.8	Other dialysis

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>SERUM PHOSPHORUS</b> (84100)	
135	Sarcoidosis
170.0-170.9	Malignant neoplasm of bones of skull and face except mandible – malignant neoplasm of bone and articular cartilage site unspecified
198.5	Secondary malignant neoplasm of bone and bone marrow
203.00 - 203.02	Multiple myeloma, without mention of having achieved remission – multiple myeloma, in relapse
238.6	Neoplasm of uncertain behavior of plasma cells
252.00 – 252.08	Hyperparathyroidism, unspecified – other hyperparathyroidism
260	Kwashiorkor
261	Nutritional marasmus
262	Other severe protein-calorie malnutrition
263.0 – 263.9	Malnutrition of moderate degree – unspecified protein-calorie malnutrition
268.0 – 268.9	Rickets active – unspecified vitamin D deficiency
275.2	Disorders of magnesium metabolism
275.3	Disorders of phosphorus metabolism
275.40 - 275.49	Unspecified disorder of calcium metabolism – other disorders of calcium metabolism
276.0 - 276.9	Hyperosmolality and/or hyponatremia – electrolyte and fluid disorders not elsewhere classified
278.4	Hypervitaminosis D
278.8	Other hyperalimentation
283.9	Acquired hemolytic anemia unspecified
287.0 - 287.9	Allergic purpura – unspecified hemorrhagic conditions
293.0	Delirium due to conditions classified elsewhere
293.1	Subacute delirium
348.30 – 348.39	Encephalopathy unspecified – other encephalopathy
403.01	Hypertensive chronic kidney disease, malignant, with chronic kidney disease Stage V or End Stage Renal disease
403.11	Hypertensive chronic kidney disease, benign, with chronic kidney disease Stage V or End Stage Renal disease
404.02	Hypertensive heart and chronic kidney disease, malignant, without heart failure and with chronic kidney disease Stage V or End Stage Renal disease
404.03	Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease Stage V or End Stage Renal disease
404.12	Hypertensive heart and chronic kidney disease, benign, without heart failure and with chronic kidney disease Stage V or End Stage Renal disease
404.13	Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic kidney disease Stage V or End Stage Renal disease
579.0 - 579.9	Celiac disease – unspecified intestinal malabsorption
580.0 - 580.9	Acute glomerulonephritis with lesion of proliferative glomerulonephritis – acute glomerulonephritis with unspecified pathological lesion in kidney
581.0 – 581.9	Nephrotic syndrome with lesion of proliferative glomerulonephritis – nephrotic syndrome with unspecified pathological lesion in kidney
582.0 – 582.9	Chronic glomerulonephritis with lesion of proliferative glomerulonephritis – chronic glomerulonephritis with unspecified pathological lesion in kidney

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

583.0 – 583.9	Nephritis and nephropathy not specified as acute or chronic with lesion of proliferative glomerulonephritis – nephritis and nephropathy not specified as acute or chronic with unspecified pathological lesion in kidney
584.5 – 584.9	Acute renal failure with lesion of tubular necrosis – acute renal failure unspecified
585.1 – 585.9	Chronic kidney disease, Stage I – chronic kidney disease, unspecified
586	Renal failure unspecified
587	Renal sclerosis unspecified
588.0 – 588.9	Renal osteodystrophy – unspecified disorder resulting from impaired renal function
646.90	Unspecified complication of pregnancy unspecified as to episode of care
728.87	Muscle weakness (generalized)
728.88	Rhabdomyolysis
728.89	Other disorders of muscle ligament and fascia
728.9	Unspecified disorder of muscle ligament and fascia
729.1	Myalgia and myositis unspecified
731.0	Osteitis deformans without bone tumor
733.90	Disorder of bone and cartilage unspecified
753.9	Unspecified congenital anomaly of urinary system
780.39	Other convulsions
782.0	Disturbance of skin sensation
783.0	Anorexia
787.02	Nausea alone
790.6	Other abnormal blood chemistry
790.7	Bacteremia
793.0	Nonspecific abnormal findings on radiological and other examination of skull and head
793.7	Nonspecific abnormal findings on radiological and other examination of musculoskeletal system
799.21	Nervousness
799.22	Irritability
<b>799.51</b>	<b>Attention or concentration deficit</b>
<b>799.52</b>	<b>Cognitive communication deficit</b>
<b>799.54</b>	<b>Psychomotor deficit</b>
<b>799.55</b>	<b>Frontal lobe and executive function deficit</b>
965.1	Poisoning by salicylates
990	Effects of radiation unspecified
995.84	Adult neglect (nutritional)
E858.5*	Accidental poisoning by water, mineral, and uric acid metabolism drugs
E933.3*	Alkalinizing agents causing adverse effects in therapeutic use
E943.0*	Antacids and antigastric secretion drugs causing adverse effects in therapeutic use
E944.0-E944.7*	Mercurial diuretics causing adverse effects in therapeutic use – uric acid metabolism drugs causing adverse effects in therapeutic use
V45.89*	Other postsurgical status

\* According to the ICD-9-CM book, diagnosis codes E858.5, E933.3, E943.0, E944.0-E944.7 and V45.89 are secondary diagnosis codes and should not be billed as the primary diagnosis.

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>Syphilis Testing (RPR)</b>	
(86592, 86593, 86780)	
042	Human immunodeficiency virus (HIV) disease
053.0 – 053.9	Herpes Zoster with Meningitis – Herpes Zoster without complication
054.0 – 054.9	Eczema Herpeticum – Herpes Simplex without complication
070.0 – 070.9	Viral Hepatitis A with hepatic coma – unspecified Viral Hepatitis without hepatic coma
078.0	Molluscum contagiosum
078.10 – 078.19	Viral warts unspecified – other specified viral warts
078.88	Other specified diseases due to Chlamydiae
079.4	Human Papillomavirus in conditions classified elsewhere and of unspecified site
079.50 – 079.59	Retrovirus unspecified – other specified Retrovirus
079.88	Other specified Chlamydial infection
090.0 – 090.9	Early congenital syphilis symptomatic – congenital syphilis unspecified
091.0 – 091.9	Genital syphilis (Primary) – unspecified secondary syphilis
092.0 – 092.9	Early syphilis latent serological relapse after treatment – early syphilis unspecified
093.0 – 093.9	Aneurysm of aorta specified as syphilitic – cardiovascular syphilis unspecified
094.0 – 094.9	Tabes Dorsalis – Neurosyphilis unspecified
095.0 – 095.9	Syphilitic Episcleritis – late symptomatic syphilis unspecified
096	Late syphilis latent
097.0 – 097.9	Late syphilis unspecified – syphilis unspecified
098.0 – 098.89	Gonococcal infection (acute) of lower genitourinary tract – Gonococcal infection of other specified sites
099.0 – 099.9	Chancroid – venereal disease unspecified
104.0	Nonvenereal endemic syphilis
131.00	Urogenital Trichomoniasis unspecified
131.02	Trichomonal urethritis
131.03	Trichomonal prostatitis
131.09	Other urogenital trichomoniasis
131.8	Trichomoniasis of other specified sites
131.9	Trichomoniasis unspecified
290.10 – 290.13	Presenile dementia uncomplicated – presenile dementia with depressive features
293.0	Delirium due to conditions classified elsewhere
293.1	Subacute delirium
294.8	Other persistent mental disorders due to conditions classified elsewhere
296.82	Atypical depressive disorder
310.1	Personality change due to conditions classified elsewhere
331.0	Alzheimer's disease
331.2	Senile degeneration of brain
331.9	Cerebral degeneration unspecified
356.0	Hereditary peripheral neuropathy
356.9	Unspecified idiopathic peripheral neuropathy
389.10	Sensorineural hearing loss unspecified
604.0	Orchitis Epididymitis and Epididymo-Orchitis with abscess
604.90	Orchitis and Epididymitis unspecified
604.91	Orchitis and Epididymitis in diseases classified elsewhere

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

614.0 – 614.9	Acute Salpingitis and Oophoritis – unspecified inflammatory disease of female pelvic organs and tissues
615.0 – 615.9	Acute inflammatory diseases of uterus except cervix – unspecified inflammatory disease of uterus
616.0 – 616.9	Cervicitis and Endocervicitis – unspecified inflammatory disease of cervix vagina and vulva
760.2	Maternal infections affecting fetus or newborn
781.2	Abnormality of Gait
782.1	Rash and other nonspecific skin eruption
785.6	Enlargement of lymph nodes
V01.6	Contact with or exposure to venereal diseases
V02.7	Carrier or suspected carrier of Gonorrhea
V02.8	Carrier or suspected carrier of other venereal diseases
V08	Asymptomatic Human Immunodeficiency Virus (HIV) infection status

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>THYROID TESTING</b> (84436,84439,84443,84479)	
017.50 – 017.56	Tuberculosis of the thyroid gland
183.0	Malignant neoplasm of ovary
193	Malignant neoplasm of thyroid gland
194.8	Malignant neoplasm of other endocrine glands and related structures
198.89	Secondary malignant neoplasm of the thyroid
220	Benign neoplasm of ovary
226	Benign neoplasm of thyroid gland
227.3	Benign neoplasm of pituitary gland and craniopharyngeal duct
234.8	Carcinoma in situ of other and unspecified sites
237.4	Neoplasm of uncertain behavior of other and unspecified endocrine glands
239.7	Neoplasm of unspecified nature, thyroid gland
240.0 – 240.9	Goiter specified and unspecified
241.0 – 241.9	Nontoxic nodular goiter
242.00 – 242.91	Thyrotoxicosis with or without goiter
243	Congenital hypothyroidism
244.0 – 244.9	Acquired hypothyroidism
245.0 – 245.9	Thyroiditis
246.0 – 246.9	Other disorders of thyroid
249.00 – 249.01	Secondary diabetes mellitus without mention of complication
249.10 – 249.11	Secondary diabetes mellitus with ketoacidosis
249.20 – 249.21	Secondary diabetes mellitus with hyperosmolarity
249.30 – 249.31	Secondary diabetes mellitus with other coma
249.40 – 249.41	Secondary diabetes mellitus with renal manifestations
249.50 – 249.51	Secondary diabetes mellitus with ophthalmic manifestations
249.60 – 249.61	Secondary diabetes mellitus with neurological manifestations
249.70 – 249.71	Secondary diabetes mellitus with peripheral circulatory disorders
249.80 – 249.81	Secondary diabetes mellitus with other specified manifestations
249.90 – 249.91	Secondary diabetes mellitus with unspecified complication
250.00 – 250.93	Diabetes mellitus
252.1	Hypoparathyroidism
253.1	Other and unspecified anterior pituitary hyperfunction
253.2	Panhypopituitarism
253.3	Pituitary dwarfism
253.4	Other anterior pituitary disorders
253.7	Iatrogenic pituitary disorders
255.2	Adrenogenital disorders
255.41	Glucocorticoid deficiency
255.42	Mineralocorticoid deficiency
256.31 – 256.39	Ovarian failure
257.2	Testicular hypofunction
258.0 – 258.9	Polyglandular dysfunction and related disorders
262	Malnutrition, severe
263.0 – 263.9	Malnutrition, other and unspecified
266.0	Ariboflavinosis
272.0	Pure hypercholesterolemia
272.2	Mixed hyperlipidemia
272.4	Other and unspecified hyperlipidemia
275.40 – 275.49	Calcium disorders

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

275.5	Hungry bone syndrome
276.0	Hyperosmolality and/or hypernatremia
276.1	Hyposmolality and/or hyponatremia
278.3	Hypercarotinemias
279.41	Autoimmune lymphoproliferative syndrome
279.49	Autoimmune disease, not elsewhere classified
281.0	Pernicious anemia
281.9	Unspecified deficiency anemia
283.0	Autoimmune hemolytic anemia
285.9	Anemia, unspecified
290.0	Senile dementia, uncomplicated
290.10 – 290.13	Presenile dementia
290.20 – 290.21	Senile dementia with delusional or depressive features
290.3	Senile dementia with delirium
293.0 – 293.1	Delirium
293.81 – 293.89	Other specified transient mental disorders due to conditions classified elsewhere
294.8	Other persistent mental disorders due to conditions classified elsewhere
296.00 – 296.99	Episodic mood disorders
297.0	Paranoid state, simple
297.1	Delusional disorder
297.9	Unspecified paranoid state
298.3	Acute paranoid reaction
300.00 – 300.09	Anxiety states
307.9	Other and unspecified special symptoms or syndromes not elsewhere classified
310.1	Personality change due to conditions classified elsewhere
311	Depressive disorder, not elsewhere classified
327.00	Organic insomnia, unspecified
327.01	Insomnia due to medical condition classified elsewhere
327.09	Other organic insomnia
327.29	Other organic sleep apnea
327.52	Sleep related leg cramps
327.8	Other organic sleep disorders
331.0, 331.11, 331.19, 331.2	Alzheimer's, pick's disease, Senile degeneration of brain
331.83	Mild cognitive impairment, so stated
333.1	Essential and other specified forms of tremor
333.99	Other extrapyramidal diseases and abnormal movement disorders
354.0	Carpal tunnel syndrome
356.9	Idiopathic peripheral neuropathy, unspecified polyneuropathy
358.1	Myasthenic syndromes in diseases classified elsewhere
359.5	Myopathy in endocrine diseases classified elsewhere
359.9	Myopathy, unspecified
368.2	Diplopia
372.71	Conjunctival hyperemia
372.73	Conjunctival edema
374.41	Lid reaction or lag
374.82	Eyelid edema
376.21	Thyrotoxic exophthalmos
376.22	Exophthalmic ophthalmoplegia
376.30 – 376.31	Exophthalmic conditions, unspecified and constant
376.33 – 376.34	Orbital edema or congestion, intermittent exophthalmos
378.50 – 378.55	Paralytic strabismus
401.0 – 401.9	Essential hypertension

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

403.00 – 403.91	Hypertensive kidney disease
404.00 – 404.93	Hypertensive heart and kidney disease
423.9	Unspecified disease of pericardium
425.7	Nutritional and metabolic cardiomyopathy
427.0	Paroxysmal supraventricular tachycardia
427.2	Paroxysmal tachycardia, unspecified
427.31	Atrial fibrillation
427.89	Other specified cardiac dysrhythmia
427.9	Cardiac dysrhythmia, unspecified
428.0	Congestive heart failure, unspecified
428.1	Left heart failure
429.3	Cardiomegaly
511.9	Unspecified pleural effusion
518.81	Acute respiratory failure
529.8	Other specified conditions of the tongue
560.1	Paralytic ileus
564.00 – 564.09	Constipation
564.7	Megacolon, other than Hirschsprung's
568.82	Peritoneal effusion (chronic)
625.3	Dysmenorrhea
626.0 – 626.2	Disorders of menstruation
626.4	Irregular menstrual cycle
648.10 – 648.14	Other current conditions in the mother, classifiable elsewhere, but complicating pregnancy, childbirth, or the puerperium, thyroid dysfunction
676.20 – 676.24	Engorgement of breast associated with childbirth and disorders of lactation
698.9	Unspecified pruritic disorder
701.1	Keratoderma, acquired (dry skin)
703.8	Other specified diseases of nail (brittle nails)
704.00 – 704.09	Alopecia
709.01	Vitiligo
710.0 – 710.9	Diffuse disease of connective tissue
728.2	Muscle wasting
728.87	Muscle weakness (generalized)
728.9	Unspecified disorder of muscle, ligament, and fascia
729.1	Myalgia and myositis, unspecified
729.82	Musculoskeletal cramp
730.30 – 730.39	Periostitis without osteomyelitis
733.02	Idiopathic osteoporosis
733.09	Osteoporosis, drug induced
750.15	Macroglossia, congenital
759.2	Anomaly of other endocrine glands
780.01	Coma
780.02	Transient alteration of awareness
780.09	Alteration of consciousness, other
780.50	Insomnia
780.51	Insomnia with sleep apnea, unspecified
780.52	Insomnia, unspecified
780.60	Fever, unspecified
780.61	Fever presenting with conditions classified elsewhere
780.62	Postprocedural fever
780.63	Postvaccination fever
780.64	Chills (without fever)
780.65	Hypothermia not associated with low environmental temperature
780.66	Febrile nonhemolytic transfusion reaction

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

780.71	Chronic fatigue syndrome
780.72	Functional quadriplegia
780.79	Other malaise and fatigue
780.8	Generalized hyperhidrosis
780.93	Memory loss
780.94	Early satiety
780.96	Generalized pain
780.97	Altered mental status
780.99	Other general symptoms
781.0	Abnormal involuntary movements
781.3	Lack of coordination, ataxia
782.0	Disturbance of skin sensation
782.3	Localized edema
782.8	Changes in skin texture
782.9	Other symptoms involving skin and integumentary tissues
783.0	Anorexia
783.1	Abnormal weight gain
783.21	Abnormal loss of weight
783.6	Polyphagia
784.1	Throat pain
784.42	Dysphonia
784.43	Hypernasality
784.44	Hyponasality
784.49	Other voice and resonance disorders
784.51	Dysarthria
784.59	Other speech disturbances
785.0	Tachycardia, unspecified
785.1	Palpitations
785.9	Other symptoms involving cardiovascular system
786.09	Other symptoms involving respiratory system
786.1	Stridor
787.20	Dysphagia, unspecified
787.21	Dysphagia, oral phase
787.22	Dysphagia, oropharyngeal phase
787.23	Dysphagia, pharyngeal phase
787.24	Dysphagia, pharyngo-esophageal phase
787.29	Other dysphagia
787.91 – 787.99	Other symptoms involving digestive system
789.51	Malignant ascites
789.59	Other ascites
793.99	Other nonspecific abnormal findings on radiological and other examinations of body structure
794.5	Thyroid, abnormal scan or uptake
796.1	Other nonspecific abnormal findings, abnormal reflex
799.21	Nervousness
799.22	Irritability
799.23	Impulsiveness
799.24	Emotional lability
799.25	Demoralization and apathy
799.29	Other signs and symptoms involving emotional state
990	Effects of radiation, unspecified
V10.87	Personal history of malignant neoplasm of the thyroid
V10.88	Personal history of malignant neoplasm of other endocrine gland
V12.2	Personal history of endocrine, metabolic and immunity disorders

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

V58.69	Long-term (current) use of other medications
V67.00 – V67.9	Follow-up examination

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>TOTAL CALCIUM</b> (82310)	
135	Sarcoidosis
140.0 - 208.92	Malignant neoplasm of upper lip vermilion border – unspecified leukemia, in relapse
209.00 – 209.03	Malignant carcinoid tumor of the small intestine, unspecified portion malignant carcinoid tumor of the ileum
209.10 – 209.17	Malignant carcinoid tumor of the large intestine, unspecified portion malignant carcinoid tumor of the rectum
209.20 – 209.29	Malignant carcinoid tumor of unknown primary site – malignant carcinoid tumor of other sites
209.30 – 209.36	Malignant poorly differentiated neuroendocrine carcinoma, any site - Merkel cell carcinoma of other sites
252.00 – 252.08	Hyperparathyroidism, unspecified – other hyperparathyroidism
252.1	Hypoparathyroidism
255.41	Glucocorticoid deficiency
255.42	Mineralocorticoid deficiency
260 - 269.9	Kwashiorkor – unspecified nutritional deficiency
275.41	Hypocalcemia
275.42	Hypercalcemia
275.49	Other disorders of calcium metabolism
276.0 - 276.9	Hyperosmolality and/or hyponatremia – electrolyte and fluid disorders not elsewhere classified
278.4	Hypervitaminosis D
293.0	Delirium due to conditions classified elsewhere
293.1	Subacute delirium
293.83	Mood disorder in conditions classified elsewhere
298.9	Unspecified psychosis
300.00 – 300.09	Anxiety state unspecified – other anxiety states
368.13	Visual discomfort
368.2	Diplopia
427.0 - 427.9	Paroxysmal supraventricular tachycardia – cardiac dysrhythmia unspecified
519.11	Other diseases of trachea and bronchus
519.19	Other diseases of trachea and bronchus
564.00 - 564.09	Unspecified constipation – other constipation
577.0	Acute pancreatitis
577.1	Chronic pancreatitis
579.0 - 579.9	Celiac disease – unspecified intestinal malabsorption
580.0 – 580.9	Acute glomerulonephritis with lesion of proliferative glomerulonephritis – acute glomerulonephritis with unspecified pathological lesion in kidney
581.0 – 581.9	Nephrotic syndrome with lesion of proliferative glomerulonephritis – nephrotic syndrome with unspecified pathological lesion in kidney
582.0 – 582.9	Chronic glomerulonephritis with lesion of proliferative glomerulonephritis – chronic glomerulonephritis with unspecified pathological lesion in kidney
583.0 – 583.9	Nephritis and nephropathy not specified as acute or chronic with lesion proliferative glomerulonephritis – nephritis and nephropathy not specified as acute or chronic with unspecified pathological lesion in kidney
584.5 – 584.9	Acute renal failure with lesion of tubular necrosis – acute renal failure unspecified
585.1 – 585.9	Chronic kidney disease, Stage I – chronic kidney disease, unspecified

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

586	Renal failure unspecified
587	Renal sclerosis unspecified
588.0 – 588.9	Renal osteodystrophy – unspecified disorder resulting from impaired renal function
592.0	Calculus of kidney
728.87	Muscle weakness (generalized)
728.88	Rhabdomyolysis
728.89	Other disorders of muscle, ligament, and fascia
728.9	Unspecified disorder of muscle, ligament, and fascia
729.82	Cramp of limb
733.90	Disorder of bone and cartilage unspecified
780.01	Coma
780.09	Alteration of consciousness other
780.1	Hallucinations
780.39	Other convulsions
780.79	Other malaise and fatigue
781.0	Abnormal involuntary movements
781.7	Tetany
782.0	Disturbance of skin sensation
783.0	Anorexia
783.5	Polydipsia
785.59	Other shock without trauma
787.01 - 787.04	Nausea with vomiting – bilious emesis
787.20 – 787.29	Dysphagia, unspecified – other dysphagia
788.42	Polyuria
788.43	Nocturia
789.00	Abdominal pain unspecified site
E934.2*	Anticoagulants causing adverse effects in therapeutic use
E936.3*	Other and unspecified anticonvulsants causing adverse effects in therapeutic use
E943.3*	Other cathartics including intestinal atonia drugs causing adverse effects in therapeutic use
E944.4*	Other diuretics causing adverse effects in therapeutic use
E944.5*	Electrolytic caloric and water-balance agents causing adverse effects in therapeutic use
<p>* According to the ICD-9-CM book, diagnosis codes E934.2, E936.3, E943.3, E944.4 and E944.5 are secondary diagnosis codes and should not be billed as the primary diagnosis.</p>	

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>TROPONIN</b> (84484,84512)	
410.00 - 410.92	Acute myocardial infarction of anterolateral wall episode of care unspecified – acute myocardial infarction of unspecified site subsequent episode of care
411.1	Intermediate coronary syndrome
413.0 - 413.9	Angina decubitus – other and unspecified angina pectoris
427.0 - 427.9	Paroxysmal supraventricular tachycardia – cardiac dysrhythmia unspecified
729.5	Pain in limb
780.2	Syncope and collapse
785.0	Tachycardia unspecified
786.03	Apnea
786.04	Cheyne-stokes respiration
786.05	Shortness of breath
786.06	Tachypnea
786.07	Wheezing
786.09	Respiratory abnormality other
786.50 - 786.59	Unspecified chest pain – other chest pain
789.06	Abdominal pain epigastric
794.31	Nonspecific abnormal electrocardiogram (ECG) (EKG)

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

## TUMOR MARKERS

(See CPT codes below for individual markers)

<b>Alpha-fetoprotein (procedure code 82105)</b>	
070.22 – 070.23	Chronic viral hepatitis B with hepatic coma, with or without mention of hepatitis delta
070.32 – 070.33	Chronic viral hepatitis B without mention of hepatic coma, with or without mention of hepatitis delta
070.44	Chronic Hepatitis C with hepatic coma
070.54	Chronic Hepatitis C without hepatic coma
095.3	Syphilis of liver
121.1	Clonorchiasis
121.3	Fascioliasis
155.0 – 155.2	Malignant neoplasm of the liver and intrahepatic bile ducts
164.2 – 164.9	Malignant neoplasm of mediastinum
183.0	Malignant neoplasm, ovary
186.0	Malignant neoplasm of undescended testis
186.9	Malignant neoplasm, other and unspecified testis
197.1	Secondary malignant neoplasm of mediastinum
197.7	Secondary malignant neoplasm of liver
198.6	Secondary malignant neoplasm of ovary
198.82	Secondary malignant neoplasm, genital organs
209.20 – 209.27, 209.29	Malignant carcinoid tumors of other and unspecified sites
209.70	Secondary neuroendocrine tumor, unspecified site
209.71	Secondary neuroendocrine tumor of distant lymph nodes
209.72	Secondary neuroendocrine tumor of liver
209.73	Secondary neuroendocrine tumor of bone
209.74	Secondary neuroendocrine tumor of peritoneum
209.75	Secondary Merkel cell carcinoma
209.79	Secondary neuroendocrine tumor
211.5	Benign neoplasm of liver and biliary passages
235.3	Neoplasm of uncertain behavior of liver and biliary passages
272.2	Mixed hyperlipidemia
273.4	Alpha-1 antitrypsin deficiency
<b>275.01</b>	<b>Hereditary hemochromatosis</b>
<b>275.02</b>	<b>Hemochromatosis due to repeated red blood cell transfusions</b>
<b>275.03</b>	<b>Other hemochromatosis</b>
<b>275.09</b>	<b>Other disorders of iron metabolism</b>
275.1	Disorders of copper metabolism
277.00	Cystic fibrosis without mention of meconium ileus
277.03	Cystic fibrosis with gastrointestinal manifestations
277.6	Other deficiencies of circulating enzymes
285.0	Sideroblastic anemia
338.3	Neoplasm related pain (acute) (chronic)
571.2	Alcoholic cirrhosis of liver
571.40	Chronic hepatitis, unspecified
571.41	Chronic persistent hepatitis
571.42	Autoimmune hepatitis
571.49	Other chronic hepatitis
571.5	Cirrhosis of liver without mention of alcohol
608.89	Other specified disorders of male genital organs

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

793.1	Non-specific (abnormal) findings on radiological and other examination of lung field
793.2	Non-specific (abnormal) findings on radiological and other examination of other intrathoracic organs
793.3	Non-specific (abnormal) findings on radiological and other examination of biliary tract
793.6	Non-specific (abnormal) findings on radiological and other examination of of abdominal area, including retroperitoneum
795.89	Other abnormal tumor markers
V10.07	Personal history of malignant neoplasm, liver
V10.43	Personal history of malignant neoplasm, ovary
V10.47	Personal history of malignant neoplasm, testis
V86.0	Estrogen receptor positive status [ER+]
V86.1	Estrogen receptor negative status [ER-]
<b>Human Chorionic Gonadotropin (HCG) (procedure code 84702) Quantitative</b>	
158.0	Malignant neoplasm of retroperitoneum
158.8	Malignant neoplasm of specified parts of peritoneum
164.2	Malignant neoplasm of anterior mediastinum
164.3	Malignant neoplasm of posterior mediastinum
164.8	Malignant neoplasm, other (includes malignant neoplasm of contiguous overlapping sites of thymus, heart, and mediastinum whose point of origin cannot be determined)
164.9	Malignant neoplasm of mediastinum, part specified
181	Malignant neoplasm of placenta
183.0	Malignant neoplasm of ovary
183.8	Other specified sites of uterine adnexa
186.0	Malignant neoplasm of undescended testis
186.9	Malignant neoplasm of other and unspecified testis
194.4	Malignant neoplasm of pineal gland
197.1	Secondary malignant neoplasm of mediastinum
197.6	Secondary malignant neoplasm of retroperitoneum and peritoneum
198.6	Secondary malignant neoplasm of ovary
198.82	Secondary malignant neoplasm of other genital organs
236.1	Neoplasm of uncertain behavior, placenta
338.3	Neoplasm related pain (acute) (chronic)
623.8	Vaginal bleeding
625.9	Pelvic pain
630	Hydatidiform mole
631	Pregnancy, molar
632	Missed abortion
633.90 – 633.91	Unspecified ectopic pregnancy
634.00 – 634.02	Spontaneous abortion, complicated by genital tract and pelvic infection
640.00 – 640.03	Threatened abortion
642.30 – 642.34	Transient hypertension of pregnancy
642.40 – 642.74	Pre-eclampsia or eclampsia
642.90 – 642.94	Unspecified hypertension complicating pregnancy, childbirth, or the puerperium
795.89	Other abnormal tumor markers
V10.09	Personal history of malignant neoplasm, other gastrointestinal sites
V10.29	Personal history of malignant neoplasm of other respiratory and intrathoracic organs
V10.43	Personal history of malignant neoplasm, ovary
V10.47	Personal history of malignant neoplasm, testis
V22.0 – V22.1	Normal pregnancy

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>CA 125 (procedure code 86304)</b>	
158.8	Malignant neoplasm, specified parts of peritoneum
158.9	Malignant neoplasm, peritoneum, unspecified
180.0	Malignant neoplasm, endocervix
182.0	Malignant neoplasm of corpus uteri, except isthmus
183.0	Malignant neoplasm, ovary
183.2	Malignant neoplasm, fallopian tube
183.8	Malignant neoplasm, other specified sites of uterine adnexa
184.8	Malignant neoplasm, other specified sites of female genital organs
198.6	Secondary malignant neoplasm, ovary
198.82	Secondary malignancy of genital organs
236.0 – 236.3	Neoplasm of uncertain behavior of female genital organs
338.3	Neoplasm related pain (acute) (chronic)
789.39	Abdominal or pelvic swelling, mass or lump of other specified site
795.82	Elevated cancer antigen 125 [CA 125]
795.89	Other abnormal tumor markers
V10.41	Personal history of malignant neoplasm, cervix uteri
V10.42	Personal of malignant neoplasm, other parts of the uterus
V10.43 – V10.44	Personal history of malignant neoplasm of female genital organs
<b>CA 15-3 and CA 27.29 (procedure code 86300)</b>	
174.0 – 174.9	Breast, primary (female) – malignant neoplasm of female breast
175.0 – 175.9	Breast, primary (male) – malignant neoplasm of male breast
198.2	Secondary malignant neoplasm of skin
198.81	Secondary malignant neoplasm of breast
338.3	Neoplasm related pain (acute) (chronic)
795.89	Other abnormal tumor markers
V10.3	Personal history of malignant neoplasm, breast
<b>CA 19-9 (procedure code 86301)</b>	
155.1	Malignant neoplasm, intrahepatic bile ducts
156.0	Malignant neoplasm of the gallbladder
156.1	Malignant neoplasm, extrahepatic bile ducts
156.2	Malignant neoplasm of the Ampulla of Vater
156.8	Malignant neoplasm, other specified sites of gallbladder and extrahepatic bile ducts
156.9	Malignant neoplasm, unspecified part of biliary tract
157.0 – 157.9	Malignant neoplasm, pancreas
197.8	Secondary malignant neoplasm, other digestive organs and spleen
235.3	Neoplasm of uncertain behavior, liver and biliary passages
235.5	Neoplasm of uncertain behavior, other and unspecified digestive organs
338.3	Neoplasm related pain (acute) (chronic)
795.89	Other abnormal tumor markers
V10.09	Other personal history of cancer

Medicare will consider this test(s) medically reasonable and necessary only if the test(s) was performed for any of the diagnoses/conditions listed on this page. This information is subject to change without notice, and Consolidated Laboratory Services (CLS) is not responsible for consequences that may result from using such information. CLS is not indicating one code is more acceptable than another, and that selected codes should reflect the patients actual medical condition as noted in their medical record.

<b>Vitamin D; 25 hydroxy, includes fraction(s) if performed</b> (82306)	
252.00	Hyperparathyroidism, unspecified
252.01	Primary hyperparathyroidism
252.02	Secondary hyperparathyroidism, non-renal
252.08	Other hyperparathyroidism
252.1	Hypoparathyroidism
268.0	Rickets active
268.2	Osteomalacia unspecified
268.9	Unspecified Vitamin D deficiency
275.3	Disorders of phosphorus metabolism
275.41	Hypocalcemia
275.42	Hypercalcemia
278.4	Hypervitaminosis D
571.2	Alcoholic cirrhosis of liver
271.5	Cirrhosis of liver without alcohol
571.6	Biliary cirrhosis
579.0 – 579.9	Celiac disease – unspecified intestinal malabsorption
585.3	Chronic kidney disease, stage III (moderate)
585.4	Chronic kidney disease, stage IV (severe)
585.5	Chronic kidney disease, stage V
585.6	End stage renal disease
588.81	Secondary hyperparathyroidism (of renal origin)
733.00	Osteoporosis unspecified
733.01	Senile osteoporosis
733.02	Idiopathic osteoporosis
733.03	Disuse osteoporosis
733.09	Other osteoporosis
733.90	Disorder of bone and cartilage unspecified